



Estd. 1989

## SIR C. R. REDDY COLLEGE OF ENGINEERING

ELURU-534007, Eluru Dist., A.P., INDIA

ACCREDITED BY NBA, APPROVED BY ALL INDIA COUNCIL FOR TECHNICAL EDUCATION, NEW DELHI,

PERMANENTLY AFFILIATED TO JNTUK, KAKINADA

[www.sircrrengg.ac.in](http://www.sircrrengg.ac.in)

### 3.3.2 Number of books and chapters in edited volumes / books published, and papers published in national/international conference-proceedings per teacher during last five years

Name of the teacher	Title of the Book/ Chapters Published	Title of the Paper	Title of the proceedings of the conference	Year of publication	ISBN/ ISSN number of the proceeding	Whether at the time of publication Affiliating Institution Was same Yes/NO	Name of the publisher	Link to website/ doi of the Conference Paper
<b>2022</b>								
J.S.V. Gopala Krishna	Python Experiments for Mechanical Engineering	N/A	N/A	2022	978-81-947453-3-4	Yes	S.S. Publications, Repalle	N/A
S.K.Chaitanya.R	N/A	Sentiment Analysis using deep learning for use in recommendation systems of various public media applications	<u>2023 International Conference on Sustainable Computing and Smart Systems</u>	2022	978-1-6654-7971-4	Yes	IEEE	<u><a href="https://doi.org/10.1109/ICESC54411.2022.9885648">10.1109/ICESC54411.2022.9885648</a></u>

Vahiduddin Shariff	N/A	A Generalized Model for Identifying Fake Digital Images through the Application of Deep Learning	International Conference on Electronics and Sustainable Communication Systems (ICESC 2022)	2022	978-1-6654-7971-4	Yes	IEEE	<a href="https://ieeexplore.ieee.org/document/9885341">https://ieeexplore.ieee.org/document/9885341</a>
T N S Koti Mani Kumar	N/A	An Adaptive Load Balancing Technique for Multi SDN Controllers	Proceedings of the International Conference on Augmented Intelligence and Sustainable Systems (ICAISS-2022)	2022	978-1-6654-8962-1	Yes	IEEE	<a href="https://doi.org/10.1109/ICAISS55157.2022.10010881">10.1109/ICAISS55157.2022.10010881</a>
T. Usha Rani	N/A	Region-based Convolutional Neural Networks with IoT-based Alzheimer's disease detection and classifications	IEEE North Karnataka Subsection Flagship International Conference(IEEE NKCon-2022)	2022	978-1-6654-5342-4	Yes	IEEE	<a href="https://doi.org/10.1109/NKCon56289.2022.10126627">10.1109/NKCon56289.2022.10126627</a>
Y.Anjani	N/A	Region-based Convolutional Neural Networks with IoT-based Alzheimer's disease detection and classifications	IEEE North Karnataka Subsection Flagship International Conference(IEEE NKCon-2022)	2022	978-1-6654-5342-4	Yes	IEEE	<a href="https://doi.org/10.1109/NKCon56289.2022.10126627">10.1109/NKCon56289.2022.10126627</a>
M. Siva Ganesh	N/A	An Adaptive Load Balancing Technique for Multi SDN Controllers	Proceedings of the International Conference on Augmented Intelligence and Sustainable Systems (ICAISS-2022)	2022	978-1-6654-8962-1	Yes	IEEE	<a href="https://doi.org/10.1109/ICAISS55157.2022.10010881">10.1109/ICAISS55157.2022.10010881</a>

Dr.N.Sameera	N/A	Design of Load frequency controller using Whale Optimization Algorithm (WOA)	2022 IEEE 2nd Mysore Sub Section International Conference (MysuruCon), Mysuru, India, 2022	2022	978-1-6654-9790-9	Yes	IEEE	<a href="https://doi.org/10.1109/MysuruCon55714.2022.9972377">https://doi.org/10.1109/MysuruCon55714.2022.9972377</a>
Dr.G.Chamundeswari	N/A	Design of Load frequency controller using Whale Optimization Algorithm (WOA)	2022 IEEE 2nd Mysore Sub Section International Conference (MysuruCon), Mysuru, India, 2022	2022	978-1-6654-9790-9	Yes	IEEE	<a href="https://doi.org/10.1109/MysuruCon55714.2022.9972377">https://doi.org/10.1109/MysuruCon55714.2022.9972377</a>
K Kotaiah Chowdary	N/A	Design of Load frequency controller using Whale Optimization Algorithm (WOA)	2022 IEEE 2nd Mysore Sub Section International Conference (MysuruCon), Mysuru, India, 2022	2022	978-1-6654-9790-9	Yes	IEEE	<a href="https://doi.org/10.1109/MysuruCon55714.2022.9972377">https://doi.org/10.1109/MysuruCon55714.2022.9972377</a>
V. S. R. Pavan Kumar. Neeli	N/A	Design of Load frequency controller using Whale Optimization Algorithm (WOA)	2022 IEEE 2nd Mysore Sub Section International Conference (MysuruCon), Mysuru, India, 2022	2022	978-1-6654-9790-9	Yes	IEEE	<a href="https://doi.org/10.1109/MysuruCon55714.2022.9972377">https://doi.org/10.1109/MysuruCon55714.2022.9972377</a>
V. Veeraju	<u>Smart Innovation, Systems and Technologies</u>	Weighted Averaging PSO-Based SWT Method of Image Fusion for X-Ray Mammograms	<u>Smart Intelligent Computing and Applications</u>	2022	volume 283	Yes	Springer Link	<a href="https://link.springer.com/chapter/10.1007/978-981-16-9705-0_53">https://link.springer.com/chapter/10.1007/978-981-16-9705-0_53</a>

S.K.Chaitanya.R	N/A	A comparison between shortest path algorithms using Runtime Analysis and Negative edges in Computer Networks	2022 International Mobile and Embedded Technology Conference	2022	978-1-6654-2020-4	Yes	IEEE	<a href="https://doi.org/10.1109/MECON53876.2022.9752035">10.1109/MECON53876.2022.9752035</a>
Vahiduddin Shariff	N/A	A comparison between shortest path algorithms using runtime analytics and negative edges in computer networks.	2022 International Mobile and Embedded Technology Conference	2022	978-1-6654-2020-4	Yes	IEEE	<a href="https://doi.org/10.1109/MECON53876.2022.9752035">10.1109/MECON53876.2022.9752035</a>
J. UnniKiran	N/A	A comparison between shortest path algorithms using runtime analytics and negative edges in computer networks.	2022 International Mobile and Embedded Technology Conference	2022	978-1-6654-2020-4	Yes	IEEE	<a href="https://doi.org/10.1109/MECON53876.2022.9752035">10.1109/MECON53876.2022.9752035</a>
T N S Koti Mani Kumar	N/A	A comparison between shortest path algorithms using runtime analytics and negative edges in computer networks.	2022 International Mobile and Embedded Technology Conference	2022	978-1-6654-2020-4	Yes	IEEE	<a href="https://doi.org/10.1109/MECON53876.2022.9752035">10.1109/MECON53876.2022.9752035</a>
Vahiduddin Shariff	Concepts of Cloud Computing Essentials	N/A	N/A	2022	978-935574025-0	Yes	Walnut Publications	<a href="https://www.walnutpublication.com/book/9789355740250/">https://www.walnutpublication.com/book/9789355740250/</a>




V.S.R.Pavan Kumar.Neeli	N/A	Spotted Hayena optimized PI-PD controller for frequency control of standalone u- Grid Incorporating Electrical vehicles	International Conference on Electronics and Renewable Systems	2022	979-8-3503-4664- 0	Yes	IEEE	<a href="https://doi.org/10.1109/ICEARS56392.2023.10085648">10.1109/ICEARS5 6392.2023.100856 48</a>
Dr. N Sameera	N/A	Spotted Hayena optimized PI-PD controller for frequency control of standalone u- Grid Incorporating Electrical vehicles	International Conference on Electronics and Renewable Systems	2022	979-8-3503-4664- 0	Yes	IEEE	<a href="https://doi.org/10.1109/ICEARS56392.2023.10085648">10.1109/ICEARS5 6392.2023.100856 48</a>
Rama lakshmi B	Fundamentals of Artificial Intelligence	N/A	N/A	2022	978-93-92153-40- 2	Yes	South Asian Academic Publishers	N/A
Ajay Kumar Dharmireddy	<u>Lecture Notes in Electrical Engineering</u>	Rad-Hard Model SOI FinTFET for Spacecraft Application	<u>Advances in Micro- Electronics, Embedded Systems and IoT</u>	2022	volume 838	Yes	Springer Link	<a href="https://ouci.dntb.gov.ua/en/works/40DnqEv4/">https://ouci.dntb.go v.ua/en/works/40D nqEv4/</a>
Sk Chan Basha	N/A	Spotted Hayena optimized PI-PD controller for frequency control of standalone u- Grid Incorporating Electrical vehicles	International Conference on Electronics and Renewable Systems	2022	979-8-3503-4664- 0	Yes	IEEE	<a href="https://doi.org/10.1109/ICEARS56392.2023.10085648">10.1109/ICEARS5 6392.2023.100856 48</a>

M. Vijaya Raghavendra	N/A	Spotted Hayena optimized PI-PD controller for frequency control of standalone u-Grid Incorporating Electrical vehicles	International Conference on Electronics and Renewable Systems	2022	979-8-3503-4664-0	Yes	IEEE	<u>10.1109/ICEARS56392.2023.10085648</u>
Koyi Kotaiah Chowdary	N/A	Spotted Hayena optimized PI-PD controller for frequency control of standalone u-Grid Incorporating Electrical vehicles	International Conference on Electronics and Renewable Systems	2022	979-8-3503-4664-0	Yes	IEEE	<u>10.1109/ICEARS56392.2023.10085648</u>

*Vijaya*  
IQAC


*[Signature]*  
PRINCIPAL  
Principal  
Sir C R Reddy College of Engineering  
ELURU - 534 007



# PYTHON EXPERIMENTS

For Mechanical Engineers


ISBN: 978-81-947453-3-4



KATTUPALLI SUDHAKAR

Dr MD ABID ALI

JSV GOPALA KRISHNA



---

# Mechanical Engineers

*(For JNTU Kakinada Affiliated Colleges)*



9 788194 745334



S S PUBLICATIONS, REPALLE, AP. INDIA.  
<https://ssps.ksesr.org/>



Teaching students of engineering and sciences to educate them with integrated concepts of technology and science is a mandate for their better future. The students of mechanical engineering have the world without limits to explore and innovate the concepts by integrating with computing languages. Python at its best serving the world to see the new era in computing with engineering and allied sciences. The industry 4.0 is the best scenario where every student can see the window of technology exploration in the current world.

**Prof Kattupalli Sudhakar M.Tech.,M.S(Australia),,(PhD),,**

IEEE Senior Member, Associate Professor of CSE

PSCMR College of Engineering and Technology

Vijayawada-1.AP.INDIA.

Email: [sudhamtech@hotmail.com](mailto:sudhamtech@hotmail.com)

[www.kattupallisudhakar.com](http://www.kattupallisudhakar.com)



Being a professor of Mechanical Engineering, I was in this field of teaching since 2000 and continuing with passion and enabling students to explore the wonders of Mechanical Engineering. Mechanical Engineering now a days seeing the new chapters of technology by being integrated with thrust technologies that are evolved and continuing to evolve in future. The Python Programming at its best is more useful and wonder of programming languages enabling the engineering domain to see new dimensions of technology. It is good to collaborate with Computer Science Faculty and continue to gain knowledge in the trust areas to impart more to mechanical engineering students.

**Dr.MD.Abid Ali M.Tech.,PhD.,**

Professor &HoD of Mechanical Engineering,

PSCMR College of Engineering and Technology,

Vijayawada-1.AP.INDIA.

Email: [drmaa786@gmail.com](mailto:drmaa786@gmail.com)



Being a professor of Computer Science I have been involved in various research articles, technology development programs, students enabled projects over two decades of my teaching career. It's been interesting to see the evolution of technology and resources available these days to pursue programming languages to integrate with technology concepts. In this era Python is at its best to provide new window of opportunity for every student.

**Prof J S V Gopala Krishna, M.Tech.,(PhD),,**

Associate Professor, Department of CSE,

SIR CRR Engineering College, Eluru,AP.INDIA.

Email: [jsvgk4321@gmail.com](mailto:jsvgk4321@gmail.com)



## CONTENTS

1. Course Details.....	02
2. List of Experiments.....	03
3. Experiment 1.....	04
4. Experiment 2.....	07
5. Experiment 3.....	11
6. Experiment 4.....	14
7. Experiment 5.....	17
8. Experiment 6.....	20
9. Experiment 7.....	22
10. Experiment 8.....	25
11. Experiment 9.....	27
12. Experiment 10.....	32
13. Experiment 11.....	34
14. Experiment 12.....	37
15. Experiment 13.....	40
16. Viva Questions.....	43





All



ADVANCED SEARCH

Conferences > 2022 3rd International Confer...

# Sentiment Analysis using deep learning for use in recommendation systems of various public media applications

Publisher: IEEE

Cite This

PDF

Karuna Arava ; Rudraraju Sri Krishna Chaitanya ; Shalk Sankinder ; S Pihari Praveen ; Swapna D All Authors

114 Cites in Papers

114 Full Text Views



Alerts

Manage Content Alerts Add to Citation Alerts

## Abstract

### Document Sections

- I. Introduction
- II. Sentiment
- III. Sentiment Analysis
- IV. Different Levels Of Sentiment Analysis
- V. Applications Of Sentiment Analysis

Show Full Outline

- Authors
- Figures
- References
- Citations
- Keywords
- Metrics

More Like This



**Abstract:** Sentiment Analysis is a method of analyzing text and extracting opinions from it. It's also known as emotion or opinion extraction, and it's part of the machine learning ... [View more](#)

### Metadata

#### Abstract:

Sentiment Analysis is a method of analyzing text and extracting opinions from it. It's also known as emotion or opinion extraction, and it's part of the machine learning as well as data mining categories. There are numerous ways to convey one's sentiments. It can be articulated in a variety of ways, such as through feelings, making judgments, or expressing one's vision or insight. Sentiment investigation is the act of detecting, recognizing, and categorizing a user's emotion or view for any service, such as movies, product issues, events, or any other attribute that can be good, negative, or neutral. This analysis is based on social communication channels such as websites that included ratings, forum conversations, blogs, micro blogs, Twitter, and other social media platforms. The important goal of suggested system is to improvise accuracy and to generate recommendation system using deep learning algorithms.

**Published in:** 2022 3rd International Conference on Electronics and Sustainable Communication Systems (ICESC)

**Date of Conference:** 17-19 August 2022

**DOI:** 10.1109/ICESC54411.2022.9885648

**Date Added to IEEE Xplore:** 19 September 2022

**Publisher:** IEEE

**ISBN Information:**

**Conference Location:** Coimbatore, India

## Contents

### I. Introduction

People are increasingly utilizing social networking platforms to express their opinions and thoughts on topic such as daily life, business, education and fame. On social media channels, people shared both favorable and negative opinions. If sentiment assessment is utilized, the customer will be able to grasp the comment on the item before purchasing items. The way people express their views and beliefs has evolved in the age of the internet [1]. Blog entries, social media, internet forums,





All



ADVANCED SEARCH

Conferences > 2022 3rd International Confer...

# A Generalized Model for Identifying Fake Digital Images through the Application of Deep Learning

Publisher: IEEE

Cite This

PDF

Karuna Arava ; Chiranjeevi Paritala ; Vahiduddin Shariff ; S Phani Praveen ; A Madhuri All Authors

Cites in Papers

122 Full Text Views

Alerts

Manage Content Alerts Add to Citation Alerts

## Abstract

### Document Sections

- I. Introduction
- II. Existing System
- III. PROPOSED SYSTEM
- IV. Results
- V. Conclusion

Show Full Outline

Authors

Figures

References

Citations

Keywords

Metrics

More Like This



**Abstract:** Digital photography usage plays a major role in today's daily communication. Digital picture modification and tampering have become a lot easier because of enhanced techn... [View more](#)

### Metadata

#### Abstract:

Digital photography usage plays a major role in today's daily communication. Digital picture modification and tampering have become a lot easier because of enhanced technology in photo editing. The public's perception, political views, and police investigations are all influenced by the manipulation of photographs. Forgery or tampering of digital photograph can be done by numerous techniques such as image splicing, copy-move, JPEG compression, light inconsistencies, retouching, etc. Every manipulation technique will leave some traces after forgery and with the help of those traces detection of forgery can be done by forensics. Digital forensics faces difficulty in identifying the authenticity of such digital images. Though manipulation of a single image is done by applying numerous techniques, traces are erased by using post-processing. Many approaches are proposed for image forgery detection by using any one of the tampering techniques (like copy-move, splicing, etc.). In the real-world scenario a universal model is recommended for detecting multiple manipulation operations on a single image. This paper aims to help detect forgery more effectively in digital images even with multiple tampering techniques used to forge one single image using deep learning techniques. Deep learning techniques take a large set of original and tampered images for forgery detection. This model is a self-learned model which differentiates the two classes of authentic and forgery images by extracting hidden features. The experiment results of the proposed approach will illustrate the model's accuracy and efficacy.

**Published in:** 2022 3rd International Conference on Electronics and Sustainable Communication Systems (ICESC)

**Date of Conference:** 17-19 August 2022

**DOI:** 10.1109/ICESC54411.2022.9885341

**Date Added to IEEE Xplore:** 19 September 2022

**Publisher:** IEEE

**ISBN Information:**

**Conference Location:** Coimbatore, India





All



ADVANCED SEARCH

Conferences > 2022 International Conference...

# An Adaptive Load Balancing Technique for Multi SDN Controllers

Publisher: IEEE

Cite This

PDF

S Phani Praveen ; Pappula Sarala ; T N S Koti Mani Kumar ; Siva Ganesh Manuri ; V Sai Srinivas ; D Swapna All Authors

9 Cites in Papers

198 Full Text Views



## Alerts

Manage Content Alerts

Add to Citation Alerts

### Abstract

#### Document Sections

- I. Introduction
- II. Related Work
- III. Dynamic Load Balancing Mechanism
- IV. Result Analysis
- V. Conclusion

Authors

Figures

References

Citations

Keywords

Metrics

More Like This



View



**Abstract:** Software-Defined Networking (SDN) has created distributed controllers to partition the entire network into distinct domains utilizing numerous physically scattered but lo... [View more](#)

#### Metadata

##### Abstract:

Software-Defined Networking (SDN) has created distributed controllers to partition the entire network into distinct domains utilizing numerous physically scattered but logically centralized controllers in recent years. SDN enables more flexible network management by separating control and data planes. Multiple controllers improve the scalability and accessibility of a solitary centralized controller, but there is no flexible mechanism for controller load balancing. This study proposes an approach of multiple SDN controllers for dynamic load balancing. The proposed method can automatically transfer the load from the heavy load controller to the light load controller depending on the load condition of each controller. The parameters used in this study to estimate the performance of a dynamic load balancing system are response time, throughput, and resource consumption. Tests with projectors have demonstrated that this system can automatically distribute the load to each controller, saving load balancing time.

**Published in:** 2022 International Conference on Augmented Intelligence and Sustainable Systems (ICAISS)

**Date of Conference:** 24-28 November 2022

**DOI:** 10.1109/ICAISS55157.2022.10010881

**Date Added to IEEE Xplore:** 18 January 2023

**Publisher:** IEEE

#### ISBN Information:

**Conference Location:** Trichy, India

### Contents

#### I. Introduction

When Network is encumbered then there is trivial necessity for Load balancing strategies. For mobile consumers, load balancing directly influences application and service accessibility [1]. Load balancing is a strategy to evenly distribute traffic load on two or more links to optimize throughput, (throughput, and response times and to avoid congestion on one or other connectors [2]. Load balancing tries to maximize resource use by minimizing reaction time, minimizing throughput, and



Sign In to Continue Reading



All



ADVANCED SEARCH

Conferences > 2022 IEEE North Karnataka Sub...

# Region-based Convolutional Neural Networks with IoT-based Alzheimer's disease detection and classifications

Publisher: IEEE

Cite This

PDF

Anjani Yalamanchili Dorai, Venkata Sekhar G.Vijay Kumar, Tummala Usha Rani All Authors

27 Full Text Views



## Alerts

Manage Content Alerts Add to Citation Alerts

### Abstract

#### Document Sections

- I. Introduction
- II. Literature Survey
- III. Proposed System
- IV. Result and Discussion
- V. Conclusion

#### Authors

#### Figures

#### References

#### Keywords

#### Metrics

More Like This



**Abstract:** It is proposed that more research into the potential of thermal imaging cameras for human recognition be conducted. When visual recognition is difficult, we recommend bu... [View more](#)

#### Metadata

##### Abstract:

It is proposed that more research into the potential of thermal imaging cameras for human recognition be conducted. When visual recognition is difficult, we recommend building 3D facial reconstructions and combining speech to provide a reliable identification read. Given the numerous uses of facial reconstruction, it is critical to investigate how information theory might be used to speed up and optimised the process. Furthermore, our prototype allows us to follow the whereabouts of the individual with AD. Furthermore, our IoT prototype secures the camera photos using steganography, which allows the recipient to decode the original image using a key. Accuracy, precision, and recall were used to assess the performance of the RCNN-PSO proposed system. The experimental analysis showed that the proposed model RCNN-PSO was able to achieve high performance in multiclass classification.

**Published in:** 2022 IEEE North Karnataka Subsection Flagship International Conference (NKCon)

**Date of Conference:** 20-21 November 2022

**DOI:** 10.1109/NKCon56289.2022.10126627

**Date Added to IEEE Xplore:** 26 May 2023

**Publisher:** IEEE

**ISBN Information:**

**Conference Location:** Vijaypur, India

### Contents

#### I. Introduction

Alzheimer's disease (AD) is a neurological ailment that causes memory loss and instability by affecting brain function and gradually destroying brain cells in humans. Amyloid- (A) overproduction and tau protein hyper phosphorylation are hypothesized to have a role in the aetiology of Alzheimer's disease. This causes cell death, memory and learning issues, and the formation of A plaques and tau neurofibrillary tangles, both of which hinder nucleocytoplasmic trafficking between





All



ADVANCED SEARCH

Conferences > 2022 IEEE North Karnataka Sub...

# Region-based Convolutional Neural Networks with IoT-based Alzheimer's disease detection and classifications

Publisher: IEEE

Cite This

PDF

Arijani Yasamanthill ; Dorai, Venkata Sekhar ; G.Vijay Kumar ; Tumimala Usha Raji All Authors

27 Full Text Views



## Alerts

Manage Content Alerts Add to Citation Alerts

### Abstract

#### Document Sections

- I. Introduction
- II. Literature Survey
- III. Proposed System
- IV. Result and Discussion
- V. Conclusion

Authors

Figures

References

Keywords

Metrics

More Like This



**Abstract:** It is proposed that more research into the potential of thermal imaging cameras for human recognition be conducted. When visual recognition is difficult, we recommend building 3D facial reconstructions and combining speech to provide a reliable identification read. Given the numerous uses of facial reconstruction, it is critical to investigate how information theory might be used to speed up and optimised the process. Furthermore, our prototype allows us to follow the whereabouts of the individual with AD. Furthermore, our IoT prototype secures the camera photos using steganography, which allows the recipient to decode the original image using a key. Accuracy, precision, and recall were used to assess the performance of the RCNN-PSO proposed system. The experimental analysis showed that the proposed model RCNN-PSO was able to achieve high performance in multiclass classification.

#### Metadata

##### Abstract:

It is proposed that more research into the potential of thermal imaging cameras for human recognition be conducted. When visual recognition is difficult, we recommend building 3D facial reconstructions and combining speech to provide a reliable identification read. Given the numerous uses of facial reconstruction, it is critical to investigate how information theory might be used to speed up and optimised the process. Furthermore, our prototype allows us to follow the whereabouts of the individual with AD. Furthermore, our IoT prototype secures the camera photos using steganography, which allows the recipient to decode the original image using a key. Accuracy, precision, and recall were used to assess the performance of the RCNN-PSO proposed system. The experimental analysis showed that the proposed model RCNN-PSO was able to achieve high performance in multiclass classification.

**Published In:** 2022 IEEE North Karnataka Subsection Flagship International Conference (NKCon)

**Date of Conference:** 20-21 November 2022

**DOI:** 10.1109/NKCon56289.2022.10126627

**Date Added to IEEE Xplore:** 26 May 2023

**Publisher:** IEEE

#### ISBN Information:

**Conference Location:** Vijaypur, India

## Contents

### I. Introduction

Alzheimer's disease (AD) is a neurological ailment that causes memory loss and instability by affecting brain function and gradually destroying brain cells in humans. Amyloid- (A) overproduction and tau protein hyper phosphorylation are hypothesized to have a role in the aetiology of Alzheimer's disease. This causes cell death, memory and learning issues, and the formation of A plaques and tau neurofibrillary tangles, both of which hinder nucleocytoplasmic trafficking between







All



ADVANCED SEARCH

Conferences > 2022 International Conference...

# An Adaptive Load Balancing Technique for Multi SDN Controllers

Publisher: IEEE

Cite This

PDF

S Phani Praveen ; Pappula Sarala ; T N S Koti Mani Kumar ; Siva Ganesh Manuri ; V Sai Srinivas ; D Swapna All Authors

9 Cites in Papers

198 Full Text Views



## Alerts

Manage Content Alerts

Add to Citation Alerts

### Abstract

#### Document Sections

- I. Introduction
- II. Related Work
- III. Dynamic Load Balancing Mechanism
- IV. Result Analysis
- V. Conclusion

Authors

Figures

References

Citations

Keywords

Metrics

More Like This



Download PDF

**Abstract:** Software-Defined Networking (SDN) has created distributed controllers to partition the entire network into distinct domains utilizing numerous physically scattered but lo... [View more](#)

#### Metadata

##### Abstract:

Software-Defined Networking (SDN) has created distributed controllers to partition the entire network into distinct domains utilizing numerous physically scattered but logically centralized controllers in recent years. SDN enables more flexible network management by separating control and data planes. Multiple controllers improve the scalability and accessibility of a solitary centralized controller, but there is no flexible mechanism for controller load balancing. This study proposes an approach of multiple SDN controllers for dynamic load balancing. The proposed method can automatically transfer the load from the heavy load controller to the light load controller depending on the load condition of each controller. The parameters used in this study to estimate the performance of a dynamic load balancing system are response time, throughput, and resource consumption. Tests with projectors have demonstrated that this system can automatically distribute the load to each controller, saving load balancing time.

**Published in:** 2022 International Conference on Augmented Intelligence and Sustainable Systems (ICAISS)

**Date of Conference:** 24-26 November 2022

**DOI:** 10.1109/ICAISS55157.2022.10010881

**Date Added to IEEE Xplore:** 16 January 2023

**Publisher:** IEEE

**ISBN Information:**

**Conference Location:** Trichy, India

### Contents

#### I. Introduction

When Network is encumbered then there is trivial necessity for Load balancing strategies. For mobile consumers, load balancing directly influences application and service accessibility [1]. Load balancing is a strategy to evenly distribute traffic load on two or more links to optimize throughput, throughput, and response times and to avoid congestion on one or other connections [2]. Load balancing tries to maximize resource use by minimizing reaction time, minimizing throughput, and



Sign In to Continue Reading



All



ADVANCED SEARCH

Conferences > 2022 IEEE 2nd Mysore Sub Sect...

# Design of Load frequency controller using Whale Optimization Algorithm (WOA)

Publisher: IEEE

Cite This

PDF

V. S. R. Pavan Kumar, Neelil; K. Kotiah Chowdary; Nerella Sameera; Ganta Chamundeswari | All Authors

3  
Cites in  
Papers

39  
Full  
Text Views



## Alerts

Manage Content Alerts  
Add to Citation Alerts

### Abstract

#### Document Sections

- I. Introduction
- II. Construction of the system
- III. Objective Function
- IV. Whale optimization algorithm
- V. Results & Discussion

Show Full Outline

Authors

Figures

References

Citations

Keywords

Metrics

More Like This



PDF

PDF

**Abstract:** This research work focuses on drafting a Load frequency controller that is interconnected with a Single area thermal power system for a Hybrid Distributed generation syst... [View more](#)

#### Metadata

##### Abstract:

This research work focuses on drafting a Load frequency controller that is interconnected with a Single area thermal power system for a Hybrid Distributed generation system. Whale Optimization Algorithm(WOA), a meta-heuristic, nature inspired optimization method is applied to obtain PID (Proportional-Integral-Derivative) controller's gain value. The efficiency of the dynamic system is observed. The observations are discussed and compared with the efficiencies of other approaches like Harmony search (HS), Flower pollination algorithm (FPA) and Particle swarm optimization (PSO). The proposed system exhibits its robustness in the frequency deviations' profile with settling time. MATLAB R2010a was used to simulate the same.

**Published in:** 2022 IEEE 2nd Mysore Sub Section International Conference (MysuruCon)

**Date of Conference:** 16-17 October 2022

**DOI:** 10.1109/MysuruCon55714.2022.9972377

**Date Added to IEEE Xplore:** 13 December 2022

**Publisher:** IEEE

#### ISBN Information:

**Conference Location:** Mysuru, India

### Contents

#### I. Introduction

Now-a-days load demand is increasing rapidly because of the speedy growth of population. The regular use of conventional generation sources leads to the shortage with in a limited duration. In this scenario the cost of fuel also increasing rapidly. Keeping it in mind most of the researchers and power generating units thinking for Nonconventional energy based power generation. They are having so many advantages like less cost, clean, bio friendly etc. solar energy and wind energy are the promising application of renewable power generation. Moreover, power output from these two sources is depending upon the weather conditions. In this paper, a hybrid renewable energy





All



ADVANCED SEARCH

Conferences > 2022 IEEE 2nd Mysore Sub Sect...

# Design of Load frequency controller using Whale Optimization Algorithm (WOA)

Publisher: IEEE

Cite This

PDF

V. S. R. Pavan Kumar, Neelil ; K. Kotaiah Chowdary ; Neralla Sameera ; Ganta Chamundeswarl All Authors

3 Cites in Papers

39 Full Text Views



## Alerts

Manage Content Alerts Add to Citation Alerts

### Abstract

#### Document Sections

- I. Introduction
- II. Construction of the system
- III. Objective Function
- IV. Whale optimization algorithm
- V. Results & Discussion

Show Full Outline

Authors

Figures

References

Citations

Keywords

Metrics

More Like This



**Abstract:** This research work focuses on drafting a Load frequency controller that is interconnected with a Single area thermal power system for a Hybrid Distributed generation syst... [View more](#)

#### Metadata

##### Abstract:

This research work focuses on drafting a Load frequency controller that is interconnected with a Single area thermal power system for a Hybrid Distributed generation system. Whale Optimization Algorithm(WOA), a meta-heuristic, nature inspired optimization method is applied to obtain PID (Proportional-Integral-Derivative) controller's gain value. The efficiency of the dynamic system is observed. The observations are discussed and compared with the efficiencies of other approaches like Harmony search (HS), Flower pollination algorithm (FPA) and Particle swarm optimization (PSO). The proposed system exhibits its robustness in the frequency deviation's profile with settling time. MATLAB R2010a was used to simulate the same.

**Published in:** 2022 IEEE 2nd Mysore Sub Section International Conference (MysuruCon)

**Date of Conference:** 16-17 October 2022

**DOI:** 10.1109/MysuruCon55714.2022.9972377

**Date Added to IEEE Xplore:** 13 December 2022

**Publisher:** IEEE

#### ISBN Information:

**Conference Location:** Mysuru, India

### Contents

#### I. Introduction

Now-a-days load demand is increasing rapidly because of the speedy growth of population. The regular use of conventional generation sources leads to the shortage with in a limited duration. In this scenario the cost of fuel also increasing rapidly. Keeping it in mind most of the researchers and power generating units thinking for Nonconventional energy based power generation. They are having so many advantages like less cost, clean, bio friendly etc. solar energy and wind energy are the promising application of renewable power generation. Moreover, power output from these two sources is depending upon the weather conditions. In this paper, a hybrid renewable energy





# Design of Load frequency controller using Whale Optimization Algorithm (WOA)

1<sup>st</sup> V. S. R. Pavan Kumar Neelil  
Department of EEE  
SIR C R Reddy College of Engineering  
Eluru, India  
pavanscholar123@gmail.com

2<sup>nd</sup> K. Kotaiah Chowdary  
Department of EEE  
SIR C R Reddy College of Engineering  
Eluru, India

3<sup>rd</sup> Narella Sameera  
Department of IT  
SIR C R Reddy College of Engineering  
Eluru, India

4<sup>th</sup> Ganta Chamundeswari  
Department of IT  
SIR C R Reddy College of Engineering  
Eluru, India

**Abstract**—This research work focuses on drafting a Load frequency controller that is interconnected with a Single area thermal power system for a Hybrid Distributed generation system. Whale Optimization Algorithm(WOA), a meta-heuristic, nature inspired optimization method is applied to obtain PID (Proportional-Integral-Derivative) controller's gain value. The efficiency of the dynamic system is observed. The observations are discussed and compared with the efficiencies of other approaches like Harmony search (HS), Flower pollination algorithm (FPA) and Particle swarm optimization (PSO). The proposed system exhibits its robustness in the frequency deviations' profile with settling time. MATLAB R2010a was used to simulate the same.

**Keywords**—Hybrid Distributed generation system, PID controller, Whale optimization algorithm.

## I. INTRODUCTION

Now-a-days load demand is increasing rapidly because of the speedy growth of population. The regular use of conventional generation sources leads to the shortage with in a limited duration. In this scenario the cost of fuel also increasing rapidly. Keeping it in mind most of the researchers and power generating units thinking for Non-conventional energy based power generation. They are having so many advantages like less cost, clean, bio friendly etc. solar energy and wind energy are the promising application of renewable power generation. Moreover, power output from these two sources is depending upon the weather conditions [1]. Hence these hybrid renewable energy sources are interconnected to the main power system. But in an interconnected power system if any mismatch occurs between generations and demand certain deviations occurs in frequency, the respective tie-line power changes from its nominal value [2]. These deviations must be suppressed to obtain an economic, efficient and reliable operation. Load frequency continuously monitoring the generation and demand by adjusting the output of the generator in accordance with load requirement [3].

The present paper deals with the interconnection of Hybrid distributed generation system (DG) with a single area thermal power system [4]. In order to mitigate any frequency deviations a controlling action should be necessary to get back the system to normal condition. The LFC problem not only deals with the selection of controller but also in the designing of controller gains [5]. The optimal parameter gain values are obtained by a meta-heuristic technique Whale optimization algorithm, a nature inspired one. This technique can be used to tune gain values of

controller. Also the system dynamic performance is compared with other heuristic techniques to describe the superiority of the propose technique.

Following is the important contribution of the work

1. To design a Single area power system interconnected with Distributed generation (DG).
2. To optimize parameters of PI, PID and I controllers using WOA technique, to compare the dynamic performances.
3. To demonstrate the effectiveness found in the following perturbations

(a) Step-load

(b) Random-step load

## II. CONSTRUCTION OF THE SYSTEM

The Hybrid distributed generation model examined contains Aqua electrolyser, Wind-turbine generator, Fuel cell Solar-PV system, Energy preservation machines and Diesel generator such as Electric vehicle and Battery energy storage system. The total output of DG system is specified as:

$$\Delta P_{DG} = P_{Wg} + P_{fc} + P_{pv} + P_{ev} - P_{de} \pm P_{be} \pm P_{st} \quad (1)$$

Higher order non linear mathematical forms are used in order to simulate the hybrid power system's varying behaviour. However, in general transfer function systems are used to simulate broad scale systems [6]. In this way, 1<sup>st</sup> order models entitle all the components. The Power system considered for study is shown in Fig. 1.

### A. First order model of Wind turbine generator

The Mechanical energy is obtained from the Kinetic energy of wind by the wind turbine generator. The governing equation is represented by

$$P_w = \frac{1}{2} \rho A C_p V_m^3 \quad (2)$$

$\rho$  constitutes air density in terms of  $\text{kg/m}^3$ ,  $A$  constitutes swept area in terms of  $\text{m}^2$ ,  $V_m$  represents wind speed in terms of  $\text{m/s}$ ,  $C_p$  the power co-efficient is the function of the tip speed ratio pitch angle of blade  $\lambda$  and  $\beta$ . In this study the linearized and simplified model of wind turbine generator is assumed and is viewed as first order transfer function model which is given below

# Design of Load frequency controller using Whale Optimization Algorithm (WOA)

1<sup>st</sup> V. S. R. Pavan Kumar, Neeli

Department of EEE  
SIR C R Reddy College of Engineering  
Eluru, India  
pavanscholar123@gmail.com

2<sup>nd</sup> K. Kotaiah Chowdary

Department of EEE  
SIR C R Reddy College of Engineering  
Eluru, India

3<sup>rd</sup> Nerella Sameera

Department of IT  
SIR C R Reddy College of Engineering  
Eluru, India

4<sup>th</sup> Ganta Chamundeswari

Department of IT  
SIR C R Reddy College of Engineering  
Eluru, India

**Abstract**—This research work focuses on drafting a Load frequency controller that is interconnected with a Single area thermal power system for a Hybrid Distributed generation system. Whale Optimization Algorithm(WOA), a meta-heuristic, nature inspired optimization method is applied to obtain PID (Proportional-Integral-Derivative) controller's gain value. The efficiency of the dynamic system is observed. The observations are discussed and compared with the efficiencies of other approaches like Harmony search (HS), Flower pollination algorithm (FPA) and Particle swarm optimization (PSO). The proposed system exhibits its robustness in the frequency deviations' profile with settling time. MATLAB R2010a was used to simulate the same.

**Keywords**—Hybrid Distributed generation system, PID controller, Whale optimization algorithm.

## I. INTRODUCTION

Now-a-days load demand is increasing rapidly because of the speedy growth of population. The regular use of conventional generation sources leads to the shortage with in a limited duration. In this scenario the cost of fuel also increasing rapidly. Keeping it in mind most of the researchers and power generating units thinking for Non-conventional energy based power generation. They are having so many advantages like less cost, clean, bio friendly etc. solar energy and wind energy are the promising application of renewable power generation. Moreover, power output from these two sources is depending upon the weather conditions [1]. Hence these hybrid renewable energy sources are interconnected to the main power system. But in an interconnected power system if any mismatch occurs between generations and demand certain deviations occurs in frequency, the respective tie-line power changes from its nominal value [2]. These deviations must be suppressed to obtain an economic, efficient and reliable operation. Load frequency continuously monitoring the generation and demand by adjusting the output of the generator in accordance with load requirement [3].

The present paper deals with the interconnection of Hybrid distributed generation system (DG) with a single area thermal power system [4]. In order to mitigate any frequency deviations a controlling action should be necessary to get back the system to normal condition. The LFC problem not only deals with the selection of controller but also in the designing of controller gains [5]. The optimal parameter gain values are obtained by a meta-heuristic technique Whale optimization algorithm, a nature inspired one. This technique can be used to tune gain values of

controller. Also the system dynamic performance is compared with other heuristic techniques to describe the superiority of the propose technique.

Following is the important contribution of the work

1. To design a Single area power system interconnected with Distributed generation (DG).
2. To optimize parameters of PI, PID and I controllers using WOA technique, to compare the dynamic performances.
3. To demonstrate the effectiveness found in the following perturbations

(a) Step-load

(b) Random-step load

## II. CONSTRUCTION OF THE SYSTEM

The Hybrid distributed generation model examined contains Aqua electrolyser, Wind-turbine generator, Fuel cell Solar-PV system, Energy preservation machines and Diesel generator such as Electric vehicle and Battery energy storage system. The total output of DG system is specified as

$$\Delta P_{DG} = P_{Ag} + P_{Fv} + P_{Dg} + P_{Fv} - P_{Lc} \pm P_{Bm} \pm P_{Ev} \quad (1)$$

Higher order non linear mathematical forms are used in order to simulate the hybrid power system's varying behaviour. However, in general transfer function systems are used to simulate broad scale systems [6]. In this way, 1<sup>st</sup> order models entitle all the components. The Power system considered for study is shown in Fig. 1.

### A. First order model of Wind turbine generator

The Mechanical energy is obtained from the Kinetic energy of wind by the wind turbine generator. The governing equation is represented by

$$P_m = \frac{1}{2} \rho A C_p V_m^3 \quad (2)$$

$\rho$  constitutes air density in terms of  $\text{kg/m}^3$ ,  $A$  constitutes swept area in terms of  $\text{m}^2$ ,  $V_m$  represents wind speed in terms of  $\text{m/s}$ ,  $C_p$  the power co-efficient is the function of the tip speed ratio pitch angle of blade  $\lambda$  and  $\beta$ . In this study the linearized and simplified model of wind turbine generator is assumed and is viewed as first order transfer function model which is given below



Smart Innovation, Systems and Technologies 283

Suresh Chandra Satapathy

Vikrant Bhateja

Margarita N. Favorskaya

T. Adilakshmi Editors



# Smart Intelligent Computing and Applications, Volume 2

Proceedings of Fifth International  
Conference on Smart Computing and  
Informatics (SCI 2021)

International

 Springer

# Contents

<b>1</b>	<b>Music Recommendation Engine Using Emotion Synthesis Through Facial Recognition</b> .....	<b>1</b>
	Yogesh Mogshetty, Sakshata Vandure, N. Vivekananda, Sammed Vandure, and Bahubali Akiwate	
<b>2</b>	<b>Indian Alphabets and Digits Sign Recognition Using Pretrained Model</b> .....	<b>13</b>
	Kinjal Mistree, Devendra Thakor, and Brijesh Bhatt	
<b>3</b>	<b>HarSaRK_multi_rs: A Hard Real-time Kernel for Multi-core Microcontrollers in Rust Language</b> .....	<b>21</b>
	K. I. Vishnunaryan and Gourinath Banda	
<b>4</b>	<b>Melody-Based Hindi Song Retrieval Using SVM</b> .....	<b>33</b>
	Naagamani Molakathaala, Veerendra Kumar Gautam, Violin Vasu, Saideep Samineni, Shankhanil Ghosh, Chhanda Saha, and Divyanjali Sirigiri	
<b>5</b>	<b>Analysis of Eye Gaze Response to Predict Cognitive and Behaviour Abilities of an Individual to Determine Developmental Disorders</b> .....	<b>43</b>
	R. Pallavi Reddy, N. Kalyani, R. Sai Usha, and G. L. Sai Sree	
<b>6</b>	<b>An Efficient Information Retrieval Technique for Document Classification</b> .....	<b>53</b>
	N. Santhosh Ramchander and Nagaratna P. Hegde	
<b>7</b>	<b>A Featurized Learning Approach for Health Monitoring in Hydraulic Systems Using Multivariate Time Series Data</b> .....	<b>63</b>
	B. Sirisha, Sai Goutham Goli, Jangala Balram, Arvapalli Venkata Satya Sai Manoj, Ravirala Praneeth, and B. Sandhya	

<b>8</b>	<b>Lockdown Phases and Changing Clusters of Indian States with Respect to Number of Cases of COVID-19</b> .....	71
	Rabinder Kumar Prasad, Subrata Chakraborty, and Rosy Sarmah	
<b>9</b>	<b>Non-invasive Measurement of Blood Sugar Using Near-Infrared Spectroscopy</b> .....	85
	Kiran Chakravarthula, Tejas S. Shah, and Divya Pathak	
<b>10</b>	<b>Design and Development of Silicon Nanowire-Based Pressure Sensor for Medical Applications</b> .....	93
	Somanath Pidashetti and Kirankumar B. Balavalad	
<b>11</b>	<b>Identifying Stars/Galaxies: A Hybrid Classification for Celestial Sources</b> .....	103
	Sindhu P. Menon	
<b>12</b>	<b>Contemporary Technique for Detection of Brain Tumor in Fluid-Attenuated Inversion Recovery Magnetic Resonance Imaging (MRI) Images</b> .....	117
	K. Bhima, M. Neelakantappa, K. Dasaradh Ramaiah, and A. Jagan	
<b>13</b>	<b>Word Sense Disambiguation for Indian Regional Language Using BERT Model</b> .....	127
	C. P. Chandrika and Jagadish S. Kallimani	
<b>14</b>	<b>Automating the Body Temperature Scanning System and Predictive Analysis Using Machine Learning Models</b> .....	139
	K. Athul Das, S. Mounika, and V. Krishna Mohan	
<b>15</b>	<b>Detection of Face Mask in Thermal Images Using Deep CNN</b> .....	151
	B. Sandhya, D. V. S. R. Sesidhar, Lathasree Reddy, T. Meghana, and B. Sony	
<b>16</b>	<b>Deep Learning Network for Face Identification Across Illumination and Blur</b> .....	159
	T. Shreekumar and V. Joseph Michael Jerard	
<b>17</b>	<b>An Enhanced Book Recommendation System Using Hybrid Machine Learning Techniques</b> .....	171
	V. Sireesha, Nagaratna P. Hegde, K. Sreenija, and B. Thindhu	
<b>18</b>	<b>Cardiovascular Disease Prediction using Machine Learning with Flask API</b> .....	181
	V. Sireesha, Nagaratna P. Hegde, Palve Nanditha, and B. Ram Naresh	
<b>19</b>	<b>An Ensemble CNN Model for Identification of Diabetic Retinopathy Eye Disease</b> .....	191
	M. Seetha, N. Kalyani, and Y. Sravani Devi	

<b>20</b>	<b>She-Safe: An IoT Prototype for Providing Security Using Arduino Uno, Node-RED and MQTT</b> .....	199
	Carol Eunice Gudumotu, Manogna Sai Kolluri, and M. S. V. Sashi Kumar	
<b>21</b>	<b>Performance Optimization of LANMAR Routing Protocol in Mobile Ad Hoc Network Using DoE</b> .....	211
	Dumala Anveshini and S. Pallam Setty	
<b>22</b>	<b>Efficient Email Classification Algorithm for Better Customer Support</b> .....	223
	M. Deepika and Nagaratna P. Hegde	
<b>23</b>	<b>Smart Water Management System in Agriculture using Internet of Things</b> .....	235
	Kumar Dorthi, Soora Narasimha Reddy, and Sahithi Pitta	
<b>24</b>	<b>Machine Learning for Detection of Obstructive Sleep Apnoea</b> .....	243
	Suren Borah, Prince Gogoi, Polash Gohain, Chinmoy Boro, and Monoj Kumar Muchahari	
<b>25</b>	<b>Automatic Text Summarization Using Intelligent Systems</b> .....	253
	V. Sireesha, Nagaratna P. Hegde, and M. Yashwanth	
<b>26</b>	<b>Suicide and Depression Detection in Social Media Forums</b> .....	263
	Vishal Desu, Nikhileswar Komati, Sphoorthi Lingamaneni, and Fathimabi Shaik	
<b>27</b>	<b>A Reliable Patient Indoor Monitoring System Based on IoT in Ambient-Assisted Living</b> .....	271
	Kiran Chetry, Himangshu Nath, Ashique Ahmed, Sudarshana Hazarika, and Monoj Kumar Muchahari	
<b>28</b>	<b>A Hybrid Model for DDoS Attack Detection Using LSTM-RNN</b> ...	281
	B. Ravinarayanan and H. R. Nagesh	
<b>29</b>	<b>Intelligent Industrial Monitoring Environment for IoT Application Using LoRa-Based Wireless Sensors</b> .....	295
	Sudha Arvind, S Arvind, and Nitya Nalla	
<b>30</b>	<b>Morphological Operation-Based Unsharp Masking Filter</b> .....	305
	Akansha Singh Rathore, Vikrant Bhateja, Akshita Shukla, and Alka Singh	
<b>31</b>	<b>Multi-scale Retinex with Chromacity Preservation (MSRCP)-Based Contrast Enhancement of Microscopy Images</b> .....	313
	Vikrant Bhateja, Ankit Yadav, Disha Singh, and Bhavesh Kumar Chauhan	

<b>32</b>	<b>Mammogram Image Fusion using Sigmoidal Function and Max. Fusion Rule</b> .....	<b>323</b>
	Ashruti Rai, Vikrant Bhateja, and Anushka Dikshit	
<b>33</b>	<b>Impact of Climate Change and Land Cover on the Runoff Estimation Using SWAT Modeling</b> .....	<b>331</b>
	Dillip Kumar Ghose, Sachidananda Behera, Siddhartha Paul, and Sourav Ghose	
<b>34</b>	<b>Deep Neural Network for Generation and Detection of an Image</b> .....	<b>339</b>
	Roshni S. Khedgaonkar, Kavita Singh, Pravinkumar M. Sonsare, and Sabiha Zamir	
<b>35</b>	<b>1-Factor Forcing in Certain Nanotori</b> .....	<b>349</b>
	J. Anitha and Indra Rajasingh	
<b>36</b>	<b>Breast Cancer Prediction Using Machine Learning Techniques</b> .....	<b>355</b>
	Shrutika Jantre and Prakash M. Mainkar	
<b>37</b>	<b>Hindi Speech-Based Healthcare Chatbot</b> .....	<b>369</b>
	Prasenjeet Sinha, Prafulla B. Bafna, and Jatinderkumar R. Saini	
<b>38</b>	<b>FFV: Facial Feature Vector Image Dataset with Facial Feature Analysis and Feature Ranking</b> .....	<b>393</b>
	Anand Singh Jalal, Dilip Kumar Sharma, and Bilal Sikander	
<b>39</b>	<b>Smart Healthcare with Fitness Application</b> .....	<b>403</b>
	Chirag Lodha, Kushagra Dhingra, Rishabh Mondal, and Somya Goyal	
<b>40</b>	<b>Smart Irrigation System for Agriculture 4.0</b> .....	<b>411</b>
	Khan Mohammed, Harshit Singh, Vikas Joshi, and Somya Goyal	
<b>41</b>	<b>Crime Rate Analysis and Prediction in Delhi Using Facebook Prophet</b> .....	<b>419</b>
	Sanjukta De, Manjot Kaur, and Rajat Kumar Behera	
<b>42</b>	<b>A Generic Blockchain-Based Remote Clinical Monitoring Framework Through Wearable Devices to Mitigate the COVID-19 Pandemic</b> .....	<b>429</b>
	A. R. Sathya and Barnali Gupta Banik	
<b>43</b>	<b>A Novel Hybrid JFA-SVM Algorithm for Feature Selection</b> .....	<b>439</b>
	Bibhuprasad Sahu, Nibedita Sahoo, Satya Sobhan Panigrahi, and Saroja Kumar Rout	
<b>44</b>	<b>Analysis of Sentiments of Twitter Data on Remote Working</b> .....	<b>449</b>
	Komal Goyal, Ashutosh Nigam, and Neha Goyal	



<b>45</b>	<b>Detecting Face Mask for Prevent COVID-19 Using Deep Learning: A Novel Approach</b> .....	457
	Sudheer Hanumanthakari and Sandeep Kumar Panda	
<b>46</b>	<b>Heart Disease Detection Through Deep Learning Model RNN</b> .....	469
	Dipali Dilip Kamble, Pratiksha Hanumant Kale, Suraj Pandit Nitture, Komal Vijay Waghmare, and Chetan Nimba Aher	
<b>47</b>	<b>Vehicular Cloud Computing: Architecture and Its Challenges</b> .....	481
	Sukanta Das, Alok Ranjan Tripathy, and Alakananda Tripathy	
<b>48</b>	<b>A Study on Sentiment Analysis on It Sector Employees Using K-means Clustering</b> .....	495
	Amaresh Bose and Naghma Khatoon	
<b>49</b>	<b>An Escrow-Free and Authenticated Group Key Management in Internet of Things</b> .....	505
	Aravind Karrothu, Chunduru Anilkumar, and V. E. Sathishkumar	
<b>50</b>	<b>Framework for Statistical Machine Recognition and Translation of Ancient Tamil Script</b> .....	513
	Chunduru Anilkumar, Aravind Karrothu, and G. Aishwaryalakshmi	
<b>51</b>	<b>Different Feature Selection Methods Performance Analysis for Intrusion Detection</b> .....	523
	S. Sindhura, S. Phani Praveen, A. Madhuri, and D. Swapna	
<b>52</b>	<b>Opportunistic MAC Strategies for Dynamic Cognitive Radio Spectrum</b> .....	533
	M. Anusha, Srikanth Vemuru, and S. Sandeep	
<b>53</b>	<b>Weighted Averaging PSO-Based SWT Method of Image Fusion for X-Ray Mammograms</b> .....	543
	M. Prema Kumar, V. Veer Raju, M. Venkata Subbarao, and P. Rajesh Kumar	
<b>54</b>	<b>A Proactive Threat Hunting Model to Detect Concealed Anomaly in the Network</b> .....	553
	G. Prakash, M. Ganeshan, A. Shenbagavalli, M. Satheesh Kumar, K. Srujan Raju, and K. Suthendran	
<b>55</b>	<b>Botnet Attack Classification with Deep Learning Models</b> .....	567
	K. V. Pradeepthi and Ashutosh Saxena	
<b>56</b>	<b>Phishing URL Identification Using Machine Learning, Ensemble Learning and Deep Learning Techniques</b> .....	573
	K. Laxmi Prasanna, K. V. Pradeepthi, and Ashutosh Saxena	
<b>57</b>	<b>Fault Analysis Against Final Round of L-Block</b> .....	583
	Swapnil Sutar, Vikas Tiwari, Ajeet Singh, and Ashutosh Saxena	

<b>58 Framework for Diabetic Retinopathy Classification</b> .....	593
Sravya Madala, K. Suvarna Vani, Pranathi Jalapally, K. Srujan Raju, and G. Somasekhar	
<b>59 Support Vector Machine Classification of Remote Sensing Images with the Wavelet-based Statistical Features</b> .....	603
Telagarapu Prabhakar, K. Srujan Raju, and K. Reddy Madhavi	
<b>Author Index</b> .....	615



**Smart Intelligent Computing and Applications, Volume 2** pp 543–552

[Home](#) > [Smart Intelligent Computing and Applications, Volume 2](#) > Conference paper

## Weighted Averaging PSO-Based SWT Method of Image Fusion for X-Ray Mammograms

[M. Prema Kumar](#) , [V. Veer Raju](#), [M. Venkata Subbarao](#) & [P. Rajesh Kumar](#)

Conference paper | [First Online: 22 May 2022](#)

**342** Accesses

Part of the [Smart Innovation, Systems and Technologies](#) book series (SIST, volume 283)

### Abstract

Fusion of medical images always helps the doctor to spot the disease correctly. X-ray mammogram is very useful for detection of malignancy in the breast. In many conditions, distinct X-ray mammogram is not enough to articulate the fine detail present in the breast malignant cells to the doctor. To improve the situation, histogram equalization is selected to improve the eminence of





All



ADVANCED SEARCH

Conferences > 2022 International Mobile and...

# A Comparison between Shortest Path Algorithms Using Runtime Analysis and Negative Edges in Computer Networks

Publisher: IEEE

Cite This

PDF

T N S Koti Mani Kumar ; Unnikiran Jaladhi ; Sri Krishna Chaitanya Rudranaju ; Vahiduddin Shariff ; Venkata Ram Reddy Ch ; P A Harsha Var... All Authors

106 Full Text Views



## Alerts

Manage Content Alerts Add to Citation Alerts

### Abstract

#### Document Sections

- I. Introduction
- II. Literature Review
- III. Methods & Methodology
- III. Result and Analysis
- IV. Conclusion

Authors

Figures

References

Keywords

Metrics

More Like This



Download PDF

**Abstract:** Irrespective of the network, data is transferred from source to destination in a shortest path. This work investigates about the finest among shortest path algorithms (Dijkstra's and Bellman ford). **View more**

#### Metadata

##### Abstract:

Irrespective of the network, data is transferred from source to destination in a shortest path. This work investigates about the finest among shortest path algorithms (Dijkstra's and Bellman ford). Data collected from Dijkstra's and Bellman ford runtime analysis done on different system configurations. Using that data, the result of the shortest path algorithms is compared using the support of runtime of Dijkstra's and Bellman ford on different systems. Theoretical and practical implications were discussed.

**Published in:** 2022 International Mobile and Embedded Technology Conference (MECON)

**Date of Conference:** 10-11 March 2022

**DOI:** 10.1109/MECON53876.2022.9752035

**Date Added to IEEE Xplore:** 14 April 2022

**Publisher:** IEEE

#### ISBN Information:

**Conference Location:** Noida, India

## Contents

### I. Introduction

Computer network means transfer of data between one or more computers. In a network, sender "A" wants to send data to sender "B" through a node or router. To route traffic from sender to receiver in a shortest path we need to determine the best route. In a network data flows from nodes and links. In a network, a node is also known as a router or a toll switch or electro optical switch. In a IP network nodes are called as routers and while in the telephone network nodes are called as toll switches and in optical network nodes are called as electro optical switch.





All



ADVANCED SEARCH

Conferences > 2022 International Mobile and ...

# A Comparison between Shortest Path Algorithms Using Runtime Analysis and Negative Edges in Computer Networks

Publisher: IEEE

Cite This

PDF

T.N.S Koti Mani Kumar ; Unnikiran Jaladhi ; Sri Krishna Chaitanya Rudranaju ; Wahiduddin Shariff ; Venkata Rami Reddy Ch ; P.A Harsha Var ... All Authors

106 Full Text Views



## Alerts

Manage Content Alerts Add to Citation Alerts

### Abstract

#### Document Sections

- I. Introduction
- II. Literature Review
- III. Methods & Methodology
- III. Result and Analysis
- IV. Conclusion

Authors

Figures

References

Keywords

Metrics

More Like This

PDF

**Abstract:** Irrespective of the network, data is transferred from source to destination in a shortest path. This work investigates about the finest among shortest path algorithms (Dijkstra's and Bellman ford). [View more](#)

#### Metadata

**Abstract:** Irrespective of the network, data is transferred from source to destination in a shortest path. This work investigates about the finest among shortest path algorithms (Dijkstra's and Bellman ford). Data collected from Dijkstra's and Bellman ford runtime analysis done on different system configurations. Using that data, the result of the shortest path algorithms is compared using the support of runtime of Dijkstra's and Bellman ford on different systems. Theoretical and practical implications were discussed.

**Published in:** 2022 International Mobile and Embedded Technology Conference (MECON)

**Date of Conference:** 10-11 March 2022

**DOI:** 10.1109/MECON53876.2022.9752035

**Date Added to IEEE Xplore:** 14 April 2022

**Publisher:** IEEE

**ISBN Information:**

**Conference Location:** Noida, India

### Contents

#### I. Introduction

Computer network means transfer of data between one or more computers. In a network, sender "A" wants to send data to sender "B" through a node or router. To route traffic from sender to receiver in a shortest path we need to determine the best route. In a network data flows from nodes and links. In a network, a node is also known as a router or a toll switch or electro optical switch. In a IP network nodes are called as routers and while in the telephone network nodes are called as toll switches and in optical network nodes are called as electro optical switch.





All



[ADVANCED SEARCH](#)

Conferences > 2022 International Mobile and...

# A Comparison between Shortest Path Algorithms Using Runtime Analysis and Negative Edges in Computer Networks

Publisher: IEEE

[Cite This](#)

[PDF](#)

T.N.S.Koti Mani Kumar ; Unnikran Jaladhi ; Sri Krishna Chaitanya Rudraraju ; Wahiduddin Shariff ; Venkata Rami Reddy Ch ; P.A.Harsha Var... [All Authors](#)

106  
Full  
Text Views



## Alerts

[Manage Content Alerts](#)  
[Add to Citation Alerts](#)

### Abstract

#### Document Sections

- I. Introduction
- II. Literature Review
- III. Methods & Methodology
- III. Result and Analysis
- IV. Conclusion

[Authors](#)

[Figures](#)

[References](#)

[Keywords](#)

[Metrics](#)

[More Like This](#)



**Abstract:** Irrespective of the network, data is transferred from source to destination in a shortest path. This work investigates about the finest among shortest path algorithms (Dijkstra's and Bellman ford). [View more](#)

#### Metadata

**Abstract:** Irrespective of the network, data is transferred from source to destination in a shortest path. This work investigates about the finest among shortest path algorithms (Dijkstra's and Bellman ford). Data collected from Dijkstra's and Bellman ford runtime analysis done on different system configurations. Using that data, the result of the shortest path algorithms is compared using the support of runtime of Dijkstra's and Bellman ford on different systems. Theoretical and practical implications were discussed.

**Published in:** 2022 International Mobile and Embedded Technology Conference (MECON)

**Date of Conference:** 10-11 March 2022

**DOI:** 10.1109/MECON53876.2022.9752035

**Date Added to IEEE Xplore:** 14 April 2022

**Publisher:** IEEE

**ISBN Information:**

**Conference Location:** Noida, India

### Contents

#### I. Introduction

Computer network means transfer of data between one or more computers. In a network, sender "A" wants to send data to sender "B" through a node or router. To route traffic from sender to receiver in a shortest path we need to determine the best route. In a network data flows from nodes and links. In a network, a node is also known as a router or a full switch or electro optical switch. In a IP network nodes are called as routers and while in the telephone network nodes are called as toll switches and in optical network nodes are called as electro optical switch.





All



ADVANCED SEARCH

Conferences > 2022 International Mobile and...

# A Comparison between Shortest Path Algorithms Using Runtime Analysis and Negative Edges in Computer Networks

Publisher: IEEE

Cite This

PDF

T.N.S Kott Mani Kumar ; Unnikiran Jalajchi ; Sri Krishna Chaitanya Rudranaju ; Vahiduddin Shariff ; Venkata Rumi Reddy Ch ; P.A Harsha Var... All Authors

06 Full Text Views



## Alerts

Manage Content Alerts  
Add to Citation Alerts

### Abstract

#### Document Sections

- I. Introduction
- II. Literature Review
- III. Methods & Methodology
- III. Result and Analysis
- IV. Conclusion

#### Authors

#### Figures

#### References

#### Keywords

#### Metrics

#### More Like This



**Abstract:** Irrespective of the network, data is transferred from source to destination in a shortest path. This work investigates about the finest among shortest path algorithms (Di... [View more](#)

#### Metadata

**Abstract:** Irrespective of the network, data is transferred from source to destination in a shortest path. This work investigates about the finest among shortest path algorithms (Dijkstra's and Bellman ford). Data collected from Dijkstra's and Bellman ford runtime analysis done on different system configurations. Using that data, the result of the shortest path algorithms is compared using the support of runtime of Dijkstra's and Bellman ford on different systems. Theoretical and practical implications were discussed.

**Published in:** 2022 International Mobile and Embedded Technology Conference (MECON)

**Date of Conference:** 10-11 March 2022

**DOI:** 10.1109/MECON53876.2022.9752035

**Date Added to IEEE Xplore:** 14 April 2022

**Publisher:** IEEE

**ISBN information:**


**Conference Location:** Noida, India

## Contents

### I. Introduction

Computer network means transfer of data between one or more computers. In a network, sender "A" wants to send data to sender "B" through a node or router. To route traffic from sender to receiver in a shortest path we need to determine the best route. In a network data flows from nodes and links. In a network, a node is also known as a router or a toll switch or electro optical switch. In a IP network nodes are called as routers and while in the telephone network nodes are called as toll switches and in optical network nodes are called as electro optical switch.





Share:

## Concepts of Cloud Computing Essentials

Author(s): N. Raghavendra Sai , Pappula Sarala , S Phani Praveen , Wahiduddin Shariff

₹ 437

Add to Cart

Buy Now

Book Info

Chat with us



# Concepts of Cloud Computing Essentials

Dr. S Phani Praveen  
Mr. Vahiduddin Shariff  
Ms. Pappula Sarala  
Dr. N. Raghavendra Sai



**walnutpublication**  
.com

INDIA • UK • USA

# Contents

Unit 1 .....	2
Unit 2 .....	50
Unit 3 .....	106
Unit 4 .....	158
Unit 5 .....	181
Unit 6 .....	204
Unit 7 .....	228
Unit 8 .....	252
Unit 9 .....	265
Unit 10 .....	280

**Language:** English

**Genre(s):** Computer Science, Other Textbooks

**ISBN13:** 9789355740250

**ISBN10:** 9355740255

**Format:** Paperback

**Trim:** 8x10

**Pages:** 298

**Publication date:** 31-Mar-2022

### Delivery & Return

Also available at

**amazon**

**Flipkart**



Cloud computing has created a shift from the use of physical hardware and locally managed software-enabled platforms to that of virtualized cloud-hosted services. As Cloud continues to revolutionize applications in academia, industry, government, and many other fields, the transition to this efficient and flexible platform presents serious theoretical and practical challenges that will often require new approaches and practices in all areas. Comprehensive and timely, *Concepts Of Cloud Computing Essentials* summarizes progress in state-of-the-art research and offers step-by-step instruction on how to implement it.



**N. Raghavendra Sai**

Dr. N. Raghavendra Sai, is an academician with an in-depth knowledge and profound skills set in teaching pedagogy, research, education and administration. His career experience spans around 15 years and, presently he is currently working as Associate Professor in Department of Computer Science and



Engineering, KL University, Vaddeswaram and completed his Ph.D. from Bharathiar University Coimbatore, and received his Master's Degree from Acharya Nagarjuna University.



**Pappula Sarala**

Ms. Pappula Sarala completed her PG from the Department of Computer Science and Engineering at Velagapudi Ramakrishna Siddhartha Engineering College, India, in 2012.



**S Phani Praveen**


Dr. S Phani Praveen received his Ph.D degree from the Department of Computer Science at Bharathiar University, Coimbatore, India, in 2020. He is currently Assistant professor in the Department of Computer Science and Engineering at PVPSIT, A.P, India.



**Vahiduddin Shariff**

Mr. Vahiduddin Shariff completed his B-Tech in the Department of Computer Science & Engineering and M-Tech in Computer Science & Engineering. He is currently working as an Assistant Professor in the department of CSE, Sir C R Reddy College of Engineering, Eluru, Andhra Pradesh, India.

## You may also like



Kaveri Kanchan Ku...

**Engineering Ma...**

Format: Paperback

₹ 437



Sanat Malhotra

**Shri Ram**

Format: Paperback

₹ 320



Tanisha Gupta

**Reality**

Format: Paperback

₹ 142

[Services](#)

[Editing](#)

[Designing](#)

[Distribution](#)

[Marketing](#)

[Publish](#)

[Prime Packages](#)

[Board Book Packages](#)

[eBook Packages](#)

[New Delhi World Book Fair](#)

[About](#)

[Contact](#)

[Book Store](#)

[Track Order](#)

[Blog](#)

[Payment](#)



[Privacy](#) [Terms of use](#) [Copyright](#)

© 2024 Vyasta Ventures LLP

# Spotted Hyena Optimized PI-PD Controller for Frequency control of Standalone $\mu$ -Grid Incorporating Electric Vehicles

<sup>1</sup>Dr.V.S.R. Pavan  
Kumar,Neeli,  
Associate Professor,  
Dept of EEE

<sup>2</sup>M. Vijay  
Raghavendra,  
Assistant Professor,  
Dept of EEE

<sup>3</sup>Sk.Chan Basha,  
Assistant  
Professor, Dept of  
EEE

<sup>4</sup>K. Kotaiah  
Chowdary,  
Assistant Professor,  
Dept of EEE

<sup>5</sup>Dr.N. Sameera,  
Associate  
Professor, Dept of IT

<sup>1,2,3,4,5</sup> SIR C R Reddy College of Engineering  
<sup>1</sup>pavanscholar123@gmail.com

**Abstract:** In this current work, one of the maiden approaches was made frequency regulation in a Standalone AC Microgrid ( $\mu$ G) by considering Spotted Hyena optimizer based Cascaded PI-PD controller. These  $\mu$ Grid can be formed by merging some the isolated such as renewable energy resources, wind power and also solar electricity irradiations. Discrepancy any these-sources will influence system frequency and hence-frequency control-theme in MG was challenging issue for all-the researchers. In spite of these struggling this current paper consider a-Cascaded PI-PD-controllers as secondary frequency controller for the-Standalone  $\mu$ Grid, and a novel Spotted Hyena Optimizer (SHO) is used to tuning and obtaining the controller parameters. The proposed cascaded controllers inspected on a  $\mu$ Grid test system, and robustness is assessed considering -dissimilar variations in load. In order to manifest the effectiveness of the Cascaded PI-PD controller, it-is being compared to some more conventional controller as Proportional Integral (PI), and Proportional Integral and-Derivative (PID) controllers and also to verify the-potency of the-Spotted Hyena optimizer, the-results obtained-by the SHO are been-compared with other intelligence swarm-techniques.

**Keywords:** PI-PD cascade controller, renewable and green energy sources, standalone microgrid, Spotted hyena optimizer.

## I. INTRODUCTION

In life span, developed of isolated off  $\mu$ -Grids helping in providing electrical powers for more rural areas, but as conventional ways of supplys electrical power from a grid is very very high expensive. Consequently, plenty of  $\mu$ Grids are launched for providing electrical power to those areas. An  $\mu$ Grid be able to operate at different modes listed as Standalone modes and one more is grideconnected mode [1]. The distributed generation resources as play a so crucial role at  $\mu$ Grid structure. Up choosing them resources for a standalone  $\mu$ -Grid-system, the foremost elements were then environmental and as economic constraints [2]. A predominant objective of at this paper to the control frequency the of  $\mu$ Grid structure by using a Spotted Hyena Optimizer (SHO) bases cascaded PI-PD controllers. The all contributions these papers summarily at outlined as follows:

1. An  $\mu$ Grid formed at established with different more kinds of sources as renewable energy source (RES), wind power generations system, solar energies irradiations systems,  $\mu$ Turbines, diesel systems generations, and also cell system.
2. A cascaded PI-PD controller was developed as a secondaries controller frequency control the  $\mu$ Grid.
3. A novel-Spotted Hyena Optimizer (SHO) algorithm is put forwarded for at tuning of the controllers parameters.
4. Their performance or accomplishment the propose SHO algorithms basecascaded PI-PD controller mainly compared with all some of them conventional controlled like P and PID controllers.
5. The efficacy or potency the presented controller illustrated with the consideration of different system variations in  $\mu$ Grid such as changes in load  $\Delta$ PL and various sensitivity analyses.

## II. MODELLING OF STANDALONE $\mu$ -GRID

A simplified set for Standalone  $\mu$ -grid present in Figure 1. It consist WTG, PV, MT, FC and also the some of the energy storage device as BES, Flywheels (FES) and Electric vehicles (EV) along with some of other-loads. As shown in Figure 1, the powered electronics device which used at the  $\mu$ -grid operatio which synchronize an aresources such as DEG which connects the distributed resources to bus by a rectifying an dc voltaged into ac voltage sources [5]. In addition to this, a converter was considered for-BES-system which operates both-either incharging (ac to dc) and as-well-as-discharging-(dc to ac) modes. In order to synthesiza  $\mu$ -grid, the general and linearized statespace model is essential-and-hence-the-linearized-form [6] for the  $\mu$ -grid system is presented in Fig.1. All the generating sources as represented in single order transfer function models and the respective values as listed in appendix [12].

Therefore, the total-generated power by distributed resources in order to-meet the-supply demand-side is

$$P_{load} = P_{DEG} + P_{WTG} + P_{PV} + P_{MT} + P_{FC} \pm P_{BES} \pm P_{FES} \pm P_{EV} \quad (1)$$

### A. PI-PD Controller

The cascaded controller strategy, as and when compares to singled loop feedbacked control base strategy, can able to handle multiples and different types of disturbances



# Spotted Hyena Optimized PI-PD Controller for Frequency control of Standalone $\mu$ -Grid Incorporating Electric Vehicles

<sup>1</sup>Dr. V.S.R. Pavan, Kumar, Neel, Associate Professor, Dept of EEE

<sup>2</sup>M. Vijay Raghavendra, Assistant Professor, Dept of EEE

<sup>3</sup>Sk.Chaitanya Basha, Assistant Professor, Dept of EEE

<sup>4</sup>K. Kotaiah Chowdary, Assistant Professor, Dept of EEE

<sup>5</sup>Dr. N. Saravaram, Associate Professor, Dept of IT

<sup>1,2,3,4,5</sup> SIRC R. Roddy College of Engineering, pavan scholar123@gmail.com

*Abstract:* In this current work, one of the maiden approaches was made frequency regulation in a Standalone AC Microgrid ( $\mu$ G) by considering Spotted Hyena optimizer based Cascaded PI-PD controller. These  $\mu$ Grid can be formed by merging some the isolated such as renewable energy resources, wind power and also solar electricity irradiations. Discrepancy any these sources will influence system frequency and hence frequency control theme in MG was challenging issue for all the researchers. In spite of these struggling this current paper consider a Cascaded PI-PD controllers as secondary frequency controller for the Standalone  $\mu$ Grid, and a novel Spotted Hyena Optimizer (SHO) is used to tuning and obtaining the controller parameters. The proposed cascaded controllers inspected on a  $\mu$ Grid test system, and robustness is assessed considering dissimilar variations in load. In order to manifest the effectiveness of the Cascaded PI-PD controller, it is being compared to some more conventional controller as Proportional Integral (PI), and Proportional Integral and Derivative (PID) controllers and also to verify the potency of the Spotted Hyena optimizer, the results obtained by the SHO are been compared with other intelligence swarm techniques.

**Keywords:** PI-PD cascade controller, renewable and green energy sources, standalone microgrid, Spotted hyena optimizer.

## I. INTRODUCTION

In life span, developed of isolated off  $\mu$ -Grids helping in providing electrical powers for more rural areas, but as conventional ways of supply electrical power from a grid is very very high expensive. Consequently, plenty of  $\mu$ Grids are launched for providing electrical power to those areas. An  $\mu$ Grid be able to operate at different modes listed as Standalone modes and one more is grid connected mode. [1]. The distributed generation resources as play a so crucial role at  $\mu$ Grid structure. Up choosing them resources for a standalone  $\mu$ Grid-system, the foremost elements were their environmental and as economic constraints [2].

A predominant objective of at this paper to the control frequency the of  $\mu$ Grid structure by using a Spotted Hyena Optimizer (SHO) based cascaded PI-PD controllers. The all contributions, these papers summarily at outlined as follows:

1. An  $\mu$ Grid formed at established with different more kinds of sources as renewable energy source (RES), wind power generations system, solar energies irradiations systems,  $\mu$ Turbines, diesel systems generations, and also cell system.
2. A cascaded PI-PD controller was developed as a secondary controller frequency control the  $\mu$ Grid.
3. A novel Spotted Hyena Optimizer (SHO) algorithm is put forwarded for at tuning of the controllers parameters.
4. Their performance or accomplishment the propose SHO algorithm base cascaded PI-PD controller mainly compared with all some of them conventionally controlled like PI and PID controllers.
5. The efficacy or potency the presented controller illustrated with the consideration of different system variations in  $\mu$ Grid such as changes in load APL and various sensitivity analyses.

## II. MODELLING OF STANDALONE $\mu$ -GRID

A simplified set for Standalone  $\mu$ -grid present in Figure 1. It consist WTG, PV, MT, FC and also the some of the energy storage device as BES, Flywheels (FS) and Electric vehicles (EV) along with some of other-loads. As shown in figure 1, the powered electronics device which used at the  $\mu$ -grid operation which synchronize an resources such as DEG which connects the distributed resources to bus by a rectifying an dc voltaged into ac voltage sources [5]. In addition to this, a converter was considered for-BUS-system which operates both-either in charging (ac to dc) and as-well-as-discharging (dc to ac) modes. In order to synthesize  $\mu$ -grid, the general and linearized state space models essential and hence the linearized form [6] for the  $\mu$ -grid system is presented in Fig. 1. All the generating sources as represented in single order transfer function models and the respective values as listed in appendix [12].

Therefore, the total-generated power by distributed resources in order to meet the supply demand side is

$$P_{load} = P_{DEG} + P_{WTG} + P_{PV} + P_{MT} + P_{FC} \pm P_{BES} \pm P_{FS} \pm P_{EV} \quad (1)$$

### A. PI-PD Controller

The cascaded controller strategy, as and when compares to single loop feedback control base strategy, can able to handle multiples and different types of disturbances

# FUNDAMENTALS OF ARTIFICIAL INTELLIGENCE



*Authors*

**Dr. Phani Kumar Solleti | Mr. Pavan Gunda**

**Mrs. Rama Lakshmi**



Book Title : **Fundamentals of Artificial Intelligence**  
Authors : **Dr.PHANI KUMAR SOLLETI**  
**Mr. PAVAN GUNDA**  
**Mrs RAMA LAKSHMI BOYAPATI**  
Book Subject : **Artificial Intelligence**  
Book Category : **Authors Volume**  
Copy Right : **@ Authors**  
First Edition : **Jan, 2022**  
Book Size : **Demmy**  
Price : **Rs.260/-**

*Published by*  
**South Asian Academic Publishers**  
**Andhra Pradesh**  
E-mail: [saspbooks@gmail.com](mailto:saspbooks@gmail.com)

---

*ISBN Supported by International ISBN Agency,  
United House, North Road, London, N7 9DP, UK. Tel. + 44 207 503 6418 &  
Raja Ram Mohan Roy National Agency for ISBN  
Government of India, Ministry of Human Resource Development,  
Department of Higher Education, New Delhi - 110066 (India)*

**ISBN: 978-93-92153-40-2**





# Contents

## 1 Unit -I

<b>INTRODUCTION TO ARTIFICIAL INTELLIGENCE</b>	<b>1</b>
1.1 Introduction .....	1
1.2 What is Artificial Intelligence?.....	1
1.3 Why Artificial Intelligence?.....	1
1.4 Goals of Artificial Intelligence:.....	2
1.5 Definition:.....	2
1.5.1 Advantages of Artificial Intelligence:.....	2
1.5.2 Disadvantages of Artificial Intelligence:.....	3
1.6 HISTORY OF AI.....	3
1.7 INTELLIGENT SYSTEMS .....	5
1.8 ELIZA: .....	5
1.8.1 Characteristics of ELIZA:.....	6
1.9 Categorization of Intelligent Systems:.....	7
1.9.1 System that thinks like humans:.....	7
1.9.2 System that acts like humans:.....	7
1.9.3 System that thinks rationally.....	8
1.9.4 System that acts rationally:.....	8
1.10 Components of AI:.....	9
1.10.1 Knowledge base:.....	9
1.10.2 Control Strategy:.....	9
1.10.3 Inference mechanism:.....	9
1.11 FOUNDATIONS OF AI .....	9
1.11.1 Mathematics: .....	9
1.11.2 Neuroscience: .....	10
1.11.3 Control Theory:.....	10
1.11.4 Linguistics:.....	10
1.12 APPLICATIONS OF AI .....	10

1.12.1 Gaming:.....	10
1.12.2 Natural Language Processing:.....	10
1.12.3 Expert Systems:.....	11
1.12.4 Speech Recognition:.....	11
1.12.5 Handwriting Recognition:.....	11
1.12.6 Intelligent Robots:.....	11
1.13 TIC-TAC-TOE GAME PLAYING.....	11
1.13.1 Approach 1:.....	12
1.13.2 Algorithm:.....	12
1.13.3 Approach 2:.....	13
1.13.4 Approach 3:.....	14
1.13.5 Execution:.....	15
1.14 DEVELOPMENT OF AI LANGUAGES.....	15
1.14.1 LISP:.....	16
1.14.2 Pop-2:.....	16
1.14.3 Machine Learning (ML):.....	16
1.15 Conventional Computing.....	16

## 2 Unit -II

### PROBLEM SOLVING: STATE-SPACE SEARCH AND CONTROL STRATEGIES

	18
2.1 INTRODUCTION.....	18
2.2 GENERAL PROBLEM SOLVING.....	19
2.2.1 Production System.....	19
2.2.2 Example 1: Water Jug Problem.....	19
2.2.3 One Solution to the Water Jug Problem.....	20
2.2.4 Example 2: Water Jug Problem.....	20
2.2.5 Example 3 Missionaries & Cannibals Problem.....	21
2.3 State Space Search:.....	22
2.3.1 Example: The Eight-Puzzle Problem.....	23
2.3.2 Example: Chess Game.....	24
2.4 Control Strategies.....	25
2.4.1 Forward Chaining.....	26
2.4.2 Backward Chaining.....	26
2.5 CHARACTERISTICS OF PROBLEM.....	26
2.5.1 Type of Problems.....	26
2.5.2 Roll of Knowledge.....	27
2.5.3 Consistency of Knowledge Base used in Solving Problem.....	27

2.5.4	Requirement of Solution .....	28
2.6	EXHAUSTIVE SEARCHES (OR) UNIFORMED SEARCHES.....	28
2.6.1	Breadth-First Search (BFS).....	28
2.6.2	Depth-First Search (DFS): .....	31
2.6.3	Depth-First Iterative Deeping (DFID):.....	35
2.6.4	Bidirectional Search:.....	37
2.6.5	Analysis of Search Methods: .....	39
2.7	Travelling Salesman Problem (TSP):.....	40
2.7.1	Statement:.....	40
2.8	HEURISTIC SEARCH TECHNIQUES.....	40
2.8.1	Heuristic:.....	40
2.8.2	Branch & Bound Search (Uniform Cost Search):.....	41
2.8.3	Hill Climbing: .....	42
2.8.4	Steepest-Ascent Hill Climbing (Gradient Search):.....	43
2.8.5	Beam Search: .....	44
2.8.6	Best-First Search.....	45
2.8.7	Optimal Solution by A* Algorithm:.....	48
2.9	ITERATIVE-DEEPIING A* .....	51
2.10	CONSTRAINT SATISFACTION .....	52
2.10.1	Algorithm: .....	53
<b>3</b>	<b>PROBLEM REDUCTION AND GAME PLAYING</b> .....	<b>56</b>
3.1	Introduction .....	56
3.2	Problem Reduction (AND-OR Graph) (or) AO* Algorithm .....	56
3.2.1	Algorithm for AND-OR Graphs:.....	58
3.3	GAME PLAYING.....	59
3.3.1	Game Problem versus State Space Problem:.....	59
3.4	MINIMAX PROCEDURE.....	62
3.4.1	Working of MINIMAX Algorithm:.....	62
3.5	ALPHA-BETA PRUNING .....	67
3.5.1	Condition for Alpha-beta pruning: .....	67
3.6	TWO-PLAYER PERFECT INFORMATION GAMES .....	72
3.6.1	Chess: .....	72
3.6.2	Checkers:.....	72
3.6.3	Othello:.....	72
3.6.4	Go:.....	73

#### 4 Unit -III

V. V. S. S. Chakravarthy  
Wendy Flores-Fuentes  
Vikrant Bhateja  
B. N. Biswal *Editors*

# Advances in Micro-Electronics, Embedded Systems and IoT

Proceedings of Sixth International  
Conference on Microelectronics,  
Electromagnetics and  
Telecommunications (ICMEET 2021),  
Volume 1

# Contents

<b>Synthesis of KNN Algorithm in FPGA Technology</b> .....	1
Ravi Payal and Amit Prakash Singh	
<b>Study of Architecture and Performance Analysis of Approximation Multipliers</b> .....	11
E. Jagadeeswara Rao, K. Murali Krishna, Md. Khasim, and T. Anjaiah	
<b>Design and Analysis of Energy-Efficient Logic Gates Using INDEP Short Gate FinFETs at 10 nm Technology Node</b> .....	19
Umayia Mushtaq, Md. Waseem Akram, and Dinesh Prasad	
<b>SIMPLE-DRR: A New Energy-Efficient Multi-hop Routing Protocol in WBANs for Health Monitoring</b> .....	29
Subba Reddy Chavva and Ravi Sankar Sangam	
<b>Design of Class AB and Class C Amplifiers</b> .....	41
Tejendra Kumar Singh, Deepti Kakkar, and Sukwinder Singh	
<b>LightGBM Model for Credit Card Fraud Discovery</b> .....	51
Appala Srinivasu Muttipati, Sangeeta Viswanadham, Radha Dharavathu, and Jayalakshmi Nema	
<b>PV System-Based Switched Capacitor DC-DC Converter for High Voltage Gain Using Fuzzy-PID Controller</b> .....	59
Balachandra Pattanaik and Yohannes Bekuma Bakare	
<b>Start-up Circuits for Zero Current Reduction in Bandgap Reference Circuits</b> .....	67
Anushree, Anushka Dixit, Nandini Singh, and Jasdeep Kaur	
<b>Recycle of Plastic Material for Fabrication of Paver Blocks</b> .....	79
K. Ananthi, S. Priyadharsini, A. Ijas Ahamed, B. Viney Rangasamy, and R. Prabhu Surya	



<b>Handwritten Cursive English Character Recognition Using DAG-CNN</b> .....	89
P. V. Bhagyasree, Ajay James, N. D. Bisna, and K. S. Vipin Kumar	
<b>Automation of Security Scanning Tools Using K8's Environment for Commercial Telecom Product</b> .....	103
Pooja and K. S. Shushrutha	
<b>Rad-Hard Model SOI FinTFET for Spacecraft Application</b> .....	113
Ajay Kumar Dharmireddy, Sreenivasa Rao Ijjada, K. V. Gayathri, K. Srilatha, K. Sahithi, M. Sushma, and K. Madhavi	
<b>Direct Synthesis Method-Based PID Controller for Critically Damped Time Delay Systems</b> .....	121
E. Govinda Kumar, R. Vinoth Kumar, and D. Deivasigamani	
<b>Exploiting Full-Duplex Relaying in Vehicular Cooperative NOMA for Residual Self-interference in Amplify and Forward and Decode and Forward with Incremental Relaying</b> .....	131
Sravani Potula, Sreenivasa Rao Ijjada, and Karunakar Reddy Santhamgari	
<b>Lower Order Harmonic Torque Reduction in v/f Controlled Induction Motor Drive</b> .....	143
Shivam Yadav, Anshul Kumar Mishra, Jayant Mani Tripathi, and Aseem Chandel	
<b>Attention-Based Comparison of Automatic Image Caption Generation Encoders</b> .....	157
Cheboyina Sindhu NagaDurga and T. Anuradha	
<b>Implementation of Image Denoising with Reversible Multipliers Using Xilinx System Generator</b> .....	169
Bandlapalli Sudharani and Gunapati Sreenivasulu	
<b>Development of an Automatic Fruit Classification Using Hybrid Deep Learning Model for Super Markets</b> .....	181
B. Sridhar, K. Sitharam Sai Kiran, N. Likhitha, K. P. V. A. Vardhan, and K. V. Nikhil	
<b>Design a Low-Cost Air Pollution Monitoring IoT System</b> .....	191
B. Sridhar, R. Mounika, P. Nagendra Babu, Y. Pavan Kumar, and S. Y. Ravi Raja	
<b>Discrete Wavelet Transform-Based Fusion of Mammogram Images for Contrast Improvement</b> .....	203
Anushka Dikshit, Vikrant Bhateja, and Ashruti Rai	

<b>Assessment of Land Degradation Dynamics Using Spectral Angle Mapper Method and Demographic Analytics</b> .....	211
Amar Kumar Kathwas and Rakesh Saur	
<b>Modelling Flash Flood Vulnerability and Sensitivity Dynamics of Jiadhal River Basin of Eastern Himalayan Range Using Space Technology and AHP</b> .....	225
Rakesh Saur and Virendra Singh Rathore	
<b>Automating Vehicle Insurance Process Using Smart Contract and Ethereum</b> .....	237
Saroj Kumar Nanda, Sandeep Kumar Panda, Madhabananda Das, and Suresh Chandra Satapathy	
<b>Energy-Aware Load Balancing in Dynamic Cloud Environment Using Nature-Inspired Technique</b> .....	249
Bivasa Ranjan Parida and Amiya Kumar Rath	
<b>Analyzing Intake of Water by a Human Using Meteorological Conditions</b> .....	259
M. Rekha Madhuri, T. Sriya Datta, M. Nithisha, and Y. Sandeep	
<b>Driver Drowsiness Detection and Object Detection for Vehicles Using Yolov3</b> .....	273
D. Sampath, V. V. Krishna Chaitanya, B. Dhanvanth Kumar, and G. Geetha	
<b>Traffic Management System Using AI and IoT</b> .....	285
Priya Geda and Sumitra Motade	
<b>Autonomous UAV with Human Detection</b> .....	297
Kshitij Karnawat, Nihar Asare, Sumit Anilkumar Singh, and Anju Kulkarni	
<b>Team Sports Result Prediction Using Machine Learning and IoT</b> .....	305
Lydia D. Isaac and I. Janani	
<b>A Hybrid SVM–ABC Model for Monthly Stream Flow Forecasting</b> ....	315
Ujjawal K. Singh, Baidyanath Kumar, Nabin K. Gantayet, Abinash Sahoo, Sandeep Samantaray, and Nihar Ranjan Mohanta	
<b>Optimizing Power Saving in Cloud Computing Environments Through Server Consolidation</b> .....	325
Parthasarathi Pattnayak	
<b>Siamese Network with Transfer Learning for Similar Query Retrieval in Online Health Community Forums</b> .....	337
B. Athira and Sumam Mary Idicula	

<b>Emergency Bot in Healthcare Using Industry 4.0</b> .....	347
Sahil Sobhani, Sejal Balasaheb Shirsale, Sajal Saxena, Vartika Paharia, and Somya Goyal	
<b>Intelligent Traffic Management System Using Industry 4.0</b> .....	357
Aman Panwar, Saagar Bafna, Arjun Raghav, and Somya Goyal	
<b>ELPR: Energy Efficient Load Balanced PROPHET Routing for Delay Tolerant Networks</b> .....	365
Amit Malik, Amita Rani, and Milan Kumar	
<b>LSTM-Based IDS System for Security of IoT</b> .....	377
Ajay Kumar and Amita Rani	
<b>Securing Smart Homes Using Face Recognition</b> .....	391
Mehul Sinha, Raj Chaurasiya, Arav Pandey, Yuvraj Singh, and Somya Goyal	
<b>Smart Quiz for Brain Stormers</b> .....	399
Aditya Kumar, Rishabh Gupta, Naivedhya Sharma, and Somya Goyal	
<b>Crash Detection-Based Fleet Tracking System Using VANETs</b> .....	407
Parveen, RishiPal Singh, and Sushil Kumar	
<b>FPGA Implementation of 16-Bit Wallace Multiplier Using HCA</b> .....	419
G. Challa Ram, M. Venkata Subbarao, D. Girish Kumar, and Sudheer Kumar Terlapu	
<b>A Comprehensive Study on Fruit Odour Detection and Classification Techniques Using eNose</b> .....	429
Kalidindi Lakshmi Divya and V. Vijaya Baskar	
<b>Multivariate Time Series Analysis for Predicting Number of Disease Cases</b> .....	437
Ramatulasi Tammineni and G. N. V. G. Sirisha	
<b>Difference Differential Op-Amp Based CMOS Adiabatic All Pass Filter</b> .....	447
P. Mullangi and John Blessy Mandru	
<b>Parameter Boosted Approach to Collaborative Filtering Based Recommender System</b> .....	457
Swasti Singhal, Nilotpal Pathak, and Bhawna Singh	
<b>Improving Survival Rate by Estimating the Progression of Pulmonary Fibrosis</b> .....	465
Jyothi Gutala, Navya Sri Kalepalli, Madhuri Rudrapati, and G. Kalyani	
<b>Analytical Variable Execution of GDI Vedic Multiplier Using FinFET Full Adder</b> .....	475
S. K. Dilshad and G. Sai Krishna Santosh	

<b>Classified Authentication System with IoT and Dashboard</b> .....	487
Chilakala Sudhamani, K. Bharath Kumar, G. V. Hari Prasad, and N. Renuka	
<b>Waste Management Data Analytics and Solution for Domestic Waste Management to Improve Soil Quality</b> .....	497
Suwarna Gothane, K. Srujan Raju, and B. Kavitha Rani	
<b>Low-Cost Irrigation and Laser Fencing Surveillance System for the Paddy Fields</b> .....	507
Abdul Subhani Shaik, Manir Ahmed, and Merugu Suresh	
<b>Hybridization of Modified Cuckoo-Moth Flame Optimization for Effective Route Recovery of Networks</b> .....	517
Satish Kumar Patnala, Venubabu Rachapudi, S Anjali Devi, Sasibhushana Rao Pappu, and T. Subha Mastan Rao	
<b>Analysis of Password Protected Documents Using Statistical Approaches on High Performance Computing</b> .....	533
Ajeet Singh, Vikas Tiwari, Allu Swamy Naidu, Appala Naidu Tentu, K. Surjan Raju, and Ashutosh Saxena	
<b>Author Index</b> .....	547

# Rad-Hard Model SOI FinTFET for Spacecraft Application



Ajay Kumar Dharmireddy, Sreenivasa Rao Ijjada, K. V. Gayathri, K. Srilatha, K. Sahithi, M. Sushma, and K. Madhavi

**Abstract** Radiation-hardened model silicon on insulator fin gate tunnel field effect transistor (SOI FinTFET) devices are used for spacecraft applications to protect from radiation effects. In this, radiation environment revealed that the radiation-induced effect degradation of device performance and also trap charge carriers should not be neglected. Enormous simulations were carried out to examine the production of electron and holes in the gate oxide and to predict the characteristics of device from sub-threshold to inversion region. The gamma radiation model of Sentaurus Technology Computer-Aided Design (TCAD) was used to determine the radiation properties of SOI FinTFET.

**Keywords** Radiation hardened · Spacecraft applications · Sub threshold region · SOI FinTFET · Gamma radiation · Sentaurus TCAD

## 1 Introduction

The universe is a huge widespread open space that would be hold on to massive quantities of radiation. Man is always searching for other planets' information and also observe our earth condition with help of satellites. Satellites are used to a clearer sense of information about the universe and solar system. A numeral of automated and worked space satellites have been developed around the world in recent decades. Satellites with millions of electronic circuits are launched into orbit to scan and process the information collected. Most of these electronic devices are intolerant and regularly failed by the effect of cosmic radiation. Due to the widespread development is required to design of radiation tolerant device. The "radiation hardening [1]" of a device refers to the process of fabricating devices that are radiation-resistant. The

A. K. Dharmireddy (✉) · K. V. Gayathri · K. Srilatha · K. Sahithi · M. Sushma · K. Madhavi  
SIR C. R. Reddy College of Engineering, Eluru, Andhra Pradesh 534007, India

S. R. Ijjada  
GITAM Institute of Technology, Vishakhapatnam, Andhra Pradesh 530016, India

© The Author(s), under exclusive license to Springer Nature Singapore Pte Ltd. 2022  
V. V. S. S. Chakravarthy et al. (eds.), *Advances in Micro-Electronics, Embedded Systems and IoT*, Lecture Notes in Electrical Engineering 838,  
[https://doi.org/10.1007/978-981-16-8550-7\\_12](https://doi.org/10.1007/978-981-16-8550-7_12)



# Spotted Hyena Optimized PI-PD Controller for Frequency control of Standalone $\mu$ -Grid Incorporating Electric Vehicles

<sup>1</sup>Dr.V.S.R. Pavan  
Kumar,Neel,  
Associate Professor,  
Dept of EEE

<sup>2</sup>M. Vijay  
Raghavendra,  
Assistant Professor,  
Dept of EEE

<sup>3</sup>Sk.Chari Bishu,  
Assistant  
Professor, Dept of  
EEE

<sup>4</sup>K. Kotiah  
Chowdary,  
Assistant Professor,  
Dept of EEE

<sup>5</sup>Dr.N. Sameera,  
Associate  
Professor, Dept of IT

<sup>1,2,3,4,5</sup> SRR C R Reddy College of Engineering,  
<sup>1</sup>pavanscholar123@gmail.com

**Abstract:** In this current work, one of the maiden approaches was made frequency regulation in a Standalone AC Microgrid ( $\mu$ G) by considering Spotted Hyena optimizer based Cascaded PI-PD controller. These  $\mu$ Grid can be formed by merging some the isolated such as renewable energy resources, wind power and also solar electricity irradiations. Discrepancy any these sources will influence system frequency and hence frequency control theme in MG was challenging issue for all the researchers. In spite of these struggling this current paper consider 2-Cascaded PI-PD-controllers as secondary frequency controller for the Standalone  $\mu$ Grid, and a novel Spotted Hyena Optimizer (SHO) is used to tuning and obtaining the controller parameters. The proposed cascaded controllers inspected on a  $\mu$ Grid test system, and robustness is assessed considering dissimilar variations in load. In order to manifest the effectiveness of the Cascaded PI-PD controller, it is being compared to some more conventional controller as Proportional Integral (PI), and Proportional Integral and Derivative (PID) controllers and also to verify the potency of the Spotted Hyena optimizer, the results obtained by the SHO are been compared with other intelligence search techniques.

**Keywords:** PI-PD cascade controller, renewable and green energy sources, standalone microgrid, Spotted hyena optimizer.

## I. INTRODUCTION

In life span, developed of isolated off  $\mu$ -Grids helping in providing electrical powers for more rural areas, but as conventional ways of supplys electrical power from a grid is very very high expensive. Consequently, plenty of  $\mu$ Grids are launched for providing electrical power to those areas. An  $\mu$ Grid by able to operate at different modes listed as Standalone modes and one more as gridconnected mode. [1]. The distributed generation resources as play a so crucial role at  $\mu$ Grid structure. Up choosing them resources for a standalone  $\mu$ -Grid-system the foremost elements were then environmental and as economic constraints [2].

A predominant objective of at this paper to the control frequency the of  $\mu$ Grid structure by using a Spotted Hyena Optimizer (SHO) bases cascaded PI-PD controllers. The all contributions these papers summarily at outlined as follows:

1. An  $\mu$ Grid formed at established with different more kinds of sources as renewable energy source (RES), wind power generations system, solar energies irradiations systems,  $\mu$ Turbines, diesel systems generations, and also cell system.
2. A cascaded PI-PD controller was developed as a secondary controller frequency control the  $\mu$ Grid.
3. A novel-Spotted Hyena Optimizer (SHO) algorithm is put forwarded for at tuning of the controllers parameters.
4. Their performance or accomplishment the propose SHO algorithms base cascaded PI-PD controller mainly compared with all some of them conventional controlled like P and PID controllers.
5. The efficacy or potency the presented controller illustrated with the consideration of different system variations in  $\mu$ Grid such as changes in load  $\Delta P_L$  and various sensitivity analyses.

## II. MODELLING OF STANDALONE $\mu$ -GRID

A simplified set for Standalone  $\mu$ -grid present in Figure 1. It consist WTG, PV, MT, FC and also the some of the energy storage device as BES, Flywheels (FIS) and Electric vehicles (EV) along with some of other-loads. As shown in Figure 1, the powered electronics device which used at the  $\mu$ -grid operation which synchronize an resources suched as DEG which connects the distributed resources to bus by a rectifying an dc voltage into ac voltage sources [5]. In addition to this, a converter was considered for-BES-system which operates both-either in charging (ac to dc) and as-well-as-discharging-(dc to ac) modes. In order to synthesizes a  $\mu$ -grid, the general and linearized state space models essential and hence the linearized-form [6] for the  $\mu$ -grid system is presented in Fig. 1. All the generating sources as represented in single order transfer function models and the respective values as listed in appendix [12].

Therefore, the total-generated power by distributed resources in order to meet the supply demand-side is

$$P_{\text{load}} = P_{\text{DEG}} + P_{\text{WTG}} + P_{\text{PV}} + P_{\text{MT}} + P_{\text{FC}} + P_{\text{BES}} + P_{\text{FES}} + P_{\text{EV}} \quad (1)$$

### A. PI-PD Controller

The cascaded controller strategy, as and when compares to single loop feedback control base strategy, can able to handle multiples and different types of disturbances



# Spotted Hyena Optimized PI-PD Controller for Frequency control of Standalone $\mu$ -Grid Incorporating Electric Vehicles

<sup>1</sup>Dr.V.S.R. Pavan,  
Kumar.Neeli,  
Associate Professor,  
Dept of EEE

<sup>2</sup>M. Vijay  
Raghavendra,  
Assistant Professor,  
Dept of EEE

<sup>3</sup>Sk.Chan Basha,  
Assistant  
Professor, Dept of  
EEE

<sup>4</sup>K. Kotaiah  
Chowdary,  
Assistant Professor,  
Dept of EEE

<sup>5</sup>Dr.N. Sameera,  
Associate  
Professor, Dept of IT

<sup>1,2,3,4,5</sup> SIR C R Reddy College of Engineering,  
<sup>1</sup>pavanscholar123@gmail.com

**Abstract:** In this current work, one of the maiden approaches was made frequency regulation in a Standalone AC Microgrid ( $\mu$ G) by considering Spotted Hyena optimizer based Cascaded PI-PD controller. These  $\mu$ Grid can be formed by merging some the isolated such as renewable energy resources, wind power and also solar electricity irradiations. Discrepancy any these-sources will influence system frequency and hence-frequency control-theme in MG was challenging issue for all-the researchers. In spite of these struggling this current paper consider a-Cascaded PI-PD-controllers as secondary frequency controller for the-Standalone  $\mu$ Grid, and a novel Spotted Hyena Optimizer (SHO) is used to tuning and obtaining the controller parameters. The proposed cascaded controllers inspected on a  $\mu$ Grid test system, and robustness is assessed considering -dissimilar variations in load. In order to manifest the effectiveness of the Cascaded PI-PD controller, it-is being compared to some more conventional controller as Proportional Integral (PI), and Proportional Integral and-Derivative (PID) controllers and also to verify the-potency of the-Spotted Hyena optimizer, the-results obtained-by the SHO are been-compared with other intelligence swarm-techniques.

**Keywords:** PI-PD cascade controller, renewable and green energy sources, standalone microgrid, Spotted hyena optimizer.

## I. INTRODUCTION

In life span, developed of isolated off  $\mu$ -Grids helping in providing electrical powers for more rural areas, but as conventional ways of supply electrical power from a grid is very very high expensive. Consequently, plenty of  $\mu$ Grids are launched for providing electrical power to those areas. An  $\mu$ Grid be able to operate at different modes listed as Standalone modes and one more is grid connected mode. [1]. The distributed generation resources as play a so crucial role at  $\mu$ Grid structure. Up choosing them resources for a standalone  $\mu$ -Grid-system, the foremost elements were then environmental and as economic constraints [2]. A predominant objective of at this paper to the control frequency the of  $\mu$ Grid structure by using a Spotted Hyena Optimizer (SHO) bases cascaded PI-PD controllers. The all contributions these papers: summary at outlined as follows:

1. An  $\mu$ Grid formed at established with different more kinds of sources as renewable energy source (RES), wind power generations system, solar energies irradiations systems,  $\mu$ Turbines, diesel systems generations, and also cell system
2. A cascaded PI-PD controller was developed as a secondaries controller frequency control the  $\mu$ Grid.
3. A novel-Spotted Hyena Optimizer (SHO) algorithm is put forwarded for at tuning of the controllers parameters.
4. Their performance or accomplishment the propose SHO algorithms basecascaded PI-PD controller mainly compared with all some of them conventional controlled like PI and PID controllers.
5. The efficacy or potency the presented controller illustrated with the consideration of different system variations in  $\mu$ Grid such as changes in load  $\Delta P_L$  and various sensitivity analyses.

## II. MODELLING OF STANDALONE $\mu$ -GRID

A simplified set for Standalone  $\mu$ -grid present in Figure 1. It consist WTG, PV, MT, FC and also the some of the energy storage device as BES, Flywheels (FES) and Electric vehicles (EV) along with some of other-loads. As shown in Figure 1, the powered electronics device which used at the  $\mu$ -grid operates which synchronize an a-sources such as DEG which connects the distributed resources to bus by a rectifying an dc voltage into ac voltage sources [5]. In addition to this, a converter was considered for-BES-system which operates both-either in charging (ac to dc) and as-well-as-discharging-(dc to ac) modes. In order to synthesize a  $\mu$ -grid, the general and linearized state space models essential and hence-the linearized-form [6] for the  $\mu$ -grid system is presented in Fig. 1. All the generating sources as represented in single order transfer function models and the respective values as listed in appendix [12].

Therefore, the total-generated power by distributed resources in order to meet the supply demand-side is

$$P_{load} = P_{DEG} + P_{WTG} + P_{PV} + P_{MT} + P_{FC} + P_{RES} + P_{FES} + P_{EV} \quad (1)$$

### A. PI-PD Controller

The cascaded controller strategy, as and when compares to single loop feedback control base strategy, can able to handle multiples and different types of disturbances



# Spotted Hyena Optimized PI-PD Controller for Frequency control of Standalone $\mu$ -Grid Incorporating Electric Vehicles

<sup>1</sup>Dr.V.S.R. Pavan Kumar,Neeli, Associate Professor, Dept of EEE

<sup>2</sup>M. Vijay Raghavendra, Assistant Professor, Dept of EEE

<sup>3</sup>Sk.Chan Basha, Assistant Professor, Dept of EEE

<sup>4</sup>K. Kotaiah Chowdary, Assistant Professor, Dept of EEE

<sup>5</sup>Dr.N. Sameera, Associate Professor, Dept of IT

<sup>1,2,3,4,5</sup>SIR C R Reddy College of Engineering  
<sup>1</sup>pavanscholar123@gmail.com

**Abstract:** In this current work, one of the maiden approaches was made frequency regulation in a Standalone AC Microgrid ( $\mu$ G) by considering Spotted Hyena optimizer based Cascaded PI-PD controller. These  $\mu$ Grid can be formed by merging some the isolated such as renewable energy resources, wind power and also solar electricity irradiations. Discrepancy any these-sources will influence system frequency and hence-frequency control-theme in MG was challenging issue for all-the researchers. In spite of these struggling this current paper consider a-Cascaded PI-PD-controllers as secondary frequency controller for the-Standalone  $\mu$ Grid, and a novel Spotted Hyena Optimizer (SHO) is used to tuning and obtaining the controller parameters. The proposed cascaded controllers inspected on a  $\mu$ Grid test system, and robustness is assessed considering -dissimilar variations in load. In order to manifest the effectiveness of the Cascaded PI-PD controller, it-is being compared to some more conventional controller as Proportional Integral (PI), and Proportional Integral and-Derivative (PID) controllers and also to verify the-potency of the-Spotted Hyena optimizer, the-results obtained-by the SHO are been-compared with other Intelligence swarm-techniques.

**Keywords:** PI-PD cascade controller, renewable and green energy sources, standalone microgrid, Spotted hyena optimizer.

## I. INTRODUCTION

In life span, developed of isolated off  $\mu$ -Grids helping in providing electrical powers for more rural areas, but as conventional ways of supply electrical power from a grid is very very high expensive. Consequently, plenty of  $\mu$ Grids are launched for providing electrical power to those areas. An  $\mu$ Grid be able to operate at different modes listed as Standalone modes and one more is grid-connected mode. [1]. The distributed generation resources as play a so crucial role at  $\mu$ Grid structure. Up choosing them resources for a standalone  $\mu$ -Grid-system, the foremostest elements were then environmental and as economic constraints [2]. A predominant objective of at this paper to the control frequency the of  $\mu$ Grid structure by using a Spotted Hyena Optimizer (SHO) bases cascaded PI-PD controllers. The all contributions these papers summarily at outlined as follows:

1. An  $\mu$ Grid formed at established with different more kinds of sources as renewable energy source (RES), wind power generations system, solar energies irradiations systems,  $\mu$ Turbines, diesel systems generations, and also cell system.
2. A cascaded PI-PD controller was developed as a secondaries controller frequency control the  $\mu$ Grid.
3. A novel-Spotted Hyena Optimizer (SHO) algorithm is put forwarded for at tuning of the controllers parameters.
4. Their performance or accomplishment the propose SHO algorithms basecascaded PI-PD controller mainly compared with all some of them conventional controlled like PI and PID controllers.
5. The efficacy or potency the presented controller illustrated with the consideration of different system variations in  $\mu$ Grid such as changes in load  $\Delta$ P and various sensitivity analyses.

## II. MODELLING OF STANDALONE $\mu$ -GRID

A simplified set for Standalone  $\mu$ -grid present in Figure 1. It consist WTG, PV, MT, FC and also the some of the energy storage device as BES, Flywheels (FES) and Electric vehicles (EV) along with some of other-loads. As shown in Figure 1, the powered electronics device which used at the  $\mu$ -grid operatio which synchronize an acources such as DEG which connects the distributed resources to bus by a rectifying an dc voltaged into ac voltage sources [5]. In addition to this, a converter was considered for-BES-system which operates both-either incharging (ac to dc) and as-well-as-discharging-(dc to ac) modes. In order to synthesize a  $\mu$ -grid, the general and linearized statespace models essential-and hence-the linearized-form [6] for the  $\mu$ -grid system is presented in Fig. 1. All the generating sources as represented in single order transfer function models and the respective values as listed in appendix [12].

Therefore, the total-generated power by distributed resources in order to meet the supply demand-side is

$$P_{total} = P_{WTG} + P_{WTS} + P_{PV} + P_{MT} + P_{FC} \pm P_{BES} \pm P_{FES} \pm P_{EV} \quad (1)$$

### A. PI-PD Controller

The cascaded controller strategy, as and when compares to singled loop feedbacked control base strategy, can able to handle multiples and different types of disturbances



Estd. 1989

## SIR C. R. REDDY COLLEGE OF ENGINEERING

ELURU-534007, Eluru Dist., A.P., INDIA

ACCREDITED BY NBA, APPROVED BY ALL INDIA COUNCIL FOR TECHNICAL EDUCATION, NEW DELHI,

PERMANENTLY AFFILIATED TO JNTUK, KAKINADA

[www.sircrrengg.ac.in](http://www.sircrrengg.ac.in)

### 3.3.2 Number of books and chapters in edited volumes / books published, and papers published in national/international conference-proceedings per teacher during last five years

Name of the teacher	Title of the Book/ Chapters Published	Title of the Paper	Title of the proceedings of the conference	Year of publication	ISBN/ ISSN number of the proceeding	Whether at the time of publication Affiliating Institution Was same Yes/NO	Name of the publisher	Link to website/ doi of the Conference Paper
<b>2021</b>								
Dr M Krishna	N/A	Identification of Best Cluster from a Datasets Using Hybrid Hierarchical and Non-Hierarchical Methods.	2nd International Conference on Smart Electronics and Communication (ICOSEC), organized by Kongunadu College of Engineering and Technology, Trichy, Tamil Nadu	2021	978-1-6654-3368-6	Yes	IEEE	<a href="https://doi.org/10.1109/ICOSC51865.2021.9591784">10.1109/ICOSC51865.2021.9591784</a>
Dr M Krishna	N/A	A Survey on Multimedia Analytics in Security Systems of Cyber Physical Systems and IoT.	2nd International Conference on Smart Electronics and Communication (ICOSEC), organized by Kongunadu College of Engineering and Technology, Trichy, Tamil Nadu	2021	978-1-6654-3368-6	Yes	IEEE	<a href="https://doi.org/10.1109/ICOSC51865.2021.9591754">10.1109/ICOSC51865.2021.9591754</a>



Dr M Krishna	Basic Python Programming for Beginners	N/A	N/A	2021	978-9354720604	Yes	Bluerose Publishers	<a href="https://blueroseone.com/store/product/basic-python-programming-for-beginners">https://blueroseone.com/store/product/basic-python-programming-for-beginners</a>
Dr N Deepak	N/A	Identification of Best Cluster from a Datasets Using Hybrid Hierarchical and Non-Hierarchical Methods.	2nd International Conference on Smart Electronics and Communication (ICOSEC), organized by Kongunadu College of Engineering and Technology, Trichy, Tamil Nadu	2021	978-1-6654-3368-6	Yes	IEEE	<a href="https://doi.org/10.1109/ICOSC51865.2021.9591784">10.1109/ICOSC51865.2021.9591784</a>
S.Mohan Babu Chowdary	N/A	Identification of Best Cluster from a Datasets Using Hybrid Hierarchical and Non-Hierarchical Methods.	2nd International Conference on Smart Electronics and Communication (ICOSEC), organized by Kongunadu College of Engineering and Technology, Trichy, Tamil Nadu	2021	978-1-6654-3368-6	Yes	IEEE xplore	<a href="https://doi.org/10.1109/ICOSC51865.2021.9591784">10.1109/ICOSC51865.2021.9591784</a>
S.Mohan Babu Chowdary	N/A	A Survey on Multimedia Analytics in Security Systems of Cyber Physical Systems and IoT.	2nd International Conference on Smart Electronics and Communication (ICOSEC), organized by Kongunadu College of Engineering and Technology, Trichy, Tamil Nadu	2021	978-1-6654-3368-6	Yes	IEEE xplore	<a href="https://doi.org/10.1109/ICOSC51865.2021.9591754">10.1109/ICOSC51865.2021.9591754</a>

K. VaradaRaj kumar	Basic Python Programming for Beginners	N/A	N/A	2021	978-9354720604	Yes	Bluerose Publishers	<a href="https://blueroseone.com/store/product/basic-python-programming-for-beginners">https://blueroseone.com/store/product/basic-python-programming-for-beginners</a>
S.Jaya Prakash	N/A	An Intelligent Face Detection by Corner Detection using Special Morphological Masking System and Fast Algorithm	2nd International Conference on Smart Electronics and Communication (ICOSEC), organized by Kongunadu College of Engineering and Technology, Trichy, Tamil Nadu	2021	978-1-6654-3368-6	Yes	IEEE	<a href="https://doi.org/10.1109/ICOS-EC51865.2021.9591857">10.1109/ICOS-EC51865.2021.9591857</a>
S.Jaya Prakash	Basic Python Programming for Beginners	N/A	N/A	2021	978-9354720604	Yes	Bluerose Publishers	<a href="https://blueroseone.com/store/product/basic-python-programming-for-beginners">https://blueroseone.com/store/product/basic-python-programming-for-beginners</a>
Dr.G.Chamundeswari	N/A	Unsupervised Learning Approach for Clustering Leaf Images	IOP Conference Series: Materials Science and Engineering	2021	1074 (2021) 012020	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1757-899X/1074/1/012020">https://iopscience.iop.org/article/10.1088/1757-899X/1074/1/012020</a>

P Rajendra Kumar	N/A	Parametric Analysis on Heart Disease Prediction using Ensemble based Classification	2021 Fourth International Conference on Electrical, Computer and Communication Technologies (ICECCT)	2021	978-1-6654-1480-7	Yes	IEEE	<a href="https://doi.org/10.1109/ICECCT52121.2021.9616904">10.1109/ICECCT52121.2021.9616904</a>
Dr.M.Veera Kumari	Smart& Intelligent Systems, Book chapter 48	Single and Multi objective optimal Generation Expansion planning with HVDC Systems by using HSDE Algorithm,	Proceedings of SIS 2021	2021	978-981-16-2108-6	Yes	Springer	<a href="http://doi.org/10.1007/978-981-16-2109-3">http://doi.org/10.1007/978-981-16-2109-3</a>
S.Mohan Babu Chowdary	Advancement In Information Technology	N/A	N/A	2021	979-88-86-84491-3	Yes	Published by Notion press INDIA	<a href="https://notionpress.com/read/advancements-in-information-technology/perback">https://notionpress.com/read/advancements-in-information-technology/perback</a>

  
IQAC

  
PRINCIPAL  
Principal  
Sir C R Reddy College of Engineering  
ELURU - 534 007



All



ADVANCED SEARCH

Conferences > 2021 2nd International Confer...

# Identification of Best Cluster from a Datasets Using Hybrid Hierarchical and Non-Hierarchical Methods

Publisher: IEEE

Cite This

PDF

Deepak Nedunuri ; S. Mohanbabu Chowdary ; T. Sai Krishna ; **Martapalli Krishna** ; Bandlamudi S B P Rani All Authors

Full Text Views:

## Alerts

Manage Content Alerts  
Add to Citation Alerts

### Abstract

#### Document Sections

- 1. INTRODUCTION
- 2. MATERIALS AND METHODS
- » RESULTS AND DISCUSSIONS
- 3. CONCLUSIONS

Authors:

Figures

References

Keywords

Metrics

More Like This



**Abstract:**A hybrid hierarchical and non-hierarchical clustering approach with a prominent presence in eating disorders has been proposed here for a group of 52 licenced marketed me... [View more](#)

#### ► Metadata

##### Abstract:

A hybrid hierarchical and non-hierarchical clustering approach with a prominent presence in eating disorders has been proposed here for a group of 52 licenced marketed medications proven to act as an inhibitor of 5-HT receptors. In literature, various clustering algorithms have been put forward and k-means and hierarchy-clustering algorithms are widely used. A novel approach hybrid hierarchical k-means (hk means) algorithm was proposed with the option to extract the optimum number of clusters from critical data. The statistics of Hopkins (H) is calculated to evaluate whether it could be clustered before the study. Using the statistic of Hopkins, 0.2357 was found that data are strongly clusterable to 5T receptor drug compounds. Using the consensus method, which involves about 30 NbClust indices was used in the latter to decide the optimum number of clusters. Based on NbClust's optimum clusters, hk is an algorithm that first generates 3 cluster centres, which are fed k-means of the hierarchical clustering algorithm.

**Published in:** 2021 2nd International Conference on Smart Electronics and Communication (ICOSEC)

**Date of Conference:** 07-09 October 2021

**DOI:** 10.1109/ICOSEC51865.2021.9591784

**Date Added to IEEE Xplore:** 12 November 2021

**Publisher:** IEEE

**► ISBN Information:**

**Conference Location:** Trichy, India

## Contents

### 1. INTRODUCTION

Clustering, a technique well known for the creation of unknown observational consortia[1]. Different drug clusters with related Physico-chemical patterns can be investigated through functional behaviour and regulatory aspects. Clustering tools in identifying discernible observational patterns in each cluster, except for details on functional similarities and potential cluster-related property







All



ADVANCED SEARCH

Conferences > 2021 2nd International Confer...

# A Survey on Multimedia Analytics in Security Systems of Cyber Physical Systems and IoT

Publisher: IEEE

Cite This

PDF

Matapalli Krishna ; S Mohan Babu Chowdary ; P. Nancy ; V. Arulvizmar | All Authors

325  
Cites In  
Papers

325  
Full  
Text Views



## Alerts

Manage Content Alerts  
Add to Citation Alerts

### Abstract

#### Document Sections

- I. INTRODUCTION
- II. DESIGN OF CPS
- III. CPS Modeling and Architecture
- IV. ARCHITECTURE OF CPS
- V. CASE STUDY OF HEALTHCARE CPS

Show Full Outline

Authors

Figures

References

Citations

Keywords

Metrics

More Like This



**Abstract:** With the advancement of software systems, the reliance on humans and their judgments has decreased, resulting in an increase in the use of computational intelligence. As ... [View more](#)

#### Metadata

##### Abstract:

With the advancement of software systems, the reliance on humans and their judgments has decreased, resulting in an increase in the use of computational intelligence. As a result of this drift and the available technology, an enhanced method of sensing and controlling as well as measuring and exchanging data has emerged, leading to the emergence of a new area known as Cyber-Physical Systems (CPS). Despite the fact that these systems exhibit remarkable features, the increasing complexity imposed by their components and services makes their design extremely challenging to achieve. This article provides an overview of what a cyber-physical system (CPS) is, its design, and how multimedia analytics and the Internet of Things (IoT) play a significant part in CPS. The importance of CPS in the medical profession cannot be overstated. In this section, a case study is provided to demonstrate the importance of CPS in the medical profession.

**Published in:** 2021 2nd International Conference on Smart Electronics and Communication (ICOSEC)

**Date of Conference:** 07-09 October 2021

**DOI:** 10.1109/ICOSEC51865.2021.9591754

**Date Added to IEEE Xplore:** 12 November 2021

**Publisher:** IEEE

**ISBN Information:**

**Conference Location:** Trichy, India

### Contents

#### I. INTRODUCTION

Internet, one of the best developments of all times, has made an enormous transformation today. Initially internet was used to connect desktop computers among themselves and to the servers. However, with time wireless devices like laptops, cellular phones became a part of this physical system. This enormous growth of devices to the internet leads to the concept of "cyber systems".



# Basic Python Programming For Beginners

*(As Per JNTUK Syllabus)*



**A Beginner's Guide to Learn Python  
Programming with Practical Exercises.**

Authored By:

K. Vinoda Rajkumar, Dr. Marlapelli Krishna, S. Jaya Prakash

# **Basic Python Programming For Beginners**

*(As Per JNTUK Syllabus)*

**A Beginner's Guide to Learn Python  
Programming with Practical Exercises.**

Authored By:

**K. Varada Rajkumar, Dr. Marlapalli Krishna, S. Jaya Prakash**

## About the Authors



Mr. K. Varada Rajkumar is currently working as Assistant Professor in the Department CSE, Sir C R Reddy College of Engineering, Eluru, West Godavari district, Andhra Pradesh. He pursuing his Doctoral degree from Koneru Lakshmaiah Education Foundation, Vaddeswaram, AP, India. He has a teaching experience of 10 years in engineering field and published more than 20 research papers in reputed peer reviewed journals. He is an Associate Member of The Institution of Engineers (India) [IEI].



Dr. Marlapalli Krishna is currently working as Professor in the Department CSE, Sir C R Reddy College of Engineering, Eluru, West Godavari district, Andhra Pradesh. He obtained his Masters & Doctoral degree from Andhra University, Visakhapatnam. He has a vast teaching experience of 18 years in engineering field and published more than 40 research papers in reputed peer reviewed journals. He bagged many academic awards in his teaching career and he is acting as Editorial member/Advisory member/ Reviewer for various Journals. He is Life member in various Professional Engineering Societies which includes Indian Society for Technical Education (ISTE), The Institution of Engineers (India) [IEI], Computer Society of India (CSI), Indian Science Congress Association (ISCA) etc.



Mr. Jaya Prakash Sunkavalli is currently working as Assistant Professor in the Department CSE, Sir C R Reddy College of Engineering, Eluru, West Godavari district, Andhra Pradesh. He pursuing his doctoral degree from Koneru Lakshmaiah Education Foundation, Vaddeswaram, AP, India. He has a teaching experience of 10 years in engineering field and published 12 research papers in reputed peer reviewed journals. He is an Associate Member of The Institution of Engineers (India) [IEI].

INR 200/-



www.bluerosepublishers.com



BlueRose  
Publishers





# CONTENTS

<b>CHAPTER 1: Introduction to Python</b> .....	<b>1</b>
1.1: Why Language .....	1
1.2: Why Python .....	1
1.3: Features of Python .....	2
1.4: Installation of Python .....	3
1.5: Path Setting to Python .....	5
1.6: Comments in Python .....	9
1.7: First Python Program .....	9
1.8: Execution of Python Program .....	10
<b>CHAPTER 2: Keywords in Python</b> .....	<b>13</b>
<b>CHAPTER 3: Built-in Functions</b> .....	<b>24</b>
<b>CHAPTER 4: Programs</b> .....	<b>40</b>
4.1: Program to convert weight in kilograms to pounds .....	40
4.2: Program to find total and average of 3 numbers .....	41
4.3: Program to print number series using for loop .....	43
4.4: Program to print your name 'n' times .....	45
4.5: Program to print triangle using for loop .....	47
4.6: Program to guess the number .....	50
4.7: Program to print close if the numbers are within .001 .....	51
4.8: Program to check whether the word contain vowel or not .....	52
4.9: Program to print alternate characters of 2 strings .....	54
4.10: Program to insert commas into a large number .....	55
4.11: Program to print algebraic expression .....	56
4.12: Program to generate a list of 20 random numbers .....	58
4.13: Program to create a list consists of factors .....	62
4.14: Program to find the longest run of zeros .....	63
4.15: Program to remove repeated items from a list .....	65



All



ADVANCED SEARCH

Conferences > 2021 2nd International Confer...

# Identification of Best Cluster from a Datasets Using Hybrid Hierarchical and Non-Hierarchical Methods

Publisher: IEEE

Cite This

PDF

Deepak Nedururi ; S. Mohanbabu Chowdary ; T. Sai Krishna ; Marlapati Krishna ; Bandlamudi S B P Rani | All Authors

5 Full Text Views



Alerts

Manage Content Alerts  
Add to Citation Alerts

## Abstract

### Document Sections

- 1. INTRODUCTION
- 2. MATERIALS AND METHODS
- » RESULTS AND DISCUSSIONS
- 3. CONCLUSIONS

Authors

Figures

References

Keywords

Metrics

More Like This



**Abstract:** A hybrid hierarchical and non-hierarchical clustering approach with a prominent presence in eating disorders has been proposed here for a group of 52 licenced marketed me... [View more](#)

### Metadata

#### Abstract:

A hybrid hierarchical and non-hierarchical clustering approach with a prominent presence in eating disorders has been proposed here for a group of 52 licenced marketed medications proven to act as an inhibitor of 5- HT receptors. In literature, various clustering algorithms have been put forward and k-means and hierarchy-clustering algorithms are widely used. A novel approach hybrid hierarchical k-means (hk means) algorithm was proposed with the option to extract the optimum number of clusters from critical data. The statistics of Hopkins (H) is calculated to evaluate whether it could be clustered before the study. Using the statistic of Hopkins, 0.2357 was found that data are strongly clusterable to 5T receptor drug compounds. Using the consensus method, which involves about 30 NbClust indices was used in the latter to decide the optimum number of clusters. Based on NbClust's optimum clusters, hk is an algorithm that first generates 3 cluster centres, which are fed k-means of the hierarchical clustering algorithm.

**Published in:** 2021 2nd International Conference on Smart Electronics and Communication (ICOSEC)

**Date of Conference:** 07-09 October 2021

**DOI:** 10.1109/ICOSEC51865.2021.9591784

**Date Added to IEEE Xplore:** 12 November 2021

**Publisher:** IEEE

**ISBN information:**

**Conference Location:** Trichy, India

## Contents

### 1. INTRODUCTION

Clustering, a technique well known for the creation of unknown observational consortia(1). Different drug clusters with related Physico-chemical patterns can be investigated through functional behaviour and regulatory aspects. Clustering tools in identifying discernible observational patterns in each cluster, except for details on functional similarities and potential cluster-related property





All



ADVANCED SEARCH

Conferences > 2021 2nd International Confer...

# Identification of Best Cluster from a Datasets Using Hybrid Hierarchical and Non-Hierarchical Methods

Publisher: IEEE

Cite This

PDF

Deepak Nedunuri ; S. Mohanbabu Chowdary ; T. Sai Krishna ; Marlapalli Krishna ; Bandlamudi S B P Rani | All Authors

56 Full Text Views



## Alerts

Manage Content Alerts  
Add to Citation Alerts

### Abstract

#### Document Sections

- 1. INTRODUCTION
- 2. MATERIALS AND METHODS
- » RESULTS AND DISCUSSIONS
- 3. CONCLUSIONS

Authors

Figures

References

Keywords

Metrics

More Like This



Download

PDF

17/4

17/4

**Abstract:**A hybrid hierarchical and non-hierarchical clustering approach with a prominent presence in eating disorders has been proposed here for a group of 52 licenced marketed me... [View more](#)

#### ► Metadata

##### Abstract:

A hybrid hierarchical and non-hierarchical clustering approach with a prominent presence in eating disorders has been proposed here for a group of 52 licenced marketed medications proven to act as an inhibitor of 5- HT receptors. In literature, various clustering algorithms have been put forward and k-means and hierarchy-clustering algorithms are widely used. A novel approach hybrid hierarchical k-means (hk means) algorithm was proposed with the option to extract the optimum number of clusters from critical data. The statistics of Hopkins (H) is calculated to evaluate whether it could be clustered before the study. Using the statistic of Hopkins, 0.2357 was found that data are strongly clusterable to 5T receptor drug compounds. Using the consensus method, which involves about 30 NbClust indices was used in the latter to decide the optimum number of clusters. Based on NbClust's optimum clusters, hk is an algorithm that first generates 3 cluster centres, which are fed k-means of the hierarchical clustering algorithm.

**Published in:** 2021 2nd International Conference on Smart Electronics and Communication (ICOSEC)

**Date of Conference:** 07-09 October 2021

**DOI:** 10.1109/ICOSEC51865.2021.9591784

**Date Added to IEEE Xplore:** 12 November 2021

**Publisher:** IEEE

**► ISBN Information:**

**Conference Location:** Trichy, India

### Contents

#### 1. INTRODUCTION

Clustering, a technique well known for the creation of unknown observational consortia[1]. Different drug clusters with related Physico-chemical patterns can be investigated through functional behaviour and regulatory aspects. Clustering tools in identifying discernible observational patterns in each cluster, except for details on functional similarities and potential cluster-related property





All



ADVANCED SEARCH

Conferences: > 2021 2nd International Confer...

# A Survey on Multimedia Analytics in Security Systems of Cyber Physical Systems and IoT

Publisher: IEEE

Cite This

PDF

Marlapalli Krishna ; S Mohan Babu Chowdary ; P. Nancy ; V. Anulkumar All Authors

7 Cites in Papers 329 Full Text Views



## Alerts

Manage Content Alerts Add to Citation Alerts

### Abstract

#### Document Sections

- I. INTRODUCTION
- II. DESIGN OF CPS
- III. CPS Modeling and Architecture
- IV. ARCHITECTURE OF CPS
- V. CASE STUDY OF HEALTHCARE CPS

Show Full Outline

Authors

Figures

References

Citations

Keywords

Metrics

More Like This



Open PDF

**Abstract:**With the advancement of software systems, the reliance on humans and their judgments has decreased, resulting in an increase in the use of computational intelligence. As ... [View more](#)

#### Metadata

##### Abstract:

With the advancement of software systems, the reliance on humans and their judgments has decreased, resulting in an increase in the use of computational intelligence. As a result of this drift and the available technology, an enhanced method of sensing and controlling as well as measuring and exchanging data has emerged, leading to the emergence of a new area known as Cyber-Physical Systems (CPS). Despite the fact that these systems exhibit remarkable features, the increasing complexity imposed by their components and services makes their design extremely challenging to achieve. This article provides an overview of what a cyber-physical system (CPS) is, its design, and how multimedia analytics and the Internet of Things (IoT) play a significant part in CPS. The importance of CPS in the medical profession cannot be overstated. In this section, a case study is provided to demonstrate the importance of CPS in the medical profession.

**Published in:** 2021 2nd International Conference on Smart Electronics and Communication (ICOSEC)

**Date of Conference:** 07-09 October 2021

**DOI:** 10.1109/ICOSEC51865.2021.9591754

**Date Added to IEEE Xplore:** 12 November 2021

**Publisher:** IEEE

**ISBN Information:**

**Conference Location:** Trichy, India

### Contents

#### I. INTRODUCTION

Internet, one of the best developments of all times, has made an enormous transformation today. Initially internet was used to connect desktop computers among themselves and to the servers. However, with time wireless devices like laptops, cellular phones became a part of this physical system. This enormous growth of devices to the internet leads to the concept of "cyber systems".





# Basic Python Programming For Beginners

*(As Per JNTUK Syllabus)*



**A Beginner's Guide to Learn Python  
Programming with Practical Exercises.**

Authored By:

K. Varada Rajkumar, Dr. Marlapalli Krishna, S. Jaya Prakash

# **Basic Python Programming For Beginners**

*(As Per JNTUK Syllabus)*

**A Beginner's Guide to Learn Python  
Programming with Practical Exercises.**

Authored By:

**K. Varada Rajkumar, Dr. Marlapalli Krishna, S. Jaya Prakash**

## About the Authors



Mr. K. Varada Rajkumar is currently working as Assistant Professor in the Department CSE, Sir C R Reddy College of Engineering, Eluru, West Godavari district, Andhra Pradesh. He pursuing his Doctoral degree from Koneru Lakshmaiah Education Foundation, Vaddeswaram, AP, India. He has a teaching experience of 10 years in engineering field and published more than 20 research papers in reputed peer reviewed journals. He is an Associate Member of The Institution of Engineers (India) [IEI].



Dr. Marlapalli Krishna is currently working as Professor in the Department CSE, Sir C R Reddy College of Engineering, Eluru, West Godavari district, Andhra Pradesh. He obtained his Masters & Doctoral degree from Andhra University, Visakhapatnam. He has a vast teaching experience of 18 years in engineering field and published more than 40 research papers in reputed peer reviewed journals. He bagged many academic awards in his teaching career and he is acting as Editorial member/Advisory member/ Reviewer for various Journals. He is Life member in various Professional Engineering Societies which includes Indian Society for Technical Education (ISTE), The Institution of Engineers (India) [IEI], Computer Society of India (CSI), Indian Science Congress Association (ISCA) etc.



Mr. Jaya Prakash Sunkavalli is currently working as Assistant Professor in the Department CSE, Sir C R Reddy College of Engineering, Eluru, West Godavari district, Andhra Pradesh. He pursuing his doctoral degree from Koneru Lakshmaiah Education Foundation, Vaddeswaram, AP, India. He has a teaching experience of 10 years in engineering field and published 12 research papers in reputed peer reviewed journals. He is an Associate Member of The Institution of Engineers (India) [IEI].

INR 200/-



BlueRose  
Publishers



www.bluerosepublishers.com

# CONTENTS

<b>CHAPTER 1: Introduction to Python</b> .....	<b>1</b>
1.1: Why Language .....	1
1.2: Why Python .....	1
1.3: Features of Python .....	2
1.4: Installation of Python .....	3
1.5: Path Setting to Python .....	5
1.6: Comments in Python .....	9
1.7: First Python Program .....	9
1.8: Execution of Python Program .....	10
<b>CHAPTER 2: Keywords in Python</b> .....	<b>13</b>
<b>CHAPTER 3: Built-in Functions</b> .....	<b>24</b>
<b>CHAPTER 4: Programs</b> .....	<b>40</b>
4.1: Program to convert weight in kilograms to pounds .....	40
4.2: Program to find total and average of 3 numbers .....	41
4.3: Program to print number series using for loop .....	43
4.4: Program to print your name 'n' times .....	45
4.5: Program to print triangle using for loop .....	47
4.6: Program to guess the number .....	50
4.7: Program to print close if the numbers are within .001 .....	51
4.8: Program to check whether the word contain vowel or not .....	52
4.9: Program to print alternate characters of 2 strings .....	54
4.10: Program to insert commas into a large number .....	55
4.11: Program to print algebraic expression .....	56
4.12: Program to generate a list of 20 random numbers .....	58
4.13: Program to create a list consists of factors .....	62
4.14: Program to find the longest run of zeros .....	63
4.15: Program to remove repeated items from a list .....	65





# An Intelligent Face Detection by Corner Detection using Special Morphological Masking System and Fast Algorithm

Publisher: IEEE

Cite This

PDF

V. Arulkumar ; S. Jaya Prakash ; E.K. Subramanian ; N. Thangadurai [All Authors](#)91  
Cites in  
Papers280  
Full  
Text Views

Alerts

[Manage Content Alerts](#)  
[Add to Citation Alerts](#)

## Abstract

### Document Sections

- I. INTRODUCTION
- II. SYSTEM OVERVIEW
- III. Experimental Results and Discussions
- IV. COMPARATIVE STUDY OF FILTER TECHNIQUE WITH MASKING TECHNIQUE
- V. CONCLUSION

[Authors](#)[Figures](#)[References](#)[Citations](#)[Keywords](#)[Metrics](#)[More Like This](#)

**Abstract:** This research study has applied facial recognition techniques using the angle detection algorithm. Also, a fast angle detection algorithm has been used here, but modified... [View more](#)

### ► Metadata

#### Abstract:

This research study has applied facial recognition techniques using the angle detection algorithm. Also, a fast angle detection algorithm has been used here, but modified it by applying a shielding technique to create a technique related to loud noise. This article describes twelve facial signs that include the corner of the left eye, the corner of the right eye, the left eyebrow, the right eyebrow, the corner of the lip, and the nostril. It consists of two parts; first, a private browsing technique has been performed to filter the image from noise. The proposed method is based on the assumption that an image is available from the front (fully front). Skin areas were first detected using a color-based learning algorithm and six sigma techniques on RGB, HSV, and NTSC scales. Other analyzes involve morphological processing using the detection of the borderline and the detection of the reflection from the light source of the eye commonly referred to as the eye point. In the second step, a fast angle detection algorithm has been used to detect the placeholders on the face. The Fast Angle Finder works on the Angular Response Function (ARF) which is calculated as the minimum change in intensity in all possible directions. Finally, a comparison has been made with other filtering techniques based on the proposed protection techniques. This article has performed different experiments by using the IRIS Face Database, BioID, and the Cohn Canada Database. The recognition rate obtained by the proposed method is appreciable.

**Published in:** 2021 2nd International Conference on Smart Electronics and Communication (ICOSEC)

**Date of Conference:** 07-09 October 2021

**DOI:** 10.1109/ICOSECS1865.2021.9591857

**Date Added to IEEE Xplore:** 12 November 2021

**Publisher:** IEEE

### ► ISBN Information:

**Conference Location:** Trichy, India

# Basic Python Programming For Beginners

*(As Per JNTUK Syllabus)*



**A Beginner's Guide to Learn Python  
Programming with Practical Exercises.**

Authored By  
K. Varada Rajkumar, Dr. Marlapalli Krishna, S. Jaya Prakash

# **Basic Python Programming For Beginners**

*(As Per JNTUK Syllabus)*

**A Beginner's Guide to Learn Python  
Programming with Practical Exercises.**

Authored By:

**K. Varada Rajkumar, Dr. Marlapalli Krishna, S. Jaya Prakash**

## About the Authors



Mr. K. Varada Rajkumar is currently working as Assistant Professor in the Department CSE, Sir C R Reddy College of Engineering, Eluru, West Godavari district, Andhra Pradesh. He pursuing his Doctoral degree from Koneru Lakshmaiah Education Foundation, Vaddeswaram, AP, India. He has a teaching experience of 10 years in engineering field and published more than 20 research papers in reputed peer reviewed journals. He is an Associate Member of The Institution of Engineers (India) [IEI].



Dr. Marlapalli Krishna is currently working as Professor in the Department CSE, Sir C R Reddy College of Engineering, Eluru, West Godavari district, Andhra Pradesh. He obtained his Masters & Doctoral degree from Andhra University, Visakhapatnam. He has a vast teaching experience of 18 years in engineering field and published more than 40 research papers in reputed peer reviewed journals. He bagged many academic awards in his teaching career and he is acting as Editorial member/Advisory member/ Reviewer for various Journals. He is Life member in various Professional Engineering Societies which includes Indian Society for Technical Education (ISTE), The Institution of Engineers (India) [IEI], Computer Society of India (CSI), Indian Science Congress Association (ISCA) etc.



Mr. Jaya Prakash Sunkavalli is currently working as Assistant Professor in the Department CSE, Sir C R Reddy College of Engineering, Eluru, West Godavari district, Andhra Pradesh. He pursuing his doctoral degree from Koneru Lakshmaiah Education Foundation, Vaddeswaram, AP, India. He has a teaching experience of 10 years in engineering field and published 12 research papers in reputed peer reviewed journals. He is an Associate Member of The Institution of Engineers (India) [IEI].

INR 200/-



BlueRose  
Publishers



www.bluerosepublishers.com



# CONTENTS

<b>CHAPTER 1: Introduction to Python</b> .....	<b>1</b>
1.1: Why Language .....	1
1.2: Why Python .....	1
1.3: Features of Python .....	2
1.4: Installation of Python .....	3
1.5: Path Setting to Python .....	5
1.6: Comments in Python .....	9
1.7: First Python Program .....	9
1.8: Execution of Python Program .....	10
<b>CHAPTER 2: Keywords in Python</b> .....	<b>13</b>
<b>CHAPTER 3: Built-in Functions</b> .....	<b>24</b>
<b>CHAPTER 4: Programs</b> .....	<b>40</b>
4.1: Program to convert weight in kilograms to pounds .....	40
4.2: Program to find total and average of 3 numbers .....	41
4.3: Program to print number series using for loop .....	43
4.4: Program to print your name 'n' times .....	45
4.5: Program to print triangle using for loop .....	47
4.6: Program to guess the number .....	50
4.7: Program to print close if the numbers are within .001 .....	51
4.8: Program to check whether the word contain vowel or not .....	52
4.9: Program to print alternate characters of 2 strings .....	54
4.10: Program to insert commas into a large number .....	55
4.11: Program to print algebraic expression .....	56
4.12: Program to generate a list of 20 random numbers .....	58
4.13: Program to create a list consists of factors .....	62
4.14: Program to find the longest run of zeros .....	63
4.15: Program to remove repeated items from a list .....	65

PAPER • OPEN ACCESS

# Unsupervised Learning Approach for Clustering Leaf Images

G Chamundeswari<sup>1</sup>

Published under licence by IOP Publishing Ltd


IOP Conference Series: Materials Science and Engineering, Volume 1074, International Conference on Computer Vision, High Performance Computing, Smart Devices and Networks (CHSN 2020) 28th-29th December, Kakinada, India

Citation G Chamundeswari 2021 *IOP Conf. Ser.: Mater. Sci. Eng.* **1074** 012020

DOI 10.1088/1757-899X/1074/1/012020

<sup>1</sup> Research Scholar, JNTU Kakinada, Kakinada, A.P., India

Buy this article in print

 Journal RSS

Sign up for new issue notifications

## Abstract

With appropriate representation methods, the clustering techniques are found to be efficient with neural networks. The present work aims to propose various feature representation techniques for efficient clustering. The methods used for feature representation in this paper are, a method using random closed set, a method using edge information of input entity, a method that uses Huff transformation and a method that uses boundary moments. A comparative study of these representation methods for clustering the input objects using artificial neural networks, specifically Self-Organizing Map (SOM) is focused.

Export citation and abstract

[BibTeX](#)

[RIS](#)

[PDF](#)

[Help](#)

◀ [Previous article in issue](#)

[Next article in issue](#) ▶

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).





Institutional Sign In

All



ADVANCED SEARCH

Conferences > 2021 Fourth International Con...

# Parametric Analysis on Heart Disease Prediction using Ensemble based Classification

Publisher: IEEE

Cite This

PDF

Parvathani Rajendra Kumar; Suban Ravichandran; S. Narayana All Authors

1 Cites in Paper

58 Full Text Views

Alerts

Manage Content Alerts Add to Citation Alerts

## Abstract

### Document Sections

- I. Introduction
- II. Literature review
- III. Heart Disease Prediction: Description on Proposed Architecture
- IV. Extraction of Features
- V. Dimensionality Reduction via PCA

Show Full Outline

Authors

Figures

References

Citations

Keywords

Metrics

More Like This



**Abstract:**Heart disease is a bigger cause of morbidities and mortalities amongst the populace of the world. Predicting of heart disease is observed as a vital subject in clinical d... [View more](#)

### Metadata

#### Abstract:

Heart disease is a bigger cause of morbidities and mortalities amongst the populace of the world. Predicting of heart disease is observed as a vital subject in clinical data investigation. The quantity of data in medical industry is massive. Data mining turned the larger compilation of medical data to information for making knowledgeable predictions and decisions. This research work develops a new heart disease prediction model that includes 3 most important phases viz. "proposed feature extraction, dimensionality reduction and proposed ensemble based classification". At first, the higher and lower statistical features are extracted. Nevertheless, due to "curse of dimensionality" it is necessary to reduce the extracted features, for which "Principal Component Analysis (PCA)" is employed. These features are then classified via "Support Vector Machine (SVM), Random Forest (RF), K-Nearest Neighbour (KNN) with optimized Neural Network (NN)". Moreover, the training of NN is done by S-CDF via fine-tuning the optimal weights. Finally, parametric analysis is held to confirm the effectiveness of the developed model.

**Published in:** 2021 Fourth International Conference on Electrical, Computer and Communication Technologies (ICECCT)

**Date of Conference:** 15-17 September 2021

**DOI:** 10.1109/ICECCT52121.2021.9616904

**Date Added to IEEE Xplore:** 29 November 2021

**Publisher:** IEEE

**ISBN Information:**

**Conference Location:** Erode, India

## Contents

### I. Introduction

Disease prediction by exploiting health information and treatment record of patients by means of machine learning schemes exists as an demanding task for several decades [1] [2] [3] [4]. Various





Algorithms for Intelligent Systems

Series Editors: Jagdish Chand Bansal · Kusum Deep · Atulya K. Nagar

Subhojit Dawn

Kedar Nath Das

Rammohan Mallipeddi

Debi Prasanna Acharjya *Editors*

# Smart and Intelligent Systems

Proceedings of SIS 2021



Springer



# Contents

<b>1</b>	<b>Optimal Sizing and Siting of Distributed Generation for Losses Minimization in Distribution System Using Fractional Lévy Flight Bat Algorithm</b> .....	<b>1</b>
	Aditya N. Koundinya, Galiveeti Hemakumar Reddy, Z. Mohammed Khalander, and Revanasidda	
<b>2</b>	<b>Performance Analysis of a Standalone Inverter System Under Variable Loading Conditions</b> .....	<b>11</b>
	David Hmingthanmawia, K. Lalmalsawma, Samuel Lalngaihawma, Subir Datta, Subashish Deb, Ksh. Robert Singh, and Sadhan Gope	
<b>3</b>	<b>Performance Study of a Wind-Battery-Based Islanding System</b> .....	<b>21</b>
	Samuel Lalngaihawma, C. Rohmingtuanga, Rahul Roy, David Hmingthanmawia, Subir Datta, and Nidul Sinha	
<b>4</b>	<b>Fabric Defect Detection Using Computer Vision</b> .....	<b>35</b>
	V. Likith Kumar, A. Hari Priya, N. Jahnavi Chakravarthy, and Padarti Vijaya Kumar	
<b>5</b>	<b>Energy Audit and Advancement of Solar Installation in SIT: A Case Study</b> .....	<b>45</b>
	Shreya Shree Das, Subhojit Dawn, and Sadhan Gope	
<b>6</b>	<b>Random Fault Positioning Based Voltage Sag Assessment for a Large Power Transmission Network</b> .....	<b>55</b>
	Chinmaya Behera, Arup Kumar Goswami, Galiveeti Hemakumar Reddy, Sadhan Gope, and Chetan M. Bobade	
<b>7</b>	<b>Feasibility Analysis of SEPIC Converter as a PV Balancer for Practical Photovoltaic System</b> .....	<b>67</b>
	A. Veera Reddy, P. V. R. L. Narasimham, K. Sai Teja, and P. Shiva Kumar	

<b>8</b>	<b>Market Clearing Mechanism by Optimal Scheduling of Electric Power Suppliers</b> .....	<b>79</b>
	Arup Das, Subhojit Dawn, and Sadhan Gope	
<b>9</b>	<b>Anti Camcorder Piracy Display System</b> .....	<b>87</b>
	A. V. V. Adithya, G. Sai Kumar, and V. B. K. L. Aruna	
<b>10</b>	<b>Performance Evaluation of HAWT-and VAWT-Based WECS with Advanced Hill Climb Search MPPT and Fuzzy Logic Controller for Low Wind Speed Regions</b> .....	<b>97</b>
	Albert John Varghese, Rejo Roy, and S. R. Awasthi	
<b>11</b>	<b>A Novel Asymmetric Multilevel Inverter with Low THD</b> .....	<b>115</b>
	M. Revathi, K. Aravinda Shilpa, and K. Rama Sudha	
<b>12</b>	<b>Video-Based Facial Expression Recognition: A Deep Learning Approach</b> .....	<b>133</b>
	Jeena Jacob and J. Jeba Sonia	
<b>13</b>	<b>Bidirectional Buck-Boost Converter in Solar PV System for Supercapacitor Energy Storage System</b> .....	<b>145</b>
	S. Bhanu Prakash and Gagan Singh	
<b>14</b>	<b>Speech Separation Using Deep Learning with MATLAB</b> .....	<b>157</b>
	Chandra Mahesh Saga, V. B K L Aruna, and K. Venkata Ratna Prabha	
<b>15</b>	<b>Maximum Power Extraction from Solar Photovoltaic Strings Using Grey Wolf Optimization Technique Under Partial Shading Condition</b> .....	<b>165</b>
	T. Nagadurga, P. V. R. L. Narasimham, and V. S. Vakula	
<b>16</b>	<b>Impedance Source Inverter Based Asynchronous Motor Drive Using Different Modulating Signals</b> .....	<b>177</b>
	M. Ranjit, R. Giridhar Balakrishna, V. Ramesh Babu, and Jalluri Srinivasa Rao	
<b>17</b>	<b>Z-Source Inverter for RES-EVS with Flexible Energy Control Functions</b> .....	<b>187</b>
	Shaik Yalavarthi Hussain and K. Radha Rani	
<b>18</b>	<b>Assessment of Single and Two-Stage Optimization Processes on Optimal Capacitor Placement in Power Distribution Systems</b> .....	<b>195</b>
	Soumyabrata Das and Tanmoy Malakar	
<b>19</b>	<b>Harmonic Distortions Mitigating in an ELCr with Hybrid Hydro Electric Network Based on Fuzzy Controller</b> .....	<b>207</b>
	M. Divya and R. Vijaya Santhi	

<b>20</b>	<b>Comparative Study of Wireless Power Transfer and Its Future Prospective</b> .....	219
	Amit Kumar Baghel, Chinmaya Behera, Shankar Amalraj, Ajit Singh, and Sisir Kumar Nayak	
<b>21</b>	<b>Monopole Antenna for UWB Applications with DGS</b> .....	229
	K. V. Prasad, M. V. S. Prasad, and Padarti Vijaya Kumar	
<b>22</b>	<b>High Resolution Spatial Data Analysis and Haze Removal for Remote Sensing Images</b> .....	237
	M. Padmaja, B. Yogichandar, and M. Karishma	
<b>23</b>	<b>Energy Monitoring Framework Utilizing Internet of Things</b> .....	249
	Battula Veera Vasantha Rao and K. Padmavathi	
<b>24</b>	<b>Enhancement of Performance Parameters in Wireless Mobile Adhoc Networks Using DSR and Cache-Modified DSR Routing Protocols</b> .....	257
	P. Satyanarayana, M. Vani Pujitha, G. Venkata Subbaiah, and Mugada. Srivani	
<b>25</b>	<b>Design of Fault Tolerant Single RAM-Based Parallel Real Fast Fourier Transform Architectures Using Error Correction Codes and Parseval Checks</b> .....	269
	Rajasekhar Turaka, B. Koteswar rao, and M. Nageswara Rao	
<b>26</b>	<b>Feasibility Study of Floating Solar-Hydro Hybrid System with IoT</b> .....	279
	Satya Vamsi Gudimella, Sandhya Thotakura, and Srichandan Kondamudi	
<b>27</b>	<b>A Rectangular SIW MIMO Antenna for IoT Devices and Ultra-Wideband Applications</b> .....	291
	N. Kartheek Ram Reddy, K. Sneha, B. Alekhya, and E. Prathyusha	
<b>28</b>	<b>Cloud-Connected Smart Energy Meter with Remote Monitoring and Control</b> .....	297
	Vanka Saritha, Anil Kumar Karra, Shaik Khader Zelani, and Ch. Prasanth	
<b>29</b>	<b>IBM Watson Assistant and Node-RED-Based Movie Ticketing Bot Design</b> .....	307
	Arpita Ghosh	
<b>30</b>	<b>A Comparative Analysis of IC and RCC MPPT Techniques for High-Power PV Systems</b> .....	317
	Pankaj Sahu and Rajiv Dey	
<b>31</b>	<b>Development of Comprehensive Modelling and Simulation of Photovoltaic Module</b> .....	331
	S. Bhanu Prakash and Gagan Singh	

- 32 Analysis and Prediction of Crime Using Machine Learning Techniques** ..... 343  
S. Srinivasulu Raju, G. Narasimha Swamy, M. Rejoice Angelina, M. Sai Snehitha, M. Sai Chandana, and M. Priya Mythili
- 33 Short-Term Power Forecasting for Renewable Energy Sources Using Genetics-Based Harmony Search Algorithm** ..... 357  
Rejo Roy, Albert John Varghese, and S. R. Awasthi
- 34 Investigation and Implementation of Low Profile Patch Beam Steering Antenna for Vehicular Applications** ..... 369  
Ch. Raghavendra, M. Neelaveni Ammal, K. Krishna Sai, and V. S. N. Pranav
- 34 Updated Review on the Classification of Target Tracking Algorithms in Wireless Sensor Networks** ..... 379  
Urvashi Saraswat and Anita Yadav
- 36 Performance Evaluation of Various Traditional Controllers in Automatic Generation Control of Multi-Area System with Multi-Type Generation Units** ..... 395  
CH. Naga Sai Kalyan and Chintalapudi V. Suresh
- 37 Conventional and Heuristic Optimization Techniques Comparison for Economic Load Dispatch** ..... 405  
P. Sowmith, N. Vamsi Krishna, and B. Varunkumar
- 38 Effect of Au-Al Dual-Metal Gate on 3D Double-Gate Junctionless Transistor Performance** ..... 421  
Achinta Baidya, Rajesh Saha, Amarnath Gaini, Chaitali Koley, Somen Debnath, and Subir Datta
- 39 Power- and Area-Efficient FIR Filter for Denoising of Electrooculogram Signal** ..... 431  
Kishore Kumar Gundugonti and Balaji Narayanam
- 40 Foggy Image Enhancement Using Improved Histogram Equalization and Guided Filter** ..... 443  
Shivangi Mishra, Ashish Dwivedi, and Badal Soni
- 41 A Compact L-Shape ACS-Fed Printed Monopole Dual-Band Antenna for 3.5 GHz WiMAX and 5.8 GHz WLAN Applications** ..... 453  
Sangeeta Sharma, Pramod Kumar Singhal, and Deep Kishore Parsediya



- 42 Performance Investigation of PAPR Mitigation in MIMO-OFDM System Using Unconstrained Global Optimization Base Partial Transmit Sequence** ..... 465  
Padarti Vijaya Kumar, V. Siva Reddy, and K. Vara Prasad
- 43 Novel Construction of Eight Transmit Antennas by Varying the Receiving Antennas Using Maximum Likelihood Decoding Algorithm** ..... 477  
Satyanarayana Murthy Nimmagadda,  
Venkata Subbaiah Gandham, and Khaleel Ahmed Shaik
- 44 Effect of Channel Doping Variation on Electrostatic Characteristics of 3D Double Gate Junctionless Transistor** ..... 489  
Achinta Baidya, Rajesh Saha, Jayendra Kumar, Sadhan Gope,  
and Chaitali Koley
- 45 Design of Multi-Stage Dodecapole Electrical Propelling System (DEPS) and Its Possible Use in the Hyperloop Transportation** ..... 499  
Srichandan Kondamudi and Sandhya Thotakura
- 46 A Miniaturized Multi-Band Antenna Operating in C, X, and Ku Bands** ..... 513  
G. Ramya Sri, P. Srujana, A. Jhansi Rani, V. Saritha, and S. Tanmayi
- 47 Maiden Application of Seagull Optimization Algorithm for the Study of Load Frequency Control** ..... 523  
CH. Naga Sai Kalyan and Chintalapudi V. Suresh
- 48 Single and Multi-objective Optimal Generation Expansion Planning with HVDC Systems by Using HSDE Algorithm** ..... 533  
Kumari Maddipati Veera and K. Vaisakh
- 49 Design and Implementation of Thirty One Level Multilevel Inverter** ..... 547  
K. Aravinda Shilpa, M. Revathi, and K. Rama Sudha
- 50 A Comparative Study of LCLC Type PV\_DSTATCOM Using Improved ALST Control Algorithms** ..... 557  
Soumya Mishra, R. Sreejith, M. Pavan Kalyan, M. L. Spoorthi,  
and J. G. Hemalatha
- 51 QR Code-Based Digital Assistant for Seminar Halls Using Tinker Board and Node-RED** ..... 571  
K. V. V. R. S. Vishnu, B. Venkateswara Rao, T. Thirumala Rao,  
and Y. Jaswanth

<b>52</b>	<b>Transient Response Performance-Based Comparative Studies of TBC Fed UPQC in Multibus-Based System with Conventional Converter</b> .....	<b>581</b>
	G. V. P. Anjaneyulu	
<b>53</b>	<b>Smart Wearable Safety Device: A Wearable Anti-Assault and Location Tracking Device</b> .....	<b>591</b>
	Madhu Agarwal, Simantika Saha, Soumyadeep Pandit, Prasenjit Sarkar, Shreya Shree Das, and Subhojit Dawn	
	<b>Author Index</b> .....	<b>597</b>

# Chapter 48

## Single and Multi-objective Optimal Generation Expansion Planning with HVDC Systems by Using HSDE Algorithm



Kumari Maddipati Veera and K. Vaisakh

### 1 Introduction

The optimal generation expansion planning (Optimal Generation Expansion Planning) problem plays a vital role in power system planning to meet the forecasted load demand. During OGEP, outage of existing generators, transformers and transmission lines need to be considered. For planning several constraints like construction constraints, reliability constraints, power flow constraints and security constraints are considered. In OGEP, the objective is to expand the existing generators to serve the growing load demand in the future by satisfying the reliability criteria.

#### 1.1 Literature Survey

The OGEP determines size, place, technology and the time of installing new generating plants to meet the forecasted load demand. As OGEP is a highly constrained, nonlinear, discrete [1, 2] optimization problem, it is a highly challenging problem for the decision-makers. The solution for this GEP problem is obtained by complete enumeration of each possible combination [3–8] in the entire planning horizon. Since 1950, many optimization techniques such as linear programming, integer programming and dynamic programming (DP) are applied to solve these combinatorial optimization problems [9–13]. Habib et al. [14] analyzed utilization of renewable energy with domestic coal in place of import coal and oil in Bangladesh Power System from 2010 to 2030. Also, the modelling of long-term renewable and domestic coal utilization is examined by expansion cost and environmental impacts.

K. Maddipati Veera (✉)  
EEE Department, Sir CRR College of Engineering, Eluru, Andhra Pradesh, India

K. Vaisakh  
EEE Department, Vishakapatnam, Andhra Pradesh, India

© The Author(s), under exclusive license to Springer Nature Singapore Pte Ltd. 2022  
S. Dawn et al. (eds.), *Smart and Intelligent Systems, Algorithms for Intelligent Systems*,  
[https://doi.org/10.1007/978-981-16-2109-3\\_49](https://doi.org/10.1007/978-981-16-2109-3_49)

533

**Advancements  
in  
Information Technology**

**Dr. Nitin Mishra**  
**Dr. S. Selvi**  
**Prof V. T. Krishnaprasath**  
**Prof, S. Mohan Babu Chowdary**



CONTENTS

Quantum Computing ..... 15

Mechanical Process Automation (RPA) ..... 15

Spatial Computing ..... 16

Absolute Experience ..... 17

SG in Everyday Life ..... 17

ARTIFICIAL INTELLIGENCE AND MACHINE LEARNING ..... 17

WHAT IS ARTIFICIAL INTELLIGENCE? ..... 17

Man-made intelligence administrations can be arranged into  
Vertical or Horizontal AI ..... 18

What is Vertical AI? ..... 18

What is Horizontal AI? ..... 18

WHAT IS MACHINE LEARNING? ..... 19

Directed Learning ..... 20

Unaided Learning ..... 20

Support Learning ..... 21

ROBOTIC PROCESS AUTOMATION ..... 21

What is mechanical interaction computerization? ..... 21

What are the business advantages of RPA? ..... 22

For what reason is RPA extraordinary? ..... 22

Where might RPA at any point be utilized? ..... 23

What elements and capacities are significant in RPA  
innovation? ..... 23

For what reason is RPA the quickest developing undertaking  
programming on the planet? ..... 24


Is RPA equivalent to man-made brainpower (AI)? ..... 25

	EDGE COMPUTING .....	Error! Bookmark not defined.
15	What is edge processing? .....	26
15	What is the organization edge? .....	26
16	What separates edge registering from other processing models? .....	26
17	What are other conceivable use cases for edge registering? .....	28
17	What are the advantages of edge figuring? .....	29
7	What are the downsides of edge registering? .....	30
7	QUANTUM COMPUTING .....	32
	What is quantum? .....	32
	What is a qubit? .....	32
	What is quantum registering? .....	32
	Superposition .....	32
	Quantum PC uses and application regions .....	33
	Quantum reproduction .....	33
	Cryptography .....	34
	Advancement .....	34
	Quantum AI .....	34
	BLOCK CHAIN & Internet of Things .....	35
	What Is a Blockchain? .....	35
	Public blockchain networks .....	36
	Private blockchain networks .....	36
	Permissioned blockchain networks .....	36
	Consortium blockchains .....	37
	Blockchain security .....	37



Crr

yesterday at 5:30 PM





Estd. 1989

## SIR C. R. REDDY COLLEGE OF ENGINEERING

ELURU-534007, Eluru Dist., A.P., INDIA

ACCREDITED BY NBA, APPROVED BY ALL INDIA COUNCIL FOR TECHNICAL EDUCATION, NEW DELHI,

PERMANENTLY AFFILIATED TO JNTUK, KAKINADA

[www.sircrrengg.ac.in](http://www.sircrrengg.ac.in)

### 3.3.2 Number of books and chapters in edited volumes / books published, and papers published in national/international conference-proceedings per teacher during last five years

Name of the teacher	Title of the Book/ Chapters Published	Title of the Paper	Title of the proceedings of the conference	Year of publication	ISBN/ ISSN number of the proceeding	Whether at the time of publication Affiliating Institution Was same Yes/NO	Name of the publisher	Link to website/ doi of the Conference Paper
<b>2020</b>								
Dr.S.Krishna Rao	Chapter: Novel Theories and Applications of Global Information Resource Management	An Experimental Analysis of Modified EEECARP : An Optimized Cluster- Based Adaptive Routing Protocol for Modern-Secure- Wireless Sensor Networks	Novel Theories and Applications of Global Information Resource Management	2020	978-17-99-8178- 88	Yes	IGI Global	<a href="https://www.igi-global.com/viewtitlesample.aspx?id=242275&amp;ptid=234358&amp;t=An%20Experimental%20Analysis%20of%20Modified%20EEECARP">https://www.igi-global.com/viewtitlesample.aspx?id=242275&amp;ptid=234358&amp;t=An%20Experimental%20Analysis%20of%20Modified%20EEECARP</a>



Dr M Krishna	Lecture Notes in Networks and Systems	A Review on Image Compression Techniques	Communication Software and Networks	2020	volume 134	Yes	Springer,	<a href="https://link.springer.com/chapter/10.1007/978-981-15-5397-4_29#:~:text=W%20hatever%20may%20be%20the%20technique,are%20quantized%20">https://link.springer.com/chapter/10.1007/978-981-15-5397-4_29#:~:text=W whatever%20may%20be%20the%20technique,are%20quantized%</a>
Dr M Krishna	Advances in Intelligent Systems and Computing	A Comparatives Study of Protein Kinase Domain Regions for MAPK 1-14	Intelligent System Design	2020	volume 1171	Yes	Springer,	<a href="https://doi.org/10.1007/978-981-15-5400-1_38">DOI:10.1007/978-981-15-5400-1_38</a>
Dr N Deepak	Advances in Intelligent Systems and Computing	A Comparatives Study of Protein Kinase Domain Regions for MAPK 1-14	Intelligent System Design	2020	volume 1171	Yes	Springer,	<a href="https://doi.org/10.1007/978-981-15-5400-1_38">DOI:10.1007/978-981-15-5400-1_38</a>
S.Mohan Babu Chowdary	Advances in Intelligent Systems and Computing	A Comparatives Study of Protein Kinase Domain Regions for MAPK 1-14	Intelligent System Design	2020	volume 1171	Yes	Springer,	<a href="https://doi.org/10.1007/978-981-15-5400-1_38">DOI:10.1007/978-981-15-5400-1_38</a>

P Naga Deepthi	Learning and Analytics in Intelligent Systems	Applications of Network Analysis in Bioinformatics	Advances in Computational and Bio-Engineering	2020	volume 16	Yes	Springer,	<a href="https://link.springer.com/chapter/10.1007/978-3-030-46943-6_9#:~:text=20Network%20Analysis%20in%20Bioinformatics.compared%2">https://link.springer.com/chapter/10.1007/978-3-030-46943-6_9#:~:text=20Network%20Analysis%20in%20Bioinformatics.compared%2</a>
V Pranav	Lecture Notes in Networks and Systems	A Review on Image Compression Techniques	Communication Software and Networks	2020	volume 134	Yes	Springer	<a href="https://link.springer.com/chapter/10.1007/978-981-15-5397-4_29#:~:text=Whatever%20may%20be%20the%20technique,are%20quantized%2">https://link.springer.com/chapter/10.1007/978-981-15-5397-4_29#:~:text=Whatever%20may%20be%20the%20technique,are%20quantized%2</a>
S.Jaya Prakash	Advances in Intelligent Systems and Computing	A Comparatives Study of Protein Kinase Domain Regions for MAPK 1-14	Intelligent System Design	2020	volume 1171	Yes	Springer	<a href="https://doi.org/10.1007/978-981-15-5400-1_38">DOI:10.1007/978-981-15-5400-1_38</a>
T N S Koti Mani Kumar	A Textbook of Programming in C	N/A	N/A	2020	978-93-89044-22-5	Yes	Notion Press	<a href="https://www.amazon.in/PROGRAMMING-PROBLEM-SOLVING-USING-JNTU-Kakinada/dp/B0B39JPWP7">https://www.amazon.in/PROGRAMMING-PROBLEM-SOLVING-USING-JNTU-Kakinada/dp/B0B39JPWP7</a>

Dr. B. Madhav Rao	Lecture Notes in Networks and Systems	A Review on Image Compression Techniques	Communication Software and Networks	2020	volume 134	Yes	Springer,	<a href="https://link.springer.com/chapter/10.1007/978-981-15-5397-4_29#:~:text=Whatever%20may%20be%20the%20technique,are%20quantized%">https://link.springer.com/chapter/10.1007/978-981-15-5397-4_29#:~:text=Whatever%20may%20be%20the%20technique,are%20quantized%</a>
M Veeranjanyulu	Applied Physics; Fourth Edition	N/A	N/A	2020	9.78819E+12	Yes	VGS Publishers	N/A
Sai Charan	Journal of Physics: Conference Series	An Exposition of Speculative and Numerical Analysis of CFST Columns	IOP Conference Series: Materials Science and Engineering	2020	ISSN 1757-899X	No	IOP Science	<a href="https://iopscience.iop.org/article/10.1088/1757-899X/1006/1/012043/meta">https://iopscience.iop.org/article/10.1088/1757-899X/1006/1/012043/meta</a>
G. Srilatha	N/A	Design and Analysis Metamaterial Inspired Wearable Antenna for 2.45GHz ISM Band	Proceedings of the International Conference on Microelectronics, ICM	2020	978-172819664-0	Yes	IEEE xplore	<a href="http://www.scopus.com/inward/record.url?eid=2-s2.0-85100557523&amp;partnerID=MN8TOARS">http://www.scopus.com/inward/record.url?eid=2-s2.0-85100557523&amp;partnerID=MN8TOARS</a>

Dr. K.Venkateswara Rao	Intelligent Manufacturing and Energy Sustainability	Effect of tribo layer on the sliding wear behaviour of detonation sprayed alumina- titanium coatings	Smart Innovation, Systems and Technologies	2020	volume 169	Yes	Springer	<a href="https://link.springer.com/chapter/10.1007/978-981-15-1616-0_28#:~:text=The%20wear%20debris%20resulted%20from,wear%20rate%20of">https://link.springer.com/chapter/10.1007/978-981-15-1616-0_28#:~:text=The%20wear%20debris%20resulted%20from,wear%20rate%20of</a>
Dr. S. N. V. Bramareswara Rao	Microelectronics, Electromagnetics and Telecommunications	A Review on Schemes for Interconnecting Microgrids of Urban Buildings	International Conference on Microelectronics, Electromagnetics and Telecommunications	2020	978-981-15-3828-5	Yes	Springer	<a href="https://doi.org/10.1007/978-981-15-3828-5_45">https://doi.org/10.1007/978-981-15-3828-5_45</a>
B.Sambasiva Rao	Lecture Notes in Electrical Engineering	Comparitive Performance Analysis of Active and Resistive Type SFCL in Reducing the Fault Curent	Innovation in Electrical and Electronics Engineering	2020	volume 626	Yes	Springer	<a href="https://link.springer.com/chapter/10.1007/978-981-15-2256-7_45">https://link.springer.com/chapter/10.1007/978-981-15-2256-7_45</a>
L.Vamsi Narasimha Rao	Lecture Notes in Electrical Engineering	Comparitive Performance Analysis of Active and Resistive Type SFCL in Reducing the Fault Curent	Innovation in Electrical and Electronics Engineering	2020	volume 626	Yes	Springer	<a href="https://link.springer.com/chapter/10.1007/978-981-15-2256-7_45">https://link.springer.com/chapter/10.1007/978-981-15-2256-7_45</a>




Ravilla Madhusudan	Lecture Notes in Electrical Engineering	Comparitive Performance Analysis of Active and Resistive Type SFCL in Reducing the Fault Curent	Innovation in Electrical and Electronics Engineering	2020	volume 626	Yes	Springer	<a href="https://link.springer.com/chapter/10.1007/978-981-15-2256-7_45">https://link.springer.com/chapter/10.1007/978-981-15-2256-7_45</a>
G. Ganesh	Lecture Notes in Electrical Engineering	Comparitive Performance Analysis of Active and Resistive Type SFCL in Reducing the Fault Curent	Innovation in Electrical and Electronics Engineering	2020	volume 626	Yes	Springer	<a href="https://link.springer.com/chapter/10.1007/978-981-15-2256-7_45">https://link.springer.com/chapter/10.1007/978-981-15-2256-7_45</a>
Vurla Veerraju	Lecture Notes in Electrical Engineering	Image Fusion of X-ray Mammography Using Weighted Averaging GA-Based SWT Technique	Microelectronics, Electromagnetics and Telecommunications	2020	volume 655	Yes	Springer	<a href="https://link.springer.com/chapter/10.1007/978-981-15-3828-5_66">https://link.springer.com/chapter/10.1007/978-981-15-3828-5_66</a>

  
**IQAC**

  
**PRINCIPAL**  
Principal  
**Sir C R Reddy College of Engineering**  
ELURU - 534 007

**Premier Reference Source**

# **Novel Theories and Applications of Global Information Resource Management**



Zuopeng (Justin) Zhang

**IGI Global**  
DISSEMINATOR OF KNOWLEDGE

# Table of Contents

<b>Preface</b> .....	xv
<b>Acknowledgment</b> .....	xxi
<b>Chapter 1</b>	
Are Risks in IT Global and Local Projects the Same? Systematic Literature Review of the Last 20 Years .....	1
<i>Rosaria de F. S. M. Russo, Universidade Nove de Julho, Brazil</i>	
<i>Franciane F. Silveira, Federal University of ABC, Brazil</i>	
<b>Chapter 2</b>	
Mobile Advert's Contextual Consistency: The Effect of Its Positional Display ..	31
<i>Yi Liu, Rennes School of Business, France</i>	
<i>Chuan-Hoo Tan, National University of Singapore, Singapore</i>	
<i>Juliana Sutanto, Lancaster University, UK</i>	
<b>Chapter 3</b>	
A Software Process Improvement Model for Small Firms in Developing Countries.....	47
<i>Delroy Chevers, The University of the West Indies, Jamaica</i>	
<i>Annette Mills, University of Canterbury, New Zealand</i>	
<i>Evan Duggan, The University of the West Indies, Jamaica</i>	
<i>Stanford Moore, The University of the West Indies, Jamaica</i>	
<b>Chapter 4</b>	
National Culture on Knowledge Sharing in the U.S. and China.....	81
<i>Yu-Wei Chang, National Taichung University of Science and     Technology, Taiwan</i>	
<i>Ping-Yu Hsu, National Central University, Taiwan</i>	
<i>Wen-Lung Shiau, Zhejiang University of Technology, China</i>	

## **Chapter 5**

A Comparative Study of Mobile Banking Adoption: An Analysis of Banking Customers in U.S. and Thailand .....109

*Jomjai Sampet, Faculty of Business Administration, Chiang Mai University, Thailand*

*Chuleeporn Changchit, Texas A&M University, Corpus Christi, USA*

*Ravi Lonkani, Faculty of Business Administration, Chiang Mai University, Thailand*

## **Chapter 6**

Predicting Consumer Trust in an Intermediary in B2C Online Marketplaces: Insights From the Korean Experience.....154

*Ilyoo Barry Hong, Chung-Ang University, South Korea*

## **Chapter 7**

Communicating Corporate Social Responsibility in Healthcare Through Digital and Traditional Tools: A Two-Country Analysis.....184

*Gianpaolo Tomaselli, University of Malta, Malta*

*Lalit Garg, University of Malta, Malta*

*Vipul Gupta, Thapar University, India*

*Peter A. Xuereb, University of Malta, Malta*

*Sandra C. Buttigieg, University of Malta, Malta*

*Paula Vassallo, University of Malta, Malta*

## **Chapter 8**

The Impact of the Internet on Change in Consumer Values in India: Internet and Values .....209

*Jiban Khuntia, University of Colorado, Denver, USA*

*Vicki Lane, University of Colorado, Denver, USA*

*Madhavan Parthasarathy, University of Colorado, Denver, USA*

## **Chapter 9**

Fading Challenges in Implementation of Supply Chain Management Information System in the Indian Automobile Industry .....230

*Manisha Seth, Noida Institute of Engineering and Technology, India*

*Ravi Kiran, Thapar Institute of Engineering and Technology, India*

*D. P. Goyal, Indian Institute of Management, Shillong, India*

## **Chapter 10**

Critical Success Factors to Create 5G Networks in the Smart Cities of India From the Security and Privacy Perspectives.....263

*Sheshadri Chatterjee, Indian Institute of Technology, Delhi, India*



## **Chapter 11**

**A Novel Cooperative Divide-and-Conquer Neural Networks Algorithm.....286**

*Pan Wang, Wuhan University of Technology, China*

*Yandi Zuo, Wuhan University of Technology, China*

*Jiasen Wang, Hithink RoyalFlush Information Network Co., Ltd., China*

*Jian Zhang, Wuhan University of Technology, China*

## **Chapter 12**

**An Experimental Analysis of Modified EECCARP: An Optimized Cluster-Based Adaptive Routing Protocol for Modern-Secure-Wireless Sensor**

**Networks .....318**

*Venkata Ramana Sarella, SRKR Engineering College, India*

*Deshai Nakka, SRKR Engineering College, India*

*Sekhar B. V. D. S., SRKR Engineering College, India*

*Krishna Rao Sala, Sir C. R. Reddy College of Engineering, India*

*Sameer Chakravarthy V. V. S. S., Raghu Institute of Technology, India*

**Compilation of References ..... 337**


**About the Contributors ..... 393**

**Index..... 403**


## Chapter 12

# An Experimental Analysis of Modified EEECARP: An Optimized Cluster-Based Adaptive Routing Protocol for Modern- Secure-Wireless Sensor Networks

**Venkata Ramana Sarella**

 <https://orcid.org/0000-0002-3448-7094>  
*SRKR Engineering College, India*

**Deshai Nakka**

 <https://orcid.org/0000-0002-4883-6224>  
*SRKR Engineering College, India*

**Sekhar B. V. D. S.**

*SRKR Engineering College, India*

**Krishna Rao Sala**

*Sir C. R. Reddy College of Engineering, India*

**Sameer Chakravarthy V. V. S. S.**

*Raghu Institute of Technology, India*

### ABSTRACT

*Designing various energy-saving routing protocols for real-time internet of things (IoT) applications in modern secure wireless sensor networks (MS-WSN) is a tough task. Many hierarchical protocols for WSNs were not well scalable to large-scale IoT applications. Low energy adaptive two-level-CH clustering hierarchy (LEATCH) is an optimized technique reduces the energy-utilization of few cluster heads, but*

DOI: 10.4018/978-1-7998-1786-4.ch012

Copyright © 2020, IGI Global. Copying or distributing in print or electronic forms without written permission of IGI Global is prohibited.

Lecture Notes in Networks and Systems 134

Suresh Chandra Satapathy

Vikrant Bhateja

M. Ramakrishna Murty

Nguyen Gia Nhu

Jayasri Kotti *Editors*

# Communication Software and Networks

Proceedings of INDIA 2019

 Springer

# Contents

<b>IOT-Based Smart Stale Food Detector</b> .....	1
B. V. Ramana Murthy, C. Kishor Kumar Reddy, P. R. Anisha, and RajaShekar Sastry	
<b>Detection of Tyre Wear Out Using OpenCV and Convolution Neural Networks–Survey</b> .....	9
Allipilli Harshitha and Samyuktha Samala	
<b>Smart Luggage System</b> .....	19
L. Lalitha Gayatri and Sai Nidhi Paidimarry	
<b>Comparative Study of Privacy Preservation of Data in Hybrid Cloud of Combined Clustering and Geometric Data Perturbation Approach and Hybrid Ant Colony Optimization and Gravitational Search Algorithm</b> .....	25
Sridhar Reddy Vulapula and Srinivas Malladi	
<b>Detection of Plant Diseases Using Data Mining Techniques–A Literature Survey</b> .....	39
Shivani Munigala, Pravalika Nampelli, and Pallavi Tandra	
<b>The New Era of Healthcare: Smart Healthcare Assistant</b> .....	47
Zuha Kareem Ansari, Bushra Taher, Nida Arshad, Sadiyya Fayaz, and Fathima Khader	
<b>Usage of Web Mining for Sales and Corporate Marketing</b> .....	55
Shivani Yadao and A. Vinaya Babu	
<b>A Bird Eye View on the Usage of Artificial Intelligence</b> .....	61
P. R. Anisha and Anulekha Polati	
<b>Early Detection of Diabetes Using Machine Learning Algorithms and Internet of Things: ADPA</b> .....	79
P. R. Anisha and C. Kishor Kumar Reddy	



<b>Unique Identification Authority of India BOT: An Intelligent Application Using Artificial Intelligence Approach . . . . .</b>	87
V. Prasad, M. Vineeth Kumar, K. Viswanadh, and P. V. N. Mahesh	
<b>CAPTCHA Techniques of Secure Web Authentication: A Survey . . . . .</b>	97
Gannavarapu Ananth Kumar and Garg Rishav	
<b>Time Series Analysis on Univariate and Multivariate Variables: A Comprehensive Survey . . . . .</b>	119
Satyanarayana Reddy Beeram and Swarna Kuchibhotla	
<b>Basic Review of Different Strategies for Classification of Sentiment Analysis in Social Networks . . . . .</b>	127
K. Venkateswara Rao and Mangalampalli Kameswara Subrahmanyam	
<b>Enhancing the Security, Reliability, and Data Integrity Issues in the Internet of Things by Implementing Blockchain Strategy in Mining: Challenges and Solutions . . . . .</b>	137
Biswaranjan Mishra and Neelamadhaba Padhy	
<b>Dynamic Hand Gesture Recognition Using 3D-Convolutional Neural Network . . . . .</b>	145
Mithun Channayanamath, Akshay Math, Venkat Peddigari, Shilpa Kamath, Kavita Chachadi, Faisal Sabeeh, and Ameen Attar	
<b>Evaluating Machine Learning Algorithms for Marketing Data Analysis: Predicting Grocery Store Sales . . . . .</b>	155
Deepa Rani Gopagoni, P. V. Lakshmi, and Ankur Chaudhary	
<b>Review on the Methodologies for Image Segmentation Based on CNN . . . . .</b>	165
G. V. Sivanarayana, K. Naveen Kumar, Y. Srinivas, and G. V. S. Raj Kumar	
<b>A Relativistic Study on Recent Clustering Algorithms . . . . .</b>	177
D. Sirisha and S. Sambhu Prasad	
<b>Learning Style Recommender System Using VAK Technique and Machine Learning . . . . .</b>	187
Srinivas Adapa, Netaji Gandhi, Vechalapu Alekya, and Ganthakora Lakshmi Durga	
<b>Advanced Safety Analysis and Modeling of Control Software in Implantable Medical Devices . . . . .</b>	201
Umamaheswararao Batta, Jayasri Kotti, and Seetharamaiah Panchumarthy	
<b>Empty Region Detection in an Image Using Deep Convolutional Neural Network . . . . .</b>	213
Kavita Chachadi, Vanraj Vala, and Shilpa Kamath	

<b>An Enhanced Approach to Extract Top-K High Productive Itemsets</b> .....	221
Preethi Gandreti, Satyanarayana Mummana, and Budimure Ramana Babu	
<b>Study of Algorithms and Methods on Emotion Detection from Facial Expressions: A Review from Past Research</b> .....	231
Sasanko Sekhar Gantayat and Swathi Lenka	
<b>Data Security Using Matrix Operations</b> .....	245
Snehal Bhogan and Ashish Narvekar	
<b>Impact of Naïve Bayesian Classification on Banking Sector</b> .....	255
Sarmistha Saha and G. P. Saradhi Varma	
<b>Smart Door Unlocking Using Face Recognition and Blink Detection</b> ...	261
Rajesh K. Yadav and K. M. Karthik	
<b>A Review on Image Compression Techniques</b> .....	271
Krishna Marlapalli, Rani S. B. P. Bandlamudi, Rambabu Busi, Vallabaneni Pranav, and B. Madhavrao	
<b>A Novel Design of Multiband Monopole Antenna Loaded with Complementary Split Ring Resonator</b> .....	281
Y. Sukanya, D. Uma, P. A. Nageswara Rao, and R. P. Das	
<b>Gold, Inflation, GDP, and Lending Rate: An Interesting Relation</b> .....	293
S. Ravi Kumar Raju and P. S. Avadhani	
<b>A Mechatronics Design Approach of a Low-Cost Smart Reconnaissance Robot</b> .....	299
N. Seenu, R. M. Kuppan Chetty, K. M. Adithya Krishna, Taarun Srinivas, and R. G. Pranav Raj	
<b>Arrhythmia Recognition and Evaluation of ECG Signal Using Signal Processing Techniques</b> .....	311
G. Gayatri and T. Madhavi	
<b>Cloud Virtualized Middlebox: An IDS</b> .....	321
K. S. Resma, G. S. Sharvani, and Manisha S. Soneja	
<b>Novel Approach to New Domain Aspect Identification Using Deep Learning and Word Replacement</b> .....	331
Bonson Sebastian Mampilli and Deepa Anand	
<b>Power Quality Improvement of a Grid-Connected System Using Fuzzy-Based Custom Power Devices</b> .....	345
V. Anantha Lakshmi and T. R. Jyothsna	
<b>Detection and Prediction of Land Use and Land Cover Changes Using Deep Learning</b> .....	359
Eliza Femi Sherley, Ajay Kumar, Revathy, and Divyashree	


<b>A Study of Machine Learning Approaches to Detect Cyberbullying . . .</b>	<b>369</b>
Subbaraju Pericherla and E. Ilavarasan	
<b>Dynamic and Collaborative Group Key Generation with Quadtree-Based Queue-Batch Algorithm . . . . .</b>	<b>379</b>
V. Srinadh and P. V. Nageswara Rao	
<b>Performance Evaluation of Tandem Communication Network Model with DBA Having Direct Weibull Inter Arrival Times and Phase-Type Transmission . . . . .</b>	<b>393</b>
G. Sita Ratnam, P. Srinivasa Rao, K. Srinivasa Rao, and Mugada Swetha	
<b>A Novel Approach for Detection of Driver Drowsiness Using Behavioural Measures . . . . .</b>	<b>403</b>
D. Venkata Subbaiah, Pushkal Padala, and K. Venkata Rao	
<b>Interpretation of Statistical Errors for Precise GPS Receiver Positioning Using Recursive Least Squares and Extended Kalman Filter Approaches . . . . .</b>	<b>415</b>
P. Sirish Kumar and V. B. S. Srilatha Indira Dutt	
<b>Robust Blood Vessels Segmentation Based on Memory-Augmented Neural Network . . . . .</b>	<b>425</b>
K. Arunabhaskar and R. Kiran Kumar	
<b>Mutual Information and Machine Learning Based Distinguishers for Pseudo Random Bit Sequences . . . . .</b>	<b>435</b>
Bharat Lal Jangid	
<b>Rectangular Patch with Optimized Circular Slot and Perturbed Rings for Multiband Application . . . . .</b>	<b>445</b>
Ribhu Abhusan Panda, Md Danish Iqbal, Abhishek Panigrahi, G. Sai Varun, and Debasis Mishra	
<b>A Hybrid Imbalanced Data Learning Framework to Tackle Opinion Imbalance in Movie Reviews . . . . .</b>	<b>453</b>
Salina Adinarayana and E. Ilavarasan	
<b>Design and Implementation of an Efficient VLSI Architecture for 10T Full Adder Used in Ultra Low Power Applications . . . . .</b>	<b>463</b>
Vagu Radha Haneesha, Vemu Srinivasa Rao, and S. Adinarayana	
<b>Location Based Scalable Recommendations Using Social Relationships . . . . .</b>	<b>477</b>
Joydeep Das, Abhishek Agarwal, Subhashis Majumder, and Kalyani Mali	
<b>A Survey on Identity-Based Security in Wireless Sensor Networks . . . .</b>	<b>487</b>
Lakshmanarao Kalabarige and Hima Bindu Maringanti	

<b>Analysis of Crimes Against Women in India Using Machine Learning Techniques</b> .....	499
K. Ravi Teja, K. R. M. Ajay Kumar, G. S. S. Praveen, and D. N. D. Harini	
<b>Comparative Analysis of Genomic Personalized Cancer Diagnosis by Machine Learning Approaches ROC Curve</b> .....	511
V. Kakulapti, P. Lalitha Bhavani, K. Swathi Reddy, and P. Nissar Ahmed	
<b>DNA Playfair Cryptosystem Based on <math>16 \times 16</math> Key Matrix Using DNA ASCII Table</b> .....	529
P. Bharathi Devi, R. Kiran Kumar, and P. Ravindra	
<b>Non-negative Matrix Factorization Procedure for Characteristic Mining of Mathematical Formulae from Documents</b> .....	539
K. N. Brahmaji Rao, G. Srinivas, P. V. G. D. Prasad Reddy, and B. Tarakeswara Rao	
<b>A Comparative Study on Coverage-Hole Detection Improvement with Inner Empty Circle over Delaunay Triangulation Method in Wireless Sensor Networks</b> .....	553
Smita Das and Mrinal Kanti Debbarma	
<b>An Energy-Efficient Resource Allocation System Using OFDM DAS Model for LTE Applications</b> .....	563
B. Kiranmai, V. Lavanya, and S. S. Kiran	
<b>Blockchain Based Proof of Existence (PoE) Application for Educational Certificate Verification</b> .....	575
K. Ravi Kishore, G. Jyostna, Mahesh U. Patil, P. R. Lakshmi Eswari, and E. Magesh	
<b>An Optimized Speed Adaptive Beacon Broadcast Approach for Information Dissemination in Vehicular Ad hoc Networks</b> .....	587
Sandeep Kad and Vijay Kumar Banga	
<b>Wavelet Packet Transform-Based Image Classification for Computer-Aided Glaucoma Diagnosis Using Naïve Bayes Classifier</b> .....	597
Anisha Rebinth and S. Mohan Kumar	
<b>A Robust Method for Multi-algorithmic Palmprint Recognition Using Exponential Genetic Algorithm-Based Feature Selection</b> .....	607
Aruna Kumari Palisetty and Jaya Suma Gogulamanda	
<b>Signature Extraction Using Connected Component Labeling</b> .....	619
Venkata Sai Nitesh Virothi and Meghana Santoshi Janapareddy	
<b>Bitcoin Price Prediction and Analysis Using Deep Learning Models</b> ...	631
Temesgen Awoke, Minakhi Rout, Lipika Mohanty, and Suresh Chandra Satapathy	



<b>Trajectory Planning in 2D Space Using Evolutionary Algorithms</b> . . . . .	641
Divyanshi Raghuvanshi, Anand Kumar Sahay, Junali Jasmine Jena, Lipika Mohanty, and Suresh Chandra Satapathy	
<b>Use of Evolutionary Algorithms for Detection of Fatal Diseases via DNA Micro-array Classification: A Review</b> . . . . .	649
Junali Jasmine Jena and Suresh Chandra Satapathy	
<b>An Efficient JAYA-Based Clustering Technique</b> . . . . .	657
Prabhu Prasad Dev, Priya Mishra, and Anasua Banerjee	
<b>Online Voting System Using Blockchain</b> . . . . .	665
Anjali Prajapati and Vandana Reddy	
<b>Data Communication Through Single-Board Computers</b> . . . . .	673
Prakruti Mallayya Bilagi, Vidyadhar S. Melkeri, and Gauri Kalnoor	
<b>Cloud Computing—Security, Issues, and Solutions</b> . . . . .	687
Ritesh Sharma, Mahendra Kumar Gourisaria, and S. S. Patra	
<b>Prediction of Sedimentation in a Watershed Using RNN and SVM</b> . . . . .	701
Abinash Sahoo, Ajit Barik, Sandeep Samantaray, and Dillip K. Ghose	
<b>Prophecy of Runoff in a River Basin Using Various Neural Networks</b> . . . . .	709
Sneha Raichel Jimmy, Abinash Sahoo, Sandeep Samantaray, and Dillip K. Ghose	
<b>Application of Artificial Neural Networks and Multiple Linear Regression for Rainfall–Runoff Modeling</b> . . . . .	719
Wajahat Annayat, Ajay Gupta, Kondepogu Ravi Prakash, and Briti Sundar Sil	
<b>Runoff Prediction Using Hybrid Neural Networks in Semi-Arid Watershed, India: A Case Study</b> . . . . .	729
Sandeep Samantaray, Abinash Sahoo, Nihar Ranjan Mohanta, Paresh Biswal, and Umesh K. Das	
<b>Runoff is a Key Constraint Toward Water Table Fluctuation Using Neural Networks: A Case Study</b> . . . . .	737
Bijay Narayan Sarkar, Sandeep Samantaray, U. Kumar, and Dillip K. Ghose	
<b>Estimation of Water Table Depth Using Wavelet-ANFIS: A Case Study</b> . . . . .	747
Sriharsha Sridharam, Abinash Sahoo, Sandeep Samantaray, and Dillip K. Ghose	


<b>Estimation of Flood in a River Basin Through Neural Networks: A Case Study</b> .....	755
Abinash Sahoo, Ujjawal K. Singh, Mavoori Hitesh Kumar, and Sandeep Samantaray	
<b>Assessment of Flow Discharge in a River Basin Through CFBPNN, LRNN and CANFIS</b> .....	765
Sriharsha Sridharam, Abinash Sahoo, Sandeep Samantaray, and Dillip K. Ghose	



**Communication Software and Networks** pp 271–279

[Home](#) > [Communication Software and Networks](#) > [Conference paper](#)

## A Review on Image Compression Techniques

[Krishna Marlapalli](#) , [Rani S. B. P. Bandlamudi](#), [Rambabu Busi](#), [Vallabaneni Pranav](#) & [B. Madhavrao](#)

Conference paper | [First Online: 04 October 2020](#)

**1364** Accesses | **7** Citations

Part of the [Lecture Notes in Networks and Systems](#) book series (LNNS, volume 134)

### Abstract

With the continuous advances in technology, the bandwidth requirements of a communication network have been increased. But increased pixel size in and gray level resolution in sensor technology and in digital image representation, the increased bandwidth is not satisfying the requirements. Hence image compression becomes a prominent research area. Image compression decreases the number of bits necessary to

Suresh Chandra Satapathy  
Vikrant Bhateja  
B. Janakiramaiah  
Yen-Wei Chen *Editors*

# Intelligent System Design

Proceedings of Intelligent System  
Design: INDIA 2019



# Advances in Intelligent Systems and Computing

Volume 1171

## Series Editor

Janusz Kacprzyk, Systems Research Institute, Polish Academy of Sciences,  
Warsaw, Poland

## Advisory Editors

Nikhil R. Pal, Indian Statistical Institute, Kolkata, India

Rafael Bello Perez, Faculty of Mathematics, Physics and Computing,  
Universidad Central de Las Villas, Santa Clara, Cuba

Emilio S. Corchado, University of Salamanca, Salamanca, Spain

Hani Hagrass, School of Computer Science and Electronic Engineering,  
University of Essex, Colchester, UK

László T. Kóczy, Department of Automation, Széchenyi István University,  
Gyor, Hungary

Vladik Kreinovich, Department of Computer Science, University of Texas  
at El Paso, El Paso, TX, USA

Chin-Teng Lin, Department of Electrical Engineering, National Chiao  
Tung University, Hsinchu, Taiwan

Jie Lu, Faculty of Engineering and Information Technology,  
University of Technology Sydney, Sydney, NSW, Australia

Patricia Melin, Graduate Program of Computer Science, Tijuana Institute  
of Technology, Tijuana, Mexico

Nadia Nedjah, Department of Electronics Engineering, University of Rio de Janeiro,  
Rio de Janeiro, Brazil

Ngoc Thanh Nguyen, Faculty of Computer Science and Management,  
Wrocław University of Technology, Wrocław, Poland

Jun Wang, Department of Mechanical and Automation Engineering,  
The Chinese University of Hong Kong, Shatin, Hong Kong

# Contents

<b>Acceptance of Technology in the Classroom: A Qualitative Analysis of Mathematics Teachers' Perceptions</b> .....	1
Perienen Appavoo	
<b>Smart Agriculture Using IOT</b> .....	11
Bammidi Deepa, Chukka Anusha, and P. Chaya Devi	
<b>CSII-TSBCC: Comparative Study of Identifying Issues of Task Scheduling of Big data in Cloud Computing</b> .....	21
Chetana Tukkoji, K. Seetharam, T. Srinivas Rao, and G. Sandhya	
<b>De-Centralized Cloud Data Storage for Privacy-Preserving of Data Using Fog</b> .....	31
Gadu Srinivasa Rao, G. Himaja, and V. S. V. S. Murthy	
<b>Multilayer Perceptron Back propagation Algorithm for Predicting Breast Cancer</b> .....	41
K. Satish Kumar, V. V. S. Sasank, K. S. Raghu Praveen, and Y. Krishna Rao	
<b>IOT-Based Borewell Water-Level Detection and Auto-Control of Submersible Pumps</b> .....	55
Sujatha Karimisetty, Vaikunta Rao Rugada, and Dadi Harshitha	
<b>Institute Examcell Automation with Mobile Application Interface</b> .....	63
Sujatha Karimisetty, Sujatha Thulam, and Surendra Talari	
<b>Plasmonic Square Ring Resonator Based Band-Stop Filter Using MIM Waveguide</b> .....	71
P. Osman, P. V. Sridevi, and K. V. S. N. Raju	
<b>Interactive and Assistive Gloves for Post-stroke Hand Rehabilitation</b> .....	77
Riya Vatsa and Suresh Chandra Satapathy	

<b>An Approach for Collaborative Data Publishing Using Self-adaptive Genetic Grey Wolf Optimizer . . . . .</b>	87
T. Senthil Murugan and Yogesh R. Kulkarni	
<b>Review of Optical Devanagari Character Recognition Techniques . . . . .</b>	97
Sukhjinder Singh and Naresh Kumar Garg	
<b>A Comprehensive Review on Deep Learning Based Lung Nodule Detection in Computed Tomography Images . . . . .</b>	107
Mahender G. Nakrani, Ganesh S. Sable, and Ulhas B. Shinde	
<b>ROS-Based Pedestrian Detection and Distance Estimation Algorithm Using Stereo Vision, Leddar and CNN . . . . .</b>	117
Anjali Mukherjee, S. Adarsh, and K. I. Ramachandran	
<b>An Enhanced Prospective Jaccard Similarity Measure (PJSM) to Calculate the User Similarity Score Set for E-Commerce Recommender System . . . . .</b>	129
H. Mohana and M. Suriakala	
<b>Spliced Image Detection in 3D Lighting Environments Using Neural Networks . . . . .</b>	143
V. Vinolin and M. Sucharitha	
<b>Two-Level Text Summarization Using Topic Modeling . . . . .</b>	153
Dhannuri Saikumar and P. Subathra	
<b>A Robust Blind Oblivious Video Watermarking Scheme Using Undecimated Discrete Wavelet Transform . . . . .</b>	169
K. Meenakshi, K. Swaraja, Padmavathi Kora, and G. Karuna	
<b>Recognition of Botnet by Examining Link Failures in Cloud Network by Exhausting CANFES Classifier Approach . . . . .</b>	179
S. Nagendra Prabhu, D. Shanthi Saravanan, V. Chandrasekar, and S. Shanthi	
<b>Low Power, Less Leakage Operational Transconductance Amplifier (OTA) Circuit Using FinFET . . . . .</b>	191
Maram Anantha Guptha, V. M. Senthil Kumar, T. Hari Prasad, and Ravindrakumar Selvaraj	
<b>Fast Converging Magnified Weighted Sum Backpropagation . . . . .</b>	201
Ashwini Sapkal and U. V. Kulkarni	
<b>Quantum Cryptography Protocols for Internet of Everything: General View . . . . .</b>	211
Ch. Nikhil Pradeep, M. Kameswara Rao, and B. Sai Vikas	
<b>Secure Mobile-Server Communications Using Vector Decomposition Problem . . . . .</b>	219
P. Arjun Gopinath and I. Praveen	

<b>A Hybrid Full Adder Design Using Multigate Devices Based on XOR/XNOR Logic</b> .....	229
V. M. Senthil Kumar, Ciddula Rathnakar, Maram Anandha Gupta, and Ravindrakumar Selvaraj	
<b>Examining Streaming Data on Twitter Hash Tags with Relevance to Social Problems</b> .....	237
S. Shanthi, D. Sujatha, V. Chandrasekar, and S. Nagendra Prabhu	
<b>A Semantic-Aware Strategy for Automatic Speech Recognition Incorporating Deep Learning Models</b> .....	247
A. Santhanavijayan, D. Naresh Kumar, and Gerard Deepak	
<b>A Novel Encryption Design for Wireless Body Area Network in Remote Healthcare System Using Enhanced RSA Algorithm</b> .....	255
R. Nidhya, S. Shanthi, and Manish Kumar	
<b>Sentimental Analysis on Twitter Data Using Hadoop with Spring Web MVC</b> .....	265
RaviKiran Ramaraju, G. Ravi, and Kondapally Madhavi	
<b>Slicing Based on Web Scrapped Concurrent Component</b> .....	275
Niharika Pujari, Abhishek Ray, and Jagannath Singh	
<b>Service Layer Security Architecture for IOT Using Biometric Authentication and Cryptography Technique</b> .....	291
Santosh Kumar Sharma and Bonomali Khuntia	
<b>An Effective Modeling and Design of Closed-Loop High Step-up DC–DC Boost Converter</b> .....	303
Baggam Swathi and Kamala Murthy	
<b>Sales Analysis on Back Friday Using Machine Learning Techniques</b> .....	313
Somula Ramasubbareddy, T. A. S. Srinivas, K. Govinda, and E. Swetha	
<b>GMusic Player Using Self-adjusting Graph Data Structures</b> .....	321
S. Aravindharamanan, Somula Ramasubbareddy, K. Govinda, and E. Swetha	
<b>Plants Nutrient Deficiency Identification Using Classification</b> .....	329
Somula Ramasubbareddy, M. Manik, T. A. S. Srinivas, and K. Govinda	
<b>Maximize Power Generated Using Solar Tracking Mechanism</b> .....	339
G. Naga Chandrika, Somula Ramasubbareddy, K. Govinda, and C. S. Pavan Kumar	
<b>An Automated Glaucoma Detection in Fundus Images—A Survey</b> .....	347
V. Priyanka and D. Vaishnavi	



<b>TEAP-Technically Equipped Agricultural Practice</b> .....	361
N. Mangathayaru, M. Lakshmi Lashita, D. Sri Pallavi, and C. Mithila Reddy	
<b>A Comparatives Study of Protein Kinase Domain Regions for MAPK 1-14</b> .....	369
Deepak Nedunuri, S. M. B. Chowdary, S. Jaya Prakash, and M. Krishna	
<b>Predicting Type of Lung Cancer by Using K-MLR Algorithm</b> .....	377
Shameena Begum, T. Satish, Chalumuru Suresh, T. Bhavani, and Somula Ramasubbareddy	
<b>Core Performance Based Packet Priority Router for NoC-Based Heterogeneous Multicore Processor</b> .....	389
K. Indragandhi and P. K. Jawahar	
<b>Sequential Pattern Mining for the U.S. Presidential Elections Using Google Cloud Platform (GCP)</b> .....	399
M. Varaprasad Rao, B. Kavitha Rani, K. Srinivas, and G. Madhukar	
<b>Efficient Lossy Audio Compression Using Vector Quantization (ELAC-VQ)</b> .....	407
Vinayak Jagtap, K. Srujan Raju, M. V. Rathnamma, and J. Sasi Kiran	
<b>Multi-objective Evolutionary Algorithms for Data Mining: A Survey</b> .....	417
D. Raghava Lavanya, S. Niharika, and A. S. A. L. G. Gopala Gupta	
<b>A Multi-Criteria Decision Approach for Movie Recommendation Using Machine Learning Techniques</b> .....	425
D. Anji Reddy and G. Narasimha	
<b>Scope of Visual-Based Similarity Approach Using Convolutional Neural Network on Phishing Website Detection</b> .....	435
J. Rajaram and M. Dhasaratham	
<b>Survey on Massive MIMO System with Underlaid D2D Communication</b> .....	453
Suresh Penchala, Deepak Kumar Nayak, and B. Ramadevi	
<b>Prevention of DDoS Attacks and Detection on Cloud Environment—A Review and Survey</b> .....	463
Sharath Kumar Allam and Gudapati Syam Prasad	
<b>A Review on Massive MIMO for 5G Systems: Its Challenges on Multiple Phases</b> .....	471
Lalitha Nagapuri	
<b>A New Ensemble Technique for Recognize the Long and Shortest Text</b> .....	481
M. Malyadri, Najeema Afrin, and M. Anusha Reddy	

<b>Image Denoising Using NLM Filtering and Convolutional Neural Network</b> .....	487
K. Srinivasa Babu, K. Rameshwaraiyah, A. Naveen, and T. Madhu	
<b>A Survey on Diverse Chronic Disease Prediction Models and Implementation Techniques</b> .....	497
Nitin Chopde and Rohit Miri	
<b>An Efficient Text-Based Image Retrieval Using Natural Language Processing (NLP) Techniques</b> .....	505
P. M. Ashok Kumar, T. Subha Mastan Rao, L. Arun Raj, and E. Pugazhendi	
<b>An Efficient Scene Content-Based Indexing and Retrieval on Video Lectures</b> .....	521
P. M. Ashok Kumar, Rami Reddy Ambati, and L. Arun Raj	
<b>Text Summarization Using Natural Language Processing</b> .....	535
Kota Prudhvi, A. Bharath Chowdary, P. Subba Rami Reddy, and P. Lakshmi Prasanna	
<b>Light-Weight Key Establishment Mechanism for Secure Communication Between IoT Devices and Cloud</b> .....	549
Syam Prasad Gudapati and Vidya Gaikwad	
<b>BUGVILLA: Calibrating Bug Reports with Correlated Developers, Tracking Bug Reports, and Performance Analysis</b> .....	565
Gudapati Syam Prasad, D. Kiran, and G. Sreeram	
<b>Annihilate Unsighted Dots in Operating and Aviation Using Artificial Intelligence</b> .....	583
P. S. Rajakumar, S. Pradeep Sunkari, and G. Sreeram	
<b>Miss Rate Estimation (MRE) an Novel Approach Toward L2 Cache Partitioning Algorithm's for Multicore System</b> .....	593
Pallavi Joshi, M. V. Rathnamma, K. Srujan Raju, and Urmila Pawar	
<b>Hierarchical Agglomerative Based Iterative Fuzzy Clustering to Impute Missing Values in Health Datasets</b> .....	605
Ravindar Mogili and G. Narsimha	
<b>Association Rules Mining for STO Dataset of HSES Knowledge Portal System</b> .....	615
Santosh Kumar Miri, Neelam Sahu, Rohit Miri, and S. R. Tandan	
<b>The Role of Heart Rate Variability in Atrial ECG Components of Normal Sinus Rhythm and Sinus Tachycardia Subjects</b> .....	637
B. Dhananjay and J. Sivaraman	

<b>Road Traffic Counting and Analysis Using Video Processing</b> . . . . .	645
A. Kousar Nikhath, N. Venkata Sailaja, R. Vasavi, and R. Vijaya Saraswathi	
<b>SCP Design of Situated Cognitive Processing Model to Assist Learning-Centric Approach for Higher Education in Smart Classrooms</b> . . . . .	653
A. Kousar Nikhath, S. Nagini, R. Vasavi, and S. Vasundra	
<b>A Simple Method for Speaker Recognition and Speaker Verification</b> . . . . .	663
Kanaka Durga Returi, Y. Radhika, and Vaka Murali Mohan	
<b>An Effective Model for Handling the Big Data Streams Based on the Optimization-Enabled Spark Framework</b> . . . . .	673
B. Srivani, N. Sandhya, and B. Padmaja Rani	
<b>Event Organization System for Turnout Estimation with User Group Analysis Model</b> . . . . .	697
P. Subhash, N. Venkata Sailaja, and A. Brahmananda Reddy	
<b>A Method of Speech Signal Analysis Using Multi-level Wavelet Transform</b> . . . . .	711
Kanaka Durga Returi, Y. Radhika, Vaka Murali Mohan, and K. Srujan Raju	
<b>A Systematic Survey on IoT Security Issues, Vulnerability and Open Challenges</b> . . . . .	723
Ranjit Patnaik, Neelamadhab Padhy, and K. Srujan Raju	
<b>Prevention and Analysing on Cross Site Scripting</b> . . . . .	731
L. Jagajeevan Rao, S. K. Nazeer Basha, and V. Rama Krishna	
<b>First-Hand Information from the Spot of Accident and Resolution of Claims</b> . . . . .	741
G. Venkatram Reddy, B. Veera Mallu, B. Sunil Srinivas, and CH. Naga Lakshmi	
<b>Survey on Biological Environmental Sequence Analysis Using Association Technique</b> . . . . .	751
G. Sivanageswara Rao, U. Vignesh, Bhukya Jabber, T. Srinivasarao, and D. Babu Rao	
<b>Neural Network-Based Random-Valued Impulsive Noise Suppression Scheme</b> . . . . .	759
Punyaban Patel and Bibekananda Jena	
<b>Recognition of Change in Facial Expressions From Video Sequence Using Incenter-Circumcenter Pair Gradient Signature</b> . . . . .	771
Md Nasir, Paramartha Dutta, and Avishek Nandi	

<b>A Novel Fusion of Deep Learning and Android Application for Real-Time Mango Fruits Disease Detection</b> .....	781
Vani Ashok and D. S. Vinod	
<b>Time Series Forecasting to Predict Pollutants of Air, Water and Noise Using Deep Learning Methods</b> .....	793
Nimit Jain, Siddharth Singh, Naman Datta, and Suma Dawn	
<b>MAFCA: Mobility-Aware Fuzzy Clustering Algorithm for Wireless Sensor Networks</b> .....	803
Deepika Agrawal and Sudhakar Pandey	
<b>Multiple Hand Gestures for Cursor Movement Using Convolution Neural Networks</b> .....	813
G. Santoshi, Pritee Parwekar, G. Gowri Pushpa, and T. Kranthi	
<b>Secure Anti-piracy System</b> .....	827
Junaid Khan, Akshatha Shenoy, K. M. Bhavana, Megha S. Savalgi, and Surekha Borra	
<b>Analyzing a Cattle Health Monitoring System Using IoT and Its Challenges in Smart Agriculture</b> .....	837
Bharat Singh Thakur and Jitendra Sheetlani	
<b>Image Compression and Reconstruction Using Encoder-Decoder Convolutional Neural Network</b> .....	845
Ajinkya Prabhu, Sarthak Chowdhary, Swathi Jamjala Narayanan, and Boominathan Perumal	
<b>Enhancement of Synthetic-Aperture Radar (SAR) Images Based on Dynamic Unsharp Masking</b> .....	857
Ankita Bishnu, Vikrant Bhateja, and Ankita Rai	
<b>Cough Sound Analysis in Transform Domain for Classification of Respiratory Disorders</b> .....	865
Ahmad Taquee and Vikrant Bhateja	
<b>Factor's Persuading 'Online Shopping' Behaviour in Mauritius: Towards Structural Equation Modelling</b> .....	873
Vani Ramesh, Vishal Chndre Jaunky, and Christopher Lafleur	
<b>'Customer Satisfaction', Loyalty and 'Adoption' of E-Banking Technology in Mauritius</b> .....	885
Vani Ramesh, Vishal Chndre Jaunky, Randhir Roopchund, and Heemlesh Sigh Oodit	






**Intelligent System Design** pp 369–376

[Home](#) > [Intelligent System Design](#) > [Conference paper](#)

## A Comparatives Study of Protein Kinase Domain Regions for MAPK 1-14

[Deepak Nedunuri](#) , [S. M. B. Chowdary](#), [S. Jaya Prakash](#) & [M. Krishna](#)

Conference paper | [First Online: 11 August 2020](#)

713 Accesses

Part of the [Advances in Intelligent Systems and Computing](#) book series (AISC, volume 1171)

### Abstract


Most of the MAPKs activity is to stimulate a wide variety of signals which include mitogens, growth factors, cytokines, T cell antigens, pheromones, UV and ionizing radiations, osmotic stress, heat shock, oxidative stress and various other factors. MAPKs acts on most non-nuclear oncogenes and is found to be liable for growth factors response towards cellular stimuli. MAPK proteins participating in



**Intelligent System Design** pp 369–376

[Home](#) > [Intelligent System Design](#) > Conference paper

## A Comparatives Study of Protein Kinase Domain Regions for MAPK 1-14

[Deepak Nedunuri](#) , [S. M. B. Chowdary](#), [S. Jaya Prakash](#) & [M. Krishna](#)

Conference paper | [First Online: 11 August 2020](#)

**714** Accesses

Part of the [Advances in Intelligent Systems and Computing](#) book series (AISC, volume 1171)

### Abstract

Most of the MAPKs activity is to stimulate a wide variety of signals which include mitogens, growth factors, cytokines, T cell antigens, pheromones, UV and ionizing radiations, osmotic stress, heat shock, oxidative stress and various other factors. MAPKs acts on most non-nuclear oncogenes and is found to be liable for growth factors response towards cellular stimuli. MAPK proteins participating in

Suresh Chandra Satapathy  
Vikrant Bhateja  
B. Janakiramaiah  
Yen-Wei Chen *Editors*

# Intelligent System Design

Proceedings of Intelligent System  
Design: INDIA 2019

# Advances in Intelligent Systems and Computing

Volume 1171

## Series Editor

Janusz Kacprzyk, Systems Research Institute, Polish Academy of Sciences,  
Warsaw, Poland

## Advisory Editors

Nikhil R. Pal, Indian Statistical Institute, Kolkata, India

Rafael Bello Perez, Faculty of Mathematics, Physics and Computing,  
Universidad Central de Las Villas, Santa Clara, Cuba

Emilio S. Corchado, University of Salamanca, Salamanca, Spain

Hani Hagrass, School of Computer Science and Electronic Engineering,  
University of Essex, Colchester, UK

László T. Kóczy, Department of Automation, Széchenyi István University,  
Gyor, Hungary

Vladik Kreinovich, Department of Computer Science, University of Texas  
at El Paso, El Paso, TX, USA

Chin-Teng Lin, Department of Electrical Engineering, National Chiao  
Tung University, Hsinchu, Taiwan

Jie Lu, Faculty of Engineering and Information Technology,  
University of Technology Sydney, Sydney, NSW, Australia

Patricia Melin, Graduate Program of Computer Science, Tijuana Institute  
of Technology, Tijuana, Mexico

Nadia Nedjah, Department of Electronics Engineering, University of Rio de Janeiro,  
Rio de Janeiro, Brazil

Ngoc Thanh Nguyen, Faculty of Computer Science and Management,  
Wrocław University of Technology, Wrocław, Poland

Jun Wang, Department of Mechanical and Automation Engineering,  
The Chinese University of Hong Kong, Shatin, Hong Kong



# Contents

<b>Acceptance of Technology in the Classroom: A Qualitative Analysis of Mathematics Teachers' Perceptions</b> .....	1
Perienen Appavoo	
<b>Smart Agriculture Using IOT</b> .....	11
Bammidi Deepa, Chukka Anusha, and P. Chaya Devi	
<b>CSII-TSBCC: Comparative Study of Identifying Issues of Task Scheduling of Big data in Cloud Computing</b> .....	21
Chetana Tukkoji, K. Seetharam, T. Srinivas Rao, and G. Sandhya	
<b>De-Centralized Cloud Data Storage for Privacy-Preserving of Data Using Fog</b> .....	31
Gadu Srinivasa Rao, G. Himaja, and V. S. V. S. Murthy	
<b>Multilayer Perceptron Back propagation Algorithm for Predicting Breast Cancer</b> .....	41
K. Satish Kumar, V. V. S. Sasank, K. S. Raghu Praveen, and Y. Krishna Rao	
<b>IOT-Based Borewell Water-Level Detection and Auto-Control of Submersible Pumps</b> .....	55
Sujatha Karimisetty, Vaikunta Rao Rugada, and Dadi Harshitha	
<b>Institute Examcell Automation with Mobile Application Interface</b> .....	63
Sujatha Karimisetty, Sujatha Thulam, and Surendra Talari	
<b>Plasmonic Square Ring Resonator Based Band-Stop Filter Using MIM Waveguide</b> .....	71
P. Osman, P. V. Sridevi, and K. V. S. N. Raju	
<b>Interactive and Assistive Gloves for Post-stroke Hand Rehabilitation</b> .....	77
Riya Vatsa and Suresh Chandra Satapathy	

<b>An Approach for Collaborative Data Publishing Using Self-adaptive Genetic Grey Wolf Optimizer . . . . .</b>	87
T. Senthil Murugan and Yogesh R. Kulkarni	
<b>Review of Optical Devanagari Character Recognition Techniques . . . . .</b>	97
Sukhjinder Singh and Naresh Kumar Garg	
<b>A Comprehensive Review on Deep Learning Based Lung Nodule Detection in Computed Tomography Images . . . . .</b>	107
Mahender G. Nakrani, Ganesh S. Sable, and Ulhas B. Shinde	
<b>ROS-Based Pedestrian Detection and Distance Estimation Algorithm Using Stereo Vision, Leddar and CNN . . . . .</b>	117
Anjali Mukherjee, S. Adarsh, and K. I. Ramachandran	
<b>An Enhanced Prospective Jaccard Similarity Measure (PJSM) to Calculate the User Similarity Score Set for E-Commerce Recommender System . . . . .</b>	129
H. Mohana and M. Suriakala	
<b>Spliced Image Detection in 3D Lighting Environments Using Neural Networks . . . . .</b>	143
V. Vinolin and M. Sucharitha	
<b>Two-Level Text Summarization Using Topic Modeling . . . . .</b>	153
Dhannuri Saikumar and P. Subathra	
<b>A Robust Blind Oblivious Video Watermarking Scheme Using Undecimated Discrete Wavelet Transform . . . . .</b>	169
K. Meenakshi, K. Swaraja, Padmavathi Kora, and G. Karuna	
<b>Recognition of Botnet by Examining Link Failures in Cloud Network by Exhausting CANFES Classifier Approach . . . . .</b>	179
S. Nagendra Prabhu, D. Shanthi Saravanan, V. Chandrasekar, and S. Shanthi	
<b>Low Power, Less Leakage Operational Transconductance Amplifier (OTA) Circuit Using FinFET . . . . .</b>	191
Maram Anantha Guptha, V. M. Senthil Kumar, T. Hari Prasad, and Ravindrakumar Selvaraj	
<b>Fast Converging Magnified Weighted Sum Backpropagation . . . . .</b>	201
Ashwini Sapkal and U. V. Kulkarni	
<b>Quantum Cryptography Protocols for Internet of Everything: General View . . . . .</b>	211
Ch. Nikhil Pradeep, M. Kameswara Rao, and B. Sai Vikas	
<b>Secure Mobile-Server Communications Using Vector Decomposition Problem . . . . .</b>	219
P. Arjun Gopinath and I. Praveen	

<b>A Hybrid Full Adder Design Using Multigate Devices Based on XOR/XNOR Logic</b> .....	229
V. M. Senthil Kumar, Ciddula Rathnakar, Maram Anandha Gupta, and Ravindrakumar Selvaraj	
<b>Examining Streaming Data on Twitter Hash Tags with Relevance to Social Problems</b> .....	237
S. Shanthi, D. Sujatha, V. Chandrasekar, and S. Nagendra Prabhu	
<b>A Semantic-Aware Strategy for Automatic Speech Recognition Incorporating Deep Learning Models</b> .....	247
A. Santhanavijayan, D. Naresh Kumar, and Gerard Deepak	
<b>A Novel Encryption Design for Wireless Body Area Network in Remote Healthcare System Using Enhanced RSA Algorithm</b> .....	255
R. Nidhya, S. Shanthi, and Manish Kumar	
<b>Sentimental Analysis on Twitter Data Using Hadoop with Spring Web MVC</b> .....	265
RaviKiran Ramaraju, G. Ravi, and Kondapally Madhavi	
<b>Slicing Based on Web Scrapped Concurrent Component</b> .....	275
Niharika Pujari, Abhishek Ray, and Jagannath Singh	
<b>Service Layer Security Architecture for IOT Using Biometric Authentication and Cryptography Technique</b> .....	291
Santosh Kumar Sharma and Bonomali Khuntia	
<b>An Effective Modeling and Design of Closed-Loop High Step-up DC–DC Boost Converter</b> .....	303
Baggam Swathi and Kamala Murthy	
<b>Sales Analysis on Back Friday Using Machine Learning Techniques</b> .....	313
Somula Ramasubbareddy, T. A. S. Srinivas, K. Govinda, and E. Swetha	
<b>GMusic Player Using Self-adjusting Graph Data Structures</b> .....	321
S. Aravindharamanan, Somula Ramasubbareddy, K. Govinda, and E. Swetha	
<b>Plants Nutrient Deficiency Identification Using Classification</b> .....	329
Somula Ramasubbareddy, M. Manik, T. A. S. Srinivas, and K. Govinda	
<b>Maximize Power Generated Using Solar Tracking Mechanism</b> .....	339
G. Naga Chandrika, Somula Ramasubbareddy, K. Govinda, and C. S. Pavan Kumar	
<b>An Automated Glaucoma Detection in Fundus Images—A Survey</b> ....	347
V. Priyanka and D. Vaishnavi	

<b>TEAP-Technically Equipped Agricultural Practice</b> .....	361
N. Mangathayaru, M. Lakshmi Lashita, D. Sri Pallavi, and C. Mithila Reddy	
<b>A Comparatives Study of Protein Kinase Domain Regions for MAPK 1-14</b> .....	369
Deepak Nedunuri, S. M. B. Chowdary, S. Jaya Prakash, and M. Krishna	
<b>Predicting Type of Lung Cancer by Using K-MLR Algorithm</b> .....	377
Shameena Begum, T. Satish, Chalumuru Suresh, T. Bhavani, and Somula Ramasubbareddy	
<b>Core Performance Based Packet Priority Router for NoC-Based Heterogeneous Multicore Processor</b> .....	389
K. Indragandhi and P. K. Jawahar	
<b>Sequential Pattern Mining for the U.S. Presidential Elections Using Google Cloud Platform (GCP)</b> .....	399
M. Varaprasad Rao, B. Kavitha Rani, K. Srinivas, and G. Madhukar	
<b>Efficient Lossy Audio Compression Using Vector Quantization (ELAC-VQ)</b> .....	407
Vinayak Jagtap, K. Srujan Raju, M. V. Rathnamma, and J. Sasi Kiran	
<b>Multi-objective Evolutionary Algorithms for Data Mining: A Survey</b> .....	417
D. Raghava Lavanya, S. Niharika, and A. S. A. L. G. Gopala Gupta	
<b>A Multi-Criteria Decision Approach for Movie Recommendation Using Machine Learning Techniques</b> .....	425
D. Anji Reddy and G. Narasimha	
<b>Scope of Visual-Based Similarity Approach Using Convolutional Neural Network on Phishing Website Detection</b> .....	435
J. Rajaram and M. Dhasaratham	
<b>Survey on Massive MIMO System with Underlaid D2D Communication</b> .....	453
Suresh Penchala, Deepak Kumar Nayak, and B. Ramadevi	
<b>Prevention of DDoS Attacks and Detection on Cloud Environment—A Review and Survey</b> .....	463
Sharath Kumar Allam and Gudapati Syam Prasad	
<b>A Review on Massive MIMO for 5G Systems: Its Challenges on Multiple Phases</b> .....	471
Lalitha Nagapuri	
<b>A New Ensemble Technique for Recognize the Long and Shortest Text</b> .....	481
M. Malyadri, Najeema Afrin, and M. Anusha Reddy	



<b>Image Denoising Using NLM Filtering and Convolutional Neural Network</b> .....	487
K. Srinivasa Babu, K. Rameshwaraiyah, A. Naveen, and T. Madhu	
<b>A Survey on Diverse Chronic Disease Prediction Models and Implementation Techniques</b> .....	497
Nitin Chopde and Rohit Miri	
<b>An Efficient Text-Based Image Retrieval Using Natural Language Processing (NLP) Techniques</b> .....	505
P. M. Ashok Kumar, T. Subha Mastan Rao, L. Arun Raj, and E. Pugazhendi	
<b>An Efficient Scene Content-Based Indexing and Retrieval on Video Lectures</b> .....	521
P. M. Ashok Kumar, Rami Reddy Ambati, and L. Arun Raj	
<b>Text Summarization Using Natural Language Processing</b> .....	535
Kota Prudhvi, A. Bharath Chowdary, P. Subba Rami Reddy, and P. Lakshmi Prasanna	
<b>Light-Weight Key Establishment Mechanism for Secure Communication Between IoT Devices and Cloud</b> .....	549
Syam Prasad Gudapati and Vidya Gaikwad	
<b>BUGVILLA: Calibrating Bug Reports with Correlated Developers, Tracking Bug Reports, and Performance Analysis</b> .....	565
Gudapati Syam Prasad, D. Kiran, and G. Sreeram	
<b>Annihilate Unsighted Dots in Operating and Aviation Using Artificial Intelligence</b> .....	583
P. S. Rajakumar, S. Pradeep Sunkari, and G. Sreeram	
<b>Miss Rate Estimation (MRE) an Novel Approach Toward L2 Cache Partitioning Algorithm's for Multicore System</b> .....	593
Pallavi Joshi, M. V. Rathnamma, K. Srujan Raju, and Urmila Pawar	
<b>Hierarchical Agglomerative Based Iterative Fuzzy Clustering to Impute Missing Values in Health Datasets</b> .....	605
Ravindar Mogili and G. Narsimha	
<b>Association Rules Mining for STO Dataset of HSES Knowledge Portal System</b> .....	615
Santosh Kumar Miri, Neelam Sahu, Rohit Miri, and S. R. Tandan	
<b>The Role of Heart Rate Variability in Atrial ECG Components of Normal Sinus Rhythm and Sinus Tachycardia Subjects</b> .....	637
B. Dhananjay and J. Sivaraman	

<b>Road Traffic Counting and Analysis Using Video Processing</b> . . . . .	645
A. Kousar Nikhath, N. Venkata Sailaja, R. Vasavi, and R. Vijaya Saraswathi	
<b>SCP Design of Situated Cognitive Processing Model to Assist Learning-Centric Approach for Higher Education in Smart Classrooms</b> . . . . .	653
A. Kousar Nikhath, S. Nagini, R. Vasavi, and S. Vasundra	
<b>A Simple Method for Speaker Recognition and Speaker Verification</b> . . . . .	663
Kanaka Durga Returi, Y. Radhika, and Vaka Murali Mohan	
<b>An Effective Model for Handling the Big Data Streams Based on the Optimization-Enabled Spark Framework</b> . . . . .	673
B. Srivani, N. Sandhya, and B. Padmaja Rani	
<b>Event Organization System for Turnout Estimation with User Group Analysis Model</b> . . . . .	697
P. Subhash, N. Venkata Sailaja, and A. Brahmananda Reddy	
<b>A Method of Speech Signal Analysis Using Multi-level Wavelet Transform</b> . . . . .	711
Kanaka Durga Returi, Y. Radhika, Vaka Murali Mohan, and K. Srujan Raju	
<b>A Systematic Survey on IoT Security Issues, Vulnerability and Open Challenges</b> . . . . .	723
Ranjit Patnaik, Neelamadhab Padhy, and K. Srujan Raju	
<b>Prevention and Analysing on Cross Site Scripting</b> . . . . .	731
L. Jagajeevan Rao, S. K. Nazeer Basha, and V. Rama Krishna	
<b>First-Hand Information from the Spot of Accident and Resolution of Claims</b> . . . . .	741
G. Venkatram Reddy, B. Veera Mallu, B. Sunil Srinivas, and CH. Naga Lakshmi	
<b>Survey on Biological Environmental Sequence Analysis Using Association Technique</b> . . . . .	751
G. Sivanageswara Rao, U. Vignesh, Bhukya Jabber, T. Srinivasarao, and D. Babu Rao	
<b>Neural Network-Based Random-Valued Impulsive Noise Suppression Scheme</b> . . . . .	759
Punyaban Patel and Bibekananda Jena	
<b>Recognition of Change in Facial Expressions From Video Sequence Using Incenter-Circumcenter Pair Gradient Signature</b> . . . . .	771
Md Nasir, Paramartha Dutta, and Avishek Nandi	

<b>A Novel Fusion of Deep Learning and Android Application for Real-Time Mango Fruits Disease Detection</b> .....	781
Vani Ashok and D. S. Vinod	
<b>Time Series Forecasting to Predict Pollutants of Air, Water and Noise Using Deep Learning Methods</b> .....	793
Nimit Jain, Siddharth Singh, Naman Datta, and Suma Dawn	
<b>MAFCA: Mobility-Aware Fuzzy Clustering Algorithm for Wireless Sensor Networks</b> .....	803
Deepika Agrawal and Sudhakar Pandey	
<b>Multiple Hand Gestures for Cursor Movement Using Convolution Neural Networks</b> .....	813
G. Santoshi, Pritee Parwekar, G. Gowri Pushpa, and T. Kranthi	
<b>Secure Anti-piracy System</b> .....	827
Junaid Khan, Akshatha Shenoy, K. M. Bhavana, Megha S. Savalgi, and Surekha Borra	
<b>Analyzing a Cattle Health Monitoring System Using IoT and Its Challenges in Smart Agriculture</b> .....	837
Bharat Singh Thakur and Jitendra Sheetlani	
<b>Image Compression and Reconstruction Using Encoder-Decoder Convolutional Neural Network</b> .....	845
Ajinkya Prabhu, Sarthak Chowdhary, Swathi Jamjala Narayanan, and Boominathan Perumal	
<b>Enhancement of Synthetic-Aperture Radar (SAR) Images Based on Dynamic Unsharp Masking</b> .....	857
Ankita Bishnu, Vikrant Bhateja, and Ankita Rai	
<b>Cough Sound Analysis in Transform Domain for Classification of Respiratory Disorders</b> .....	865
Ahmad Taquee and Vikrant Bhateja	
<b>Factor's Persuading 'Online Shopping' Behaviour in Mauritius: Towards Structural Equation Modelling</b> .....	873
Vani Ramesh, Vishal Chndre Jaunky, and Christopher Lafleur	
<b>'Customer Satisfaction', Loyalty and 'Adoption' of E-Banking Technology in Mauritius</b> .....	885
Vani Ramesh, Vishal Chndre Jaunky, Randhir Roopchund, and Heemlesh Sigh Oodit	

Suresh Chandra Satapathy  
Vikrant Bhateja  
B. Janakiramaiah  
Yen-Wei Chen *Editors*

# Intelligent System Design

Proceedings of Intelligent System  
Design: INDIA 2019



# Advances in Intelligent Systems and Computing

Volume 1171

## Series Editor

Janusz Kacprzyk, Systems Research Institute, Polish Academy of Sciences,  
Warsaw, Poland

## Advisory Editors

Nikhil R. Pal, Indian Statistical Institute, Kolkata, India

Rafael Bello Perez, Faculty of Mathematics, Physics and Computing,  
Universidad Central de Las Villas, Santa Clara, Cuba

Emilio S. Corchado, University of Salamanca, Salamanca, Spain

Hani Hagrass, School of Computer Science and Electronic Engineering,  
University of Essex, Colchester, UK

László T. Kóczy, Department of Automation, Széchenyi István University,  
Gyor, Hungary

Vladik Kreinovich, Department of Computer Science, University of Texas  
at El Paso, El Paso, TX, USA

Chin-Teng Lin, Department of Electrical Engineering, National Chiao  
Tung University, Hsinchu, Taiwan

Jie Lu, Faculty of Engineering and Information Technology,  
University of Technology Sydney, Sydney, NSW, Australia

Patricia Melin, Graduate Program of Computer Science, Tijuana Institute  
of Technology, Tijuana, Mexico

Nadia Nedjah, Department of Electronics Engineering, University of Rio de Janeiro,  
Rio de Janeiro, Brazil

Ngoc Thanh Nguyen, Faculty of Computer Science and Management,  
Wrocław University of Technology, Wrocław, Poland

Jun Wang, Department of Mechanical and Automation Engineering,  
The Chinese University of Hong Kong, Shatin, Hong Kong

# Contents

<b>Acceptance of Technology in the Classroom: A Qualitative Analysis of Mathematics Teachers' Perceptions</b> .....	1
Perienen Appavoo	
<b>Smart Agriculture Using IOT</b> .....	11
Bammidi Deepa, Chukka Anusha, and P. Chaya Devi	
<b>CSII-TSBCC: Comparative Study of Identifying Issues of Task Scheduling of Big data in Cloud Computing</b> .....	21
Chetana Tukkoji, K. Seetharam, T. Srinivas Rao, and G. Sandhya	
<b>De-Centralized Cloud Data Storage for Privacy-Preserving of Data Using Fog</b> .....	31
Gadu Srinivasa Rao, G. Himaja, and V. S. V. S. Murthy	
<b>Multilayer Perceptron Back propagation Algorithm for Predicting Breast Cancer</b> .....	41
K. Satish Kumar, V. V. S. Sasank, K. S. Raghu Praveen, and Y. Krishna Rao	
<b>IOT-Based Borewell Water-Level Detection and Auto-Control of Submersible Pumps</b> .....	55
Sujatha Karimisetty, Vaikunta Rao Rugada, and Dadi Harshitha	
<b>Institute Examcell Automation with Mobile Application Interface</b> .....	63
Sujatha Karimisetty, Sujatha Thulam, and Surendra Talari	
<b>Plasmonic Square Ring Resonator Based Band-Stop Filter Using MIM Waveguide</b> .....	71
P. Osman, P. V. Sridevi, and K. V. S. N. Raju	
<b>Interactive and Assistive Gloves for Post-stroke Hand Rehabilitation</b> .....	77
Riya Vatsa and Suresh Chandra Satapathy	

<b>An Approach for Collaborative Data Publishing Using Self-adaptive Genetic Grey Wolf Optimizer . . . . .</b>	87
T. Senthil Murugan and Yogesh R. Kulkarni	
<b>Review of Optical Devanagari Character Recognition Techniques . . . . .</b>	97
Sukhjinder Singh and Naresh Kumar Garg	
<b>A Comprehensive Review on Deep Learning Based Lung Nodule Detection in Computed Tomography Images . . . . .</b>	107
Mahender G. Nakrani, Ganesh S. Sable, and Ulhas B. Shinde	
<b>ROS-Based Pedestrian Detection and Distance Estimation Algorithm Using Stereo Vision, Leddar and CNN . . . . .</b>	117
Anjali Mukherjee, S. Adarsh, and K. I. Ramachandran	
<b>An Enhanced Prospective Jaccard Similarity Measure (PJSM) to Calculate the User Similarity Score Set for E-Commerce Recommender System . . . . .</b>	129
H. Mohana and M. Suriakala	
<b>Spliced Image Detection in 3D Lighting Environments Using Neural Networks . . . . .</b>	143
V. Vinolin and M. Sucharitha	
<b>Two-Level Text Summarization Using Topic Modeling . . . . .</b>	153
Dhannuri Saikumar and P. Subathra	
<b>A Robust Blind Oblivious Video Watermarking Scheme Using Undecimated Discrete Wavelet Transform . . . . .</b>	169
K. Meenakshi, K. Swaraja, Padmavathi Kora, and G. Karuna	
<b>Recognition of Botnet by Examining Link Failures in Cloud Network by Exhausting CANFES Classifier Approach . . . . .</b>	179
S. Nagendra Prabhu, D. Shanthi Saravanan, V. Chandrasekar, and S. Shanthi	
<b>Low Power, Less Leakage Operational Transconductance Amplifier (OTA) Circuit Using FinFET . . . . .</b>	191
Maram Anantha Guptha, V. M. Senthil Kumar, T. Hari Prasad, and Ravindrakumar Selvaraj	
<b>Fast Converging Magnified Weighted Sum Backpropagation . . . . .</b>	201
Ashwini Sapkal and U. V. Kulkarni	
<b>Quantum Cryptography Protocols for Internet of Everything: General View . . . . .</b>	211
Ch. Nikhil Pradeep, M. Kameswara Rao, and B. Sai Vikas	
<b>Secure Mobile-Server Communications Using Vector Decomposition Problem . . . . .</b>	219
P. Arjun Gopinath and I. Praveen	

<b>A Hybrid Full Adder Design Using Multigate Devices Based on XOR/XNOR Logic</b> .....	229
V. M. Senthil Kumar, Ciddula Rathnakar, Maram Anandha Gupta, and Ravindrakumar Selvaraj	
<b>Examining Streaming Data on Twitter Hash Tags with Relevance to Social Problems</b> .....	237
S. Shanthi, D. Sujatha, V. Chandrasekar, and S. Nagendra Prabhu	
<b>A Semantic-Aware Strategy for Automatic Speech Recognition Incorporating Deep Learning Models</b> .....	247
A. Santhanavijayan, D. Naresh Kumar, and Gerard Deepak	
<b>A Novel Encryption Design for Wireless Body Area Network in Remote Healthcare System Using Enhanced RSA Algorithm</b> .....	255
R. Nidhya, S. Shanthi, and Manish Kumar	
<b>Sentimental Analysis on Twitter Data Using Hadoop with Spring Web MVC</b> .....	265
RaviKiran Ramaraju, G. Ravi, and Kondapally Madhavi	
<b>Slicing Based on Web Scrapped Concurrent Component</b> .....	275
Niharika Pujari, Abhishek Ray, and Jagannath Singh	
<b>Service Layer Security Architecture for IOT Using Biometric Authentication and Cryptography Technique</b> .....	291
Santosh Kumar Sharma and Bonomali Khuntia	
<b>An Effective Modeling and Design of Closed-Loop High Step-up DC–DC Boost Converter</b> .....	303
Baggam Swathi and Kamala Murthy	
<b>Sales Analysis on Back Friday Using Machine Learning Techniques</b> .....	313
Somula Ramasubbareddy, T. A. S. Srinivas, K. Govinda, and E. Swetha	
<b>GMusic Player Using Self-adjusting Graph Data Structures</b> .....	321
S. Aravindharamanan, Somula Ramasubbareddy, K. Govinda, and E. Swetha	
<b>Plants Nutrient Deficiency Identification Using Classification</b> .....	329
Somula Ramasubbareddy, M. Manik, T. A. S. Srinivas, and K. Govinda	
<b>Maximize Power Generated Using Solar Tracking Mechanism</b> .....	339
G. Naga Chandrika, Somula Ramasubbareddy, K. Govinda, and C. S. Pavan Kumar	
<b>An Automated Glaucoma Detection in Fundus Images—A Survey</b> .....	347
V. Priyanka and D. Vaishnavi	



<b>TEAP-Technically Equipped Agricultural Practice</b> .....	361
N. Mangathayaru, M. Lakshmi Lashita, D. Sri Pallavi, and C. Mithila Reddy	
<b>A Comparatives Study of Protein Kinase Domain Regions for MAPK 1-14</b> .....	369
Deepak Nedunuri, S. M. B. Chowdary, S. Jaya Prakash, and M. Krishna	
<b>Predicting Type of Lung Cancer by Using K-MLR Algorithm</b> .....	377
Shameena Begum, T. Satish, Chalumuru Suresh, T. Bhavani, and Somula Ramasubbareddy	
<b>Core Performance Based Packet Priority Router for NoC-Based Heterogeneous Multicore Processor</b> .....	389
K. Indragandhi and P. K. Jawahar	
<b>Sequential Pattern Mining for the U.S. Presidential Elections Using Google Cloud Platform (GCP)</b> .....	399
M. Varaprasad Rao, B. Kavitha Rani, K. Srinivas, and G. Madhukar	
<b>Efficient Lossy Audio Compression Using Vector Quantization (ELAC-VQ)</b> .....	407
Vinayak Jagtap, K. Srujan Raju, M. V. Rathnamma, and J. Sasi Kiran	
<b>Multi-objective Evolutionary Algorithms for Data Mining: A Survey</b> .....	417
D. Raghava Lavanya, S. Niharika, and A. S. A. L. G. Gopala Gupta	
<b>A Multi-Criteria Decision Approach for Movie Recommendation Using Machine Learning Techniques</b> .....	425
D. Anji Reddy and G. Narasimha	
<b>Scope of Visual-Based Similarity Approach Using Convolutional Neural Network on Phishing Website Detection</b> .....	435
J. Rajaram and M. Dhasaratham	
<b>Survey on Massive MIMO System with Underlaid D2D Communication</b> .....	453
Suresh Penchala, Deepak Kumar Nayak, and B. Ramadevi	
<b>Prevention of DDoS Attacks and Detection on Cloud Environment—A Review and Survey</b> .....	463
Sharath Kumar Allam and Gudapati Syam Prasad	
<b>A Review on Massive MIMO for 5G Systems: Its Challenges on Multiple Phases</b> .....	471
Lalitha Nagapuri	
<b>A New Ensemble Technique for Recognize the Long and Shortest Text</b> .....	481
M. Malyadri, Najeema Afrin, and M. Anusha Reddy	

<b>Image Denoising Using NLM Filtering and Convolutional Neural Network</b> .....	487
K. Srinivasa Babu, K. Rameshwaraiyah, A. Naveen, and T. Madhu	
<b>A Survey on Diverse Chronic Disease Prediction Models and Implementation Techniques</b> .....	497
Nitin Chopde and Rohit Miri	
<b>An Efficient Text-Based Image Retrieval Using Natural Language Processing (NLP) Techniques</b> .....	505
P. M. Ashok Kumar, T. Subha Mastan Rao, L. Arun Raj, and E. Pugazhendi	
<b>An Efficient Scene Content-Based Indexing and Retrieval on Video Lectures</b> .....	521
P. M. Ashok Kumar, Rami Reddy Ambati, and L. Arun Raj	
<b>Text Summarization Using Natural Language Processing</b> .....	535
Kota Prudhvi, A. Bharath Chowdary, P. Subba Rami Reddy, and P. Lakshmi Prasanna	
<b>Light-Weight Key Establishment Mechanism for Secure Communication Between IoT Devices and Cloud</b> .....	549
Syam Prasad Gudapati and Vidya Gaikwad	
<b>BUGVILLA: Calibrating Bug Reports with Correlated Developers, Tracking Bug Reports, and Performance Analysis</b> .....	565
Gudapati Syam Prasad, D. Kiran, and G. Sreeram	
<b>Annihilate Unsighted Dots in Operating and Aviation Using Artificial Intelligence</b> .....	583
P. S. Rajakumar, S. Pradeep Sunkari, and G. Sreeram	
<b>Miss Rate Estimation (MRE) an Novel Approach Toward L2 Cache Partitioning Algorithm's for Multicore System</b> .....	593
Pallavi Joshi, M. V. Rathnamma, K. Srujan Raju, and Urmila Pawar	
<b>Hierarchical Agglomerative Based Iterative Fuzzy Clustering to Impute Missing Values in Health Datasets</b> .....	605
Ravindar Mogili and G. Narsimha	
<b>Association Rules Mining for STO Dataset of HSES Knowledge Portal System</b> .....	615
Santosh Kumar Miri, Neelam Sahu, Rohit Miri, and S. R. Tandan	
<b>The Role of Heart Rate Variability in Atrial ECG Components of Normal Sinus Rhythm and Sinus Tachycardia Subjects</b> .....	637
B. Dhananjay and J. Sivaraman	

<b>Road Traffic Counting and Analysis Using Video Processing</b> . . . . .	645
A. Kousar Nikhath, N. Venkata Sailaja, R. Vasavi, and R. Vijaya Saraswathi	
<b>SCP Design of Situated Cognitive Processing Model to Assist Learning-Centric Approach for Higher Education in Smart Classrooms</b> . . . . .	653
A. Kousar Nikhath, S. Nagini, R. Vasavi, and S. Vasundra	
<b>A Simple Method for Speaker Recognition and Speaker Verification</b> . . . . .	663
Kanaka Durga Returi, Y. Radhika, and Vaka Murali Mohan	
<b>An Effective Model for Handling the Big Data Streams Based on the Optimization-Enabled Spark Framework</b> . . . . .	673
B. Srivani, N. Sandhya, and B. Padmaja Rani	
<b>Event Organization System for Turnout Estimation with User Group Analysis Model</b> . . . . .	697
P. Subhash, N. Venkata Sailaja, and A. Brahmananda Reddy	
<b>A Method of Speech Signal Analysis Using Multi-level Wavelet Transform</b> . . . . .	711
Kanaka Durga Returi, Y. Radhika, Vaka Murali Mohan, and K. Srujan Raju	
<b>A Systematic Survey on IoT Security Issues, Vulnerability and Open Challenges</b> . . . . .	723
Ranjit Patnaik, Neelamadhab Padhy, and K. Srujan Raju	
<b>Prevention and Analysing on Cross Site Scripting</b> . . . . .	731
L. Jagajeevan Rao, S. K. Nazeer Basha, and V. Rama Krishna	
<b>First-Hand Information from the Spot of Accident and Resolution of Claims</b> . . . . .	741
G. Venkatram Reddy, B. Veera Mallu, B. Sunil Srinivas, and CH. Naga Lakshmi	
<b>Survey on Biological Environmental Sequence Analysis Using Association Technique</b> . . . . .	751
G. Sivanageswara Rao, U. Vignesh, Bhukya Jabber, T. Srinivasarao, and D. Babu Rao	
<b>Neural Network-Based Random-Valued Impulsive Noise Suppression Scheme</b> . . . . .	759
Punyaban Patel and Bibekananda Jena	
<b>Recognition of Change in Facial Expressions From Video Sequence Using Incenter-Circumcenter Pair Gradient Signature</b> . . . . .	771
Md Nasir, Paramartha Dutta, and Avishek Nandi	

<b>A Novel Fusion of Deep Learning and Android Application for Real-Time Mango Fruits Disease Detection</b> .....	781
Vani Ashok and D. S. Vinod	
<b>Time Series Forecasting to Predict Pollutants of Air, Water and Noise Using Deep Learning Methods</b> .....	793
Nimit Jain, Siddharth Singh, Naman Datta, and Suma Dawn	
<b>MAFCA: Mobility-Aware Fuzzy Clustering Algorithm for Wireless Sensor Networks</b> .....	803
Deepika Agrawal and Sudhakar Pandey	
<b>Multiple Hand Gestures for Cursor Movement Using Convolution Neural Networks</b> .....	813
G. Santoshi, Pritee Parwekar, G. Gowri Pushpa, and T. Kranthi	
<b>Secure Anti-piracy System</b> .....	827
Junaid Khan, Akshatha Shenoy, K. M. Bhavana, Megha S. Savalgi, and Surekha Borra	
<b>Analyzing a Cattle Health Monitoring System Using IoT and Its Challenges in Smart Agriculture</b> .....	837
Bharat Singh Thakur and Jitendra Sheetlani	
<b>Image Compression and Reconstruction Using Encoder-Decoder Convolutional Neural Network</b> .....	845
Ajinkya Prabhu, Sarthak Chowdhary, Swathi Jamjala Narayanan, and Boominathan Perumal	
<b>Enhancement of Synthetic-Aperture Radar (SAR) Images Based on Dynamic Unsharp Masking</b> .....	857
Ankita Bishnu, Vikrant Bhateja, and Ankita Rai	
<b>Cough Sound Analysis in Transform Domain for Classification of Respiratory Disorders</b> .....	865
Ahmad Taquee and Vikrant Bhateja	
<b>Factor's Persuading 'Online Shopping' Behaviour in Mauritius: Towards Structural Equation Modelling</b> .....	873
Vani Ramesh, Vishal Chndre Jaunky, and Christopher Lafleur	
<b>'Customer Satisfaction', Loyalty and 'Adoption' of E-Banking Technology in Mauritius</b> .....	885
Vani Ramesh, Vishal Chndre Jaunky, Randhir Roopchund, and Heemlesh Sigh Oodit	



Suresh Chandra Satapathy  
Vikrant Bhateja  
B. Janakiramaiah  
Yen-Wei Chen *Editors*

# Intelligent System Design

Proceedings of Intelligent System  
Design: INDIA 2019

# Advances in Intelligent Systems and Computing

Volume 1171

## Series Editor

Janusz Kacprzyk, Systems Research Institute, Polish Academy of Sciences,  
Warsaw, Poland

## Advisory Editors

Nikhil R. Pal, Indian Statistical Institute, Kolkata, India

Rafael Bello Perez, Faculty of Mathematics, Physics and Computing,  
Universidad Central de Las Villas, Santa Clara, Cuba

Emilio S. Corchado, University of Salamanca, Salamanca, Spain

Hani Hagrass, School of Computer Science and Electronic Engineering,  
University of Essex, Colchester, UK

László T. Kóczy, Department of Automation, Széchenyi István University,  
Gyor, Hungary

Vladik Kreinovich, Department of Computer Science, University of Texas  
at El Paso, El Paso, TX, USA

Chin-Teng Lin, Department of Electrical Engineering, National Chiao  
Tung University, Hsinchu, Taiwan

Jie Lu, Faculty of Engineering and Information Technology,  
University of Technology Sydney, Sydney, NSW, Australia

Patricia Melin, Graduate Program of Computer Science, Tijuana Institute  
of Technology, Tijuana, Mexico

Nadia Nedjah, Department of Electronics Engineering, University of Rio de Janeiro,  
Rio de Janeiro, Brazil

Ngoc Thanh Nguyen, Faculty of Computer Science and Management,  
Wrocław University of Technology, Wrocław, Poland

Jun Wang, Department of Mechanical and Automation Engineering,  
The Chinese University of Hong Kong, Shatin, Hong Kong

# Contents

<b>Acceptance of Technology in the Classroom: A Qualitative Analysis of Mathematics Teachers' Perceptions</b> .....	1
Perienen Appavoo	
<b>Smart Agriculture Using IOT</b> .....	11
Bammidi Deepa, Chukka Anusha, and P. Chaya Devi	
<b>CSII-TSBCC: Comparative Study of Identifying Issues of Task Scheduling of Big data in Cloud Computing</b> .....	21
Chetana Tukkoji, K. Seetharam, T. Srinivas Rao, and G. Sandhya	
<b>De-Centralized Cloud Data Storage for Privacy-Preserving of Data Using Fog</b> .....	31
Gadu Srinivasa Rao, G. Himaja, and V. S. V. S. Murthy	
<b>Multilayer Perceptron Back propagation Algorithm for Predicting Breast Cancer</b> .....	41
K. Satish Kumar, V. V. S. Sasank, K. S. Raghu Praveen, and Y. Krishna Rao	
<b>IOT-Based Borewell Water-Level Detection and Auto-Control of Submersible Pumps</b> .....	55
Sujatha Karimisetty, Vaikunta Rao Rugada, and Dadi Harshitha	
<b>Institute Examcell Automation with Mobile Application Interface</b> .....	63
Sujatha Karimisetty, Sujatha Thulam, and Surendra Talari	
<b>Plasmonic Square Ring Resonator Based Band-Stop Filter Using MIM Waveguide</b> .....	71
P. Osman, P. V. Sridevi, and K. V. S. N. Raju	
<b>Interactive and Assistive Gloves for Post-stroke Hand Rehabilitation</b> .....	77
Riya Vatsa and Suresh Chandra Satapathy	

<b>An Approach for Collaborative Data Publishing Using Self-adaptive Genetic Grey Wolf Optimizer . . . . .</b>	87
T. Senthil Murugan and Yogesh R. Kulkarni	
<b>Review of Optical Devanagari Character Recognition Techniques . . . . .</b>	97
Sukhjinder Singh and Naresh Kumar Garg	
<b>A Comprehensive Review on Deep Learning Based Lung Nodule Detection in Computed Tomography Images . . . . .</b>	107
Mahender G. Nakrani, Ganesh S. Sable, and Ulhas B. Shinde	
<b>ROS-Based Pedestrian Detection and Distance Estimation Algorithm Using Stereo Vision, Leddar and CNN . . . . .</b>	117
Anjali Mukherjee, S. Adarsh, and K. I. Ramachandran	
<b>An Enhanced Prospective Jaccard Similarity Measure (PJSM) to Calculate the User Similarity Score Set for E-Commerce Recommender System . . . . .</b>	129
H. Mohana and M. Suriakala	
<b>Spliced Image Detection in 3D Lighting Environments Using Neural Networks . . . . .</b>	143
V. Vinolin and M. Sucharitha	
<b>Two-Level Text Summarization Using Topic Modeling . . . . .</b>	153
Dhannuri Saikumar and P. Subathra	
<b>A Robust Blind Oblivious Video Watermarking Scheme Using Undecimated Discrete Wavelet Transform . . . . .</b>	169
K. Meenakshi, K. Swaraja, Padmavathi Kora, and G. Karuna	
<b>Recognition of Botnet by Examining Link Failures in Cloud Network by Exhausting CANFES Classifier Approach . . . . .</b>	179
S. Nagendra Prabhu, D. Shanthi Saravanan, V. Chandrasekar, and S. Shanthi	
<b>Low Power, Less Leakage Operational Transconductance Amplifier (OTA) Circuit Using FinFET . . . . .</b>	191
Maram Anantha Guptha, V. M. Senthil Kumar, T. Hari Prasad, and Ravindrakumar Selvaraj	
<b>Fast Converging Magnified Weighted Sum Backpropagation . . . . .</b>	201
Ashwini Sapkal and U. V. Kulkarni	
<b>Quantum Cryptography Protocols for Internet of Everything: General View . . . . .</b>	211
Ch. Nikhil Pradeep, M. Kameswara Rao, and B. Sai Vikas	
<b>Secure Mobile-Server Communications Using Vector Decomposition Problem . . . . .</b>	219
P. Arjun Gopinath and I. Praveen	



<b>A Hybrid Full Adder Design Using Multigate Devices Based on XOR/XNOR Logic</b> .....	229
V. M. Senthil Kumar, Ciddula Rathnakar, Maram Anandha Gupta, and Ravindrakumar Selvaraj	
<b>Examining Streaming Data on Twitter Hash Tags with Relevance to Social Problems</b> .....	237
S. Shanthi, D. Sujatha, V. Chandrasekar, and S. Nagendra Prabhu	
<b>A Semantic-Aware Strategy for Automatic Speech Recognition Incorporating Deep Learning Models</b> .....	247
A. Santhanavijayan, D. Naresh Kumar, and Gerard Deepak	
<b>A Novel Encryption Design for Wireless Body Area Network in Remote Healthcare System Using Enhanced RSA Algorithm</b> .....	255
R. Nidhya, S. Shanthi, and Manish Kumar	
<b>Sentimental Analysis on Twitter Data Using Hadoop with Spring Web MVC</b> .....	265
RaviKiran Ramaraju, G. Ravi, and Kondapally Madhavi	
<b>Slicing Based on Web Scrapped Concurrent Component</b> .....	275
Niharika Pujari, Abhishek Ray, and Jagannath Singh	
<b>Service Layer Security Architecture for IOT Using Biometric Authentication and Cryptography Technique</b> .....	291
Santosh Kumar Sharma and Bonomali Khuntia	
<b>An Effective Modeling and Design of Closed-Loop High Step-up DC–DC Boost Converter</b> .....	303
Baggam Swathi and Kamala Murthy	
<b>Sales Analysis on Back Friday Using Machine Learning Techniques</b> .....	313
Somula Ramasubbareddy, T. A. S. Srinivas, K. Govinda, and E. Swetha	
<b>GMusic Player Using Self-adjusting Graph Data Structures</b> .....	321
S. Aravindharamanan, Somula Ramasubbareddy, K. Govinda, and E. Swetha	
<b>Plants Nutrient Deficiency Identification Using Classification</b> .....	329
Somula Ramasubbareddy, M. Manik, T. A. S. Srinivas, and K. Govinda	
<b>Maximize Power Generated Using Solar Tracking Mechanism</b> .....	339
G. Naga Chandrika, Somula Ramasubbareddy, K. Govinda, and C. S. Pavan Kumar	
<b>An Automated Glaucoma Detection in Fundus Images—A Survey</b> ....	347
V. Priyanka and D. Vaishnavi	

<b>TEAP-Technically Equipped Agricultural Practice</b> .....	361
N. Mangathayaru, M. Lakshmi Lashita, D. Sri Pallavi, and C. Mithila Reddy	
<b>A Comparatives Study of Protein Kinase Domain Regions for MAPK 1-14</b> .....	369
Deepak Nedunuri, S. M. B. Chowdary, S. Jaya Prakash, and M. Krishna	
<b>Predicting Type of Lung Cancer by Using K-MLR Algorithm</b> .....	377
Shameena Begum, T. Satish, Chalumuru Suresh, T. Bhavani, and Somula Ramasubbareddy	
<b>Core Performance Based Packet Priority Router for NoC-Based Heterogeneous Multicore Processor</b> .....	389
K. Indragandhi and P. K. Jawahar	
<b>Sequential Pattern Mining for the U.S. Presidential Elections Using Google Cloud Platform (GCP)</b> .....	399
M. Varaprasad Rao, B. Kavitha Rani, K. Srinivas, and G. Madhukar	
<b>Efficient Lossy Audio Compression Using Vector Quantization (ELAC-VQ)</b> .....	407
Vinayak Jagtap, K. Srujan Raju, M. V. Rathnamma, and J. Sasi Kiran	
<b>Multi-objective Evolutionary Algorithms for Data Mining: A Survey</b> .....	417
D. Raghava Lavanya, S. Niharika, and A. S. A. L. G. Gopala Gupta	
<b>A Multi-Criteria Decision Approach for Movie Recommendation Using Machine Learning Techniques</b> .....	425
D. Anji Reddy and G. Narasimha	
<b>Scope of Visual-Based Similarity Approach Using Convolutional Neural Network on Phishing Website Detection</b> .....	435
J. Rajaram and M. Dhasaratham	
<b>Survey on Massive MIMO System with Underlaid D2D Communication</b> .....	453
Suresh Penchala, Deepak Kumar Nayak, and B. Ramadevi	
<b>Prevention of DDoS Attacks and Detection on Cloud Environment—A Review and Survey</b> .....	463
Sharath Kumar Allam and Gudapati Syam Prasad	
<b>A Review on Massive MIMO for 5G Systems: Its Challenges on Multiple Phases</b> .....	471
Lalitha Nagapuri	
<b>A New Ensemble Technique for Recognize the Long and Shortest Text</b> .....	481
M. Malyadri, Najeema Afrin, and M. Anusha Reddy	

<b>Image Denoising Using NLM Filtering and Convolutional Neural Network</b> .....	487
K. Srinivasa Babu, K. Rameshwaraiyah, A. Naveen, and T. Madhu	
<b>A Survey on Diverse Chronic Disease Prediction Models and Implementation Techniques</b> .....	497
Nitin Chopde and Rohit Miri	
<b>An Efficient Text-Based Image Retrieval Using Natural Language Processing (NLP) Techniques</b> .....	505
P. M. Ashok Kumar, T. Subha Mastan Rao, L. Arun Raj, and E. Pugazhendi	
<b>An Efficient Scene Content-Based Indexing and Retrieval on Video Lectures</b> .....	521
P. M. Ashok Kumar, Rami Reddy Ambati, and L. Arun Raj	
<b>Text Summarization Using Natural Language Processing</b> .....	535
Kota Prudhvi, A. Bharath Chowdary, P. Subba Rami Reddy, and P. Lakshmi Prasanna	
<b>Light-Weight Key Establishment Mechanism for Secure Communication Between IoT Devices and Cloud</b> .....	549
Syam Prasad Gudapati and Vidya Gaikwad	
<b>BUGVILLA: Calibrating Bug Reports with Correlated Developers, Tracking Bug Reports, and Performance Analysis</b> .....	565
Gudapati Syam Prasad, D. Kiran, and G. Sreeram	
<b>Annihilate Unsighted Dots in Operating and Aviation Using Artificial Intelligence</b> .....	583
P. S. Rajakumar, S. Pradeep Sunkari, and G. Sreeram	
<b>Miss Rate Estimation (MRE) an Novel Approach Toward L2 Cache Partitioning Algorithm's for Multicore System</b> .....	593
Pallavi Joshi, M. V. Rathnamma, K. Srujan Raju, and Urmila Pawar	
<b>Hierarchical Agglomerative Based Iterative Fuzzy Clustering to Impute Missing Values in Health Datasets</b> .....	605
Ravindar Mogili and G. Narsimha	
<b>Association Rules Mining for STO Dataset of HSES Knowledge Portal System</b> .....	615
Santosh Kumar Miri, Neelam Sahu, Rohit Miri, and S. R. Tandan	
<b>The Role of Heart Rate Variability in Atrial ECG Components of Normal Sinus Rhythm and Sinus Tachycardia Subjects</b> .....	637
B. Dhananjay and J. Sivaraman	

<b>Road Traffic Counting and Analysis Using Video Processing</b> . . . . .	645
A. Kousar Nikhath, N. Venkata Sailaja, R. Vasavi, and R. Vijaya Saraswathi	
<b>SCP Design of Situated Cognitive Processing Model to Assist Learning-Centric Approach for Higher Education in Smart Classrooms</b> . . . . .	653
A. Kousar Nikhath, S. Nagini, R. Vasavi, and S. Vasundra	
<b>A Simple Method for Speaker Recognition and Speaker Verification</b> . . . . .	663
Kanaka Durga Returi, Y. Radhika, and Vaka Murali Mohan	
<b>An Effective Model for Handling the Big Data Streams Based on the Optimization-Enabled Spark Framework</b> . . . . .	673
B. Srivani, N. Sandhya, and B. Padmaja Rani	
<b>Event Organization System for Turnout Estimation with User Group Analysis Model</b> . . . . .	697
P. Subhash, N. Venkata Sailaja, and A. Brahmananda Reddy	
<b>A Method of Speech Signal Analysis Using Multi-level Wavelet Transform</b> . . . . .	711
Kanaka Durga Returi, Y. Radhika, Vaka Murali Mohan, and K. Srujan Raju	
<b>A Systematic Survey on IoT Security Issues, Vulnerability and Open Challenges</b> . . . . .	723
Ranjit Patnaik, Neelamadhab Padhy, and K. Srujan Raju	
<b>Prevention and Analysing on Cross Site Scripting</b> . . . . .	731
L. Jagajeevan Rao, S. K. Nazeer Basha, and V. Rama Krishna	
<b>First-Hand Information from the Spot of Accident and Resolution of Claims</b> . . . . .	741
G. Venkatram Reddy, B. Veera Mallu, B. Sunil Srinivas, and CH. Naga Lakshmi	
<b>Survey on Biological Environmental Sequence Analysis Using Association Technique</b> . . . . .	751
G. Sivanageswara Rao, U. Vignesh, Bhukya Jabber, T. Srinivasarao, and D. Babu Rao	
<b>Neural Network-Based Random-Valued Impulsive Noise Suppression Scheme</b> . . . . .	759
Punyaban Patel and Bibekananda Jena	
<b>Recognition of Change in Facial Expressions From Video Sequence Using Incenter-Circumcenter Pair Gradient Signature</b> . . . . .	771
Md Nasir, Paramartha Dutta, and Avishek Nandi	



<b>A Novel Fusion of Deep Learning and Android Application for Real-Time Mango Fruits Disease Detection</b> .....	781
Vani Ashok and D. S. Vinod	
<b>Time Series Forecasting to Predict Pollutants of Air, Water and Noise Using Deep Learning Methods</b> .....	793
Nimit Jain, Siddharth Singh, Naman Datta, and Suma Dawn	
<b>MAFCA: Mobility-Aware Fuzzy Clustering Algorithm for Wireless Sensor Networks</b> .....	803
Deepika Agrawal and Sudhakar Pandey	
<b>Multiple Hand Gestures for Cursor Movement Using Convolution Neural Networks</b> .....	813
G. Santoshi, Pritee Parwekar, G. Gowri Pushpa, and T. Kranthi	
<b>Secure Anti-piracy System</b> .....	827
Junaid Khan, Akshatha Shenoy, K. M. Bhavana, Megha S. Savalgi, and Surekha Borra	
<b>Analyzing a Cattle Health Monitoring System Using IoT and Its Challenges in Smart Agriculture</b> .....	837
Bharat Singh Thakur and Jitendra Sheetlani	
<b>Image Compression and Reconstruction Using Encoder-Decoder Convolutional Neural Network</b> .....	845
Ajinkya Prabhu, Sarthak Chowdhary, Swathi Jamjala Narayanan, and Boominathan Perumal	
<b>Enhancement of Synthetic-Aperture Radar (SAR) Images Based on Dynamic Unsharp Masking</b> .....	857
Ankita Bishnu, Vikrant Bhateja, and Ankita Rai	
<b>Cough Sound Analysis in Transform Domain for Classification of Respiratory Disorders</b> .....	865
Ahmad Taquee and Vikrant Bhateja	
<b>Factor's Persuading 'Online Shopping' Behaviour in Mauritius: Towards Structural Equation Modelling</b> .....	873
Vani Ramesh, Vishal Chndre Jaunky, and Christopher Lafleur	
<b>'Customer Satisfaction', Loyalty and 'Adoption' of E-Banking Technology in Mauritius</b> .....	885
Vani Ramesh, Vishal Chndre Jaunky, Randhir Roopchund, and Heemlesh Sigh Oodit	



**Intelligent System Design** pp 369–376

[Home](#) > [Intelligent System Design](#) > [Conference paper](#)

## A Comparatives Study of Protein Kinase Domain Regions for MAPK 1-14

[Deepak Nedunuri](#) , [S. M. B. Chowdary](#), [S. Jaya Prakash](#) & [M. Krishna](#)

Conference paper | [First Online: 11 August 2020](#)

**714** Accesses

Part of the [Advances in Intelligent Systems and Computing](#) book series (AISC, volume 1171)

### Abstract

Most of the MAPKs activity is to stimulate a wide variety of signals which include mitogens, growth factors, cytokines, T cell antigens, pheromones, UV and ionizing radiations, osmotic stress, heat shock, oxidative stress and various other factors. MAPKs acts on most non-nuclear oncogenes and is found to be liable for growth factors response towards cellular stimuli. MAPK proteins participating in

S. Jyothi · D. M. Mamatha ·  
Suresh Chandra Satapathy ·  
K. Srujan Raju ·  
Margarita N. Favorskaya *Editors*

# Advances in Computational and Bio-Engineering

Proceeding of the International  
Conference on Computational and Bio  
Engineering, 2019, Volume 1

# Contents

<b>Cloud Computing: A Study on Type of Data Stored in a Cloud and Its Security Mechanisms</b> .....	1
V. Sireesha and M. Usha Rani	
<b>Smart Bag Using Electromagnet Zipper</b> .....	13
M. Goutham Kumar, M. Suma, K. Kishore Reddy, and D. Ajitha	
<b>Analysis on Various Feature Extraction Methods for Medical Image Classification</b> .....	19
S. Vani Kumari and K. Usha Rani	
<b>Prediction of Pest Generations Based on Future Climate Using Big Data Mining</b> .....	33
A. Swarupa Rani and S. Jyothi	
<b>Optimizing TCP Congestion Control Techniques for Wireless Network Architectures</b> .....	47
K. Vasudha Rani and B. Kavitha	
<b>Comparative in Silico Studies for the Molecular Basis of Lepidopteran Insect Pests Bio-Control Using Insect's Own Enzymes</b> .....	55
V. Amardev Rajesh, D. M. Mamatha, and M. Bhaskar	
<b>Collaborative Cloud Computing for Resource Sharing Platform in Multiple Clouds</b> .....	65
K. Saritha and B. Manorama Devi	
<b>Deep Learning of Paradigms: The Outlook</b> .....	71
Allu Jhansi, K. Lavanya, and Kavarakuntla Tulasi	
<b>Applications of Network Analysis in Bioinformatics</b> .....	79
P. Naga Deepthi and Raju Anitha	



<b>Identification of Clinical Variants Present in Skin Melanoma Using Exome Sequencing Data</b> . . . . .	85
Shivaleela Biradar, K. M. Kiran Kumar, M. Naveen Kumar, and R. L. Babu	
<b>A Cloud-Based Privacy Preserving e-Healthcare System Using Whale Optimization</b> . . . . .	97
P. Ruthvik Reddy, G. Sri Sai Nikhil, K. C. Sreedhar, Meeravali Shaik, and M. Swathi	
<b>Short Term Price Forecasting of Horticultural Crops Using Long Short Term Memory Neural Network</b> . . . . .	111
N. Prakash and G. Sumaiya Farzana	
<b>Computational Wear Analysis of Acetabular Cup for Various Daily Activities with Different Biomaterials</b> . . . . .	119
Lokeswar Patnaik, Saikat Ranjan Maity, and Sunil Kumar	
<b>Intelligent Data Mining for Collaborative Information Seeking</b> . . . . .	129
Abhinav Kumar, K. Chandrasekaran, Anupam Shukla, and D. Usha	
<b>Career Recommendation for the Undergraduate Students Using Content Based Filtering Method</b> . . . . .	137
R. Santhosh Kumar and N. Prakash	
<b>LDA Based Approach for Topic Description from Spoken Audio Content</b> . . . . .	145
Ramesh M. Kagalkar, Shashank Simpi, Suyodh Kittur, Vishrut Nayak, and Kashinath	
<b>Internet Traffic Prediction in SDN Using RF and XGB</b> . . . . .	153
Sarika Nyaramneni, M. A. Saifulla, and Sankalp Singh Mehra	
<b>Development of Multigrain Flour</b> . . . . .	161
D. Mounika and G. Sireesha	
<b>Artificial Intelligence and the Law</b> . . . . .	169
T. Sita Kumari	
<b>Review on Regulation of Heat Shock Protein 70 During Radiotherapy in Cancer Patients</b> . . . . .	175
B. Sai Lalitha, M. Malini, M. Venkateswar Rao, and E. Mounika Sravani	
<b>Cognitive Agriculture—Novel Approach for Sustainability</b> . . . . .	183
T. Manjula and T. Sudha	
<b>A Modified Algorithm for Power System State Estimation</b> . . . . .	189
M. S. N. G. Sarada Devi and G. Yesuratnam	

<b>Noise Reduction Using OBNLM Filter and Deep Learning for Polycystic Ovary Syndrome Ultrasound Images</b> . . . . .	203
G. Vasavi and S. Jyothi	
<b>Plant Disease Detection Using Machine Learning Algorithms</b> . . . . .	213
P. Prathusha, K. E. Srinivasa Murthy, and K. Srinivas	
<b>Identification of Roads from CARTOSAT-2 Satellite Images Using Line Segment Detector</b> . . . . .	221
Sravya Madala, K. Praveen Kumar, K. Suvarna Vani, and Kilari Rampriya	
<b>Lung Cancer Detection Using CT Scan Image</b> . . . . .	233
Pranathi Jalapally, K. Suvarna Vani, K. Praveen Kumar, and Jahnvi Koduru	
<b>Efficiency of Neuro-Nutrient Therapy in the Treatment of Neuropathologies</b> . . . . .	243
Swaroop Maralla and D. Bharathi	
<b>Computational Approaches in Toxicity Testing: An Overview</b> . . . . .	255
S. Nithya, M. Lalasa, K. Nagalakshamma, and S. Archana	
<b>Application of Big Data in Forecasting the Travel Behaviour of International Tourists</b> . . . . .	263
N. Padmaja, T. Sudha, and Sirpurkar Srinivas Saurab	
<b>Mapping of Disease Names to Standard Codes for Effective EHR System in India</b> . . . . .	273
Prashant Kanade and Arun Kumar	
<b>Text Mining to Understand Major Keywords Explaining Sentiments of Travelers Using Travel Related Online Services in India</b> . . . . .	287
Dashrath Mane and Prateek Srivastava	
<b>Hot Topic Extraction from News Websites</b> . . . . .	297
J. Katyayani	
<b>Analysing Ground Water Quality in the Regions of Kadapa District Using Supervised Learning Methods</b> . . . . .	305
S. V. S. Ganga Devi	
<b>Computational Model for Integrating Sentimental Analysis in Tourism Information System</b> . . . . .	315
M. Chandini and J. Katyayani	
<b>Classification of Brain Tumor in Mri Images Using Features</b> . . . . .	323
Neelam Sobha Rani and N. V. Muthu Lakshmi	
<b>Removal of Heavy Metals from Industrial Wastewaters Using Low-Cost Adsorbents</b> . . . . .	331
Ajitha Priya N. Jammala	

<b>Microbial Degradation of Fenitrothion (an Insecticide) Found in Agriculture Soils—A Review</b> .....	339
Suvamalatha Devi Potireddy, Sudha Rani Thenepalli, Swetha Tejaswi Thumma, Rajaswi Devi Mandadi, and Ranjani Ramakrishnan	
<b>Pursuance of DWIRS Framework for Deep Web Exploration with Indexing and Ranking</b> .....	347
S. Suneetha and M. Usha Rani	
<b>Emerging Trends in Artificial Intelligence</b> .....	357
S. Madhuri Paradesi	
<b>Improvement of Serum Vitamin-A Levels Through Nutrition Education in Adolescent Girls</b> .....	367
N. Rajani and G. Sireesha	
<b>Performance of Rake Receiver for Maximal Codes</b> .....	375
M. Dileep Reddy and G. Sreenivasulu	
<b>Seeds Viability and Germination Variation Among the Population of <i>Withania somnifera</i> (Ashwagandha). (L) Dunal</b> .....	383
Neha Singh and Anita R. J. Singh	
<b>Application of Artificial Intelligence in Management Information Systems—A Review</b> .....	395
Balaji Venkatachalam and B. Bharathi	
<b>Geometric Feature Extraction for Detecting Carcinoma in Three Dimensional MR Images Through Machine Learning Algorithms</b> .....	405
F. Amul Mary and S. Jyothi	
<b>Smart Garbage Monitoring System Using IoT</b> .....	421
V. Vijeya Kaveri, V. Meenakshi, B. Bharathi, and J. Albert Mayan	
<b>Effects of Buoyancy, Activation Energy on the Stagnation Point Flow of a Chemically Reactive Magneto Radiative Non-Newtonian Nanofluid</b> .....	429
K. Malleswari, K. Sreelakshmi, and G. Sarojamma	
<b>Law and Regulation of Artificial Intelligence in India—Advantages and Pitfalls</b> .....	439
Sunitha Kanipakam	
<b>Enabling Accuracy Finding of Data Storage in Hybrid Cloud and Restricted Resources</b> .....	447
Gollapalli Sumana	

<b>Effect of Edible Oil on AMP-Activated Protein Kinase Pathway in Rabbit</b> .....	463
Shaik Roqhayya, Lavanya Yaidikar, and Syed Rahamathulla	
<b>Prediction of NO<sub>x</sub> Concentration in the Vicinity of Cement Industry Employing AERMOD Dispersion Modeling</b> .....	473
S. Anand Kumar Varma, K. R. Manjula, and Jayato Nayak	
<b>Location Based Sentiment Analysis Using PC<sup>3</sup>E—PNN Consensus Between Classification and Clustering Ensembles—Technique in Big Data Platform</b> .....	489
S. Pradeepa and K. R. Manjula	





[International Conference On Computational And Bio Engineering](#)

CBE 2019: [Advances in Computational and Bio-Engineering](#) pp 79–84

[Home](#) > [Advances in Computational and Bio-Engineering](#) > Conference paper

## Applications of Network Analysis in Bioinformatics

[P. Naga Deepthi](#)  & [Raju Anitha](#)

Conference paper | [First Online: 07 July 2020](#)

**589** Accesses

Part of the [Learning and Analytics in Intelligent Systems](#) book series (LAIS, volume 16)

### Abstract

The practice of bioinformatics involves the collection, classification, storage and analysis of biological and biomedical information—using computers. Some of the specific areas in which these processes are applied include genomics and genetics. Also, an example of the specific data targeted by bioinformatics involves genetic codes. This paper has reviewed the concept of network analysis and its application in bioinformatics. Indeed, the process of network analysis has evolved

Lecture Notes in Networks and Systems 134

Suresh Chandra Satapathy

Vikrant Bhateja

M. Ramakrishna Murty

Nguyen Gia Nhu

Jayasri Kotti *Editors*

# Communication Software and Networks

Proceedings of INDIA 2019

 Springer

# Contents

<b>IOT-Based Smart Stale Food Detector</b> .....	1
B. V. Ramana Murthy, C. Kishor Kumar Reddy, P. R. Anisha, and RajaShekar Sastry	
<b>Detection of Tyre Wear Out Using OpenCV and Convolution Neural Networks–Survey</b> .....	9
Allipilli Harshitha and Samyuktha Samala	
<b>Smart Luggage System</b> .....	19
L. Lalitha Gayatri and Sai Nidhi Paidimarry	
<b>Comparative Study of Privacy Preservation of Data in Hybrid Cloud of Combined Clustering and Geometric Data Perturbation Approach and Hybrid Ant Colony Optimization and Gravitational Search Algorithm</b> .....	25
Sridhar Reddy Vulapula and Srinivas Malladi	
<b>Detection of Plant Diseases Using Data Mining Techniques–A Literature Survey</b> .....	39
Shivani Munigala, Pravalika Nampelli, and Pallavi Tandra	
<b>The New Era of Healthcare: Smart Healthcare Assistant</b> .....	47
Zuha Kareem Ansari, Bushra Taher, Nida Arshad, Sadiyya Fayaz, and Fathima Khader	
<b>Usage of Web Mining for Sales and Corporate Marketing</b> .....	55
Shivani Yadao and A. Vinaya Babu	
<b>A Bird Eye View on the Usage of Artificial Intelligence</b> .....	61
P. R. Anisha and Anulekha Polati	
<b>Early Detection of Diabetes Using Machine Learning Algorithms and Internet of Things: ADPA</b> .....	79
P. R. Anisha and C. Kishor Kumar Reddy	

<b>Unique Identification Authority of India BOT: An Intelligent Application Using Artificial Intelligence Approach . . . . .</b>	87
V. Prasad, M. Vineeth Kumar, K. Viswanadh, and P. V. N. Mahesh	
<b>CAPTCHA Techniques of Secure Web Authentication: A Survey . . . . .</b>	97
Gannavarapu Ananth Kumar and Garg Rishav	
<b>Time Series Analysis on Univariate and Multivariate Variables: A Comprehensive Survey . . . . .</b>	119
Satyanarayana Reddy Beeram and Swarna Kuchibhotla	
<b>Basic Review of Different Strategies for Classification of Sentiment Analysis in Social Networks . . . . .</b>	127
K. Venkateswara Rao and Mangalampalli Kameswara Subrahmanyam	
<b>Enhancing the Security, Reliability, and Data Integrity Issues in the Internet of Things by Implementing Blockchain Strategy in Mining: Challenges and Solutions . . . . .</b>	137
Biswaranjan Mishra and Neelamadhaba Padhy	
<b>Dynamic Hand Gesture Recognition Using 3D-Convolutional Neural Network . . . . .</b>	145
Mithun Channayanamath, Akshay Math, Venkat Peddigari, Shilpa Kamath, Kavita Chachadi, Faisal Sabeeh, and Ameen Attar	
<b>Evaluating Machine Learning Algorithms for Marketing Data Analysis: Predicting Grocery Store Sales . . . . .</b>	155
Deepa Rani Gopagoni, P. V. Lakshmi, and Ankur Chaudhary	
<b>Review on the Methodologies for Image Segmentation Based on CNN . . . . .</b>	165
G. V. Sivanarayana, K. Naveen Kumar, Y. Srinivas, and G. V. S. Raj Kumar	
<b>A Relativistic Study on Recent Clustering Algorithms . . . . .</b>	177
D. Sirisha and S. Sambhu Prasad	
<b>Learning Style Recommender System Using VAK Technique and Machine Learning . . . . .</b>	187
Srinivas Adapa, Netaji Gandhi, Vechalapu Alekya, and Ganthakora Lakshmi Durga	
<b>Advanced Safety Analysis and Modeling of Control Software in Implantable Medical Devices . . . . .</b>	201
Umamaheswararao Batta, Jayasri Kotti, and Seetharamaiah Panchumarthy	
<b>Empty Region Detection in an Image Using Deep Convolutional Neural Network . . . . .</b>	213
Kavita Chachadi, Vanraj Vala, and Shilpa Kamath	



<b>An Enhanced Approach to Extract Top-K High Productive Itemsets</b> .....	221
Preethi Gandreti, Satyanarayana Mummana, and Budimure Ramana Babu	
<b>Study of Algorithms and Methods on Emotion Detection from Facial Expressions: A Review from Past Research</b> .....	231
Sasanko Sekhar Gantayat and Swathi Lenka	
<b>Data Security Using Matrix Operations</b> .....	245
Snehal Bhogan and Ashish Narvekar	
<b>Impact of Naïve Bayesian Classification on Banking Sector</b> .....	255
Sarmistha Saha and G. P. Saradhi Varma	
<b>Smart Door Unlocking Using Face Recognition and Blink Detection</b> ...	261
Rajesh K. Yadav and K. M. Karthik	
<b>A Review on Image Compression Techniques</b> .....	271
Krishna Marlapalli, Rani S. B. P. Bandlamudi, Rambabu Busi, Vallabaneni Pranav, and B. Madhavrao	
<b>A Novel Design of Multiband Monopole Antenna Loaded with Complementary Split Ring Resonator</b> .....	281
Y. Sukanya, D. Uma, P. A. Nageswara Rao, and R. P. Das	
<b>Gold, Inflation, GDP, and Lending Rate: An Interesting Relation</b> .....	293
S. Ravi Kumar Raju and P. S. Avadhani	
<b>A Mechatronics Design Approach of a Low-Cost Smart Reconnaissance Robot</b> .....	299
N. Seenu, R. M. Kuppan Chetty, K. M. Adithya Krishna, Taarun Srinivas, and R. G. Pranav Raj	
<b>Arrhythmia Recognition and Evaluation of ECG Signal Using Signal Processing Techniques</b> .....	311
G. Gayatri and T. Madhavi	
<b>Cloud Virtualized Middlebox: An IDS</b> .....	321
K. S. Resma, G. S. Sharvani, and Manisha S. Soneja	
<b>Novel Approach to New Domain Aspect Identification Using Deep Learning and Word Replacement</b> .....	331
Bonson Sebastian Mampilli and Deepa Anand	
<b>Power Quality Improvement of a Grid-Connected System Using Fuzzy-Based Custom Power Devices</b> .....	345
V. Anantha Lakshmi and T. R. Jyothsna	
<b>Detection and Prediction of Land Use and Land Cover Changes Using Deep Learning</b> .....	359
Eliza Femi Sherley, Ajay Kumar, Revathy, and Divyashree	



<b>A Study of Machine Learning Approaches to Detect Cyberbullying . . .</b>	<b>369</b>
Subbaraju Pericherla and E. Ilavarasan	
<b>Dynamic and Collaborative Group Key Generation with Quadtree-Based Queue-Batch Algorithm . . . . .</b>	<b>379</b>
V. Srinadh and P. V. Nageswara Rao	
<b>Performance Evaluation of Tandem Communication Network Model with DBA Having Direct Weibull Inter Arrival Times and Phase-Type Transmission . . . . .</b>	<b>393</b>
G. Sita Ratnam, P. Srinivasa Rao, K. Srinivasa Rao, and Mugada Swetha	
<b>A Novel Approach for Detection of Driver Drowsiness Using Behavioural Measures . . . . .</b>	<b>403</b>
D. Venkata Subbaiah, Pushkal Padala, and K. Venkata Rao	
<b>Interpretation of Statistical Errors for Precise GPS Receiver Positioning Using Recursive Least Squares and Extended Kalman Filter Approaches . . . . .</b>	<b>415</b>
P. Sirish Kumar and V. B. S. Srilatha Indira Dutt	
<b>Robust Blood Vessels Segmentation Based on Memory-Augmented Neural Network . . . . .</b>	<b>425</b>
K. Arunabhaskar and R. Kiran Kumar	
<b>Mutual Information and Machine Learning Based Distinguishers for Pseudo Random Bit Sequences . . . . .</b>	<b>435</b>
Bharat Lal Jangid	
<b>Rectangular Patch with Optimized Circular Slot and Perturbed Rings for Multiband Application . . . . .</b>	<b>445</b>
Ribhu Abhusan Panda, Md Danish Iqbal, Abhishek Panigrahi, G. Sai Varun, and Debasis Mishra	
<b>A Hybrid Imbalanced Data Learning Framework to Tackle Opinion Imbalance in Movie Reviews . . . . .</b>	<b>453</b>
Salina Adinarayana and E. Ilavarasan	
<b>Design and Implementation of an Efficient VLSI Architecture for 10T Full Adder Used in Ultra Low Power Applications . . . . .</b>	<b>463</b>
Vagu Radha Haneesha, Vemu Srinivasa Rao, and S. Adinarayana	
<b>Location Based Scalable Recommendations Using Social Relationships . . . . .</b>	<b>477</b>
Joydeep Das, Abhishek Agarwal, Subhashis Majumder, and Kalyani Mali	
<b>A Survey on Identity-Based Security in Wireless Sensor Networks . . . . .</b>	<b>487</b>
Lakshmanarao Kalabarige and Hima Bindu Maringanti	

<b>Analysis of Crimes Against Women in India Using Machine Learning Techniques</b> .....	499
K. Ravi Teja, K. R. M. Ajay Kumar, G. S. S. Praveen, and D. N. D. Harini	
<b>Comparative Analysis of Genomic Personalized Cancer Diagnosis by Machine Learning Approaches ROC Curve</b> .....	511
V. Kakulapti, P. Lalitha Bhavani, K. Swathi Reddy, and P. Nissar Ahmed	
<b>DNA Playfair Cryptosystem Based on <math>16 \times 16</math> Key Matrix Using DNA ASCII Table</b> .....	529
P. Bharathi Devi, R. Kiran Kumar, and P. Ravindra	
<b>Non-negative Matrix Factorization Procedure for Characteristic Mining of Mathematical Formulae from Documents</b> .....	539
K. N. Brahmaji Rao, G. Srinivas, P. V. G. D. Prasad Reddy, and B. Tarakeswara Rao	
<b>A Comparative Study on Coverage-Hole Detection Improvement with Inner Empty Circle over Delaunay Triangulation Method in Wireless Sensor Networks</b> .....	553
Smita Das and Mrinal Kanti Debbarma	
<b>An Energy-Efficient Resource Allocation System Using OFDM DAS Model for LTE Applications</b> .....	563
B. Kiranmai, V. Lavanya, and S. S. Kiran	
<b>Blockchain Based Proof of Existence (PoE) Application for Educational Certificate Verification</b> .....	575
K. Ravi Kishore, G. Jyostna, Mahesh U. Patil, P. R. Lakshmi Eswari, and E. Magesh	
<b>An Optimized Speed Adaptive Beacon Broadcast Approach for Information Dissemination in Vehicular Ad hoc Networks</b> .....	587
Sandeep Kad and Vijay Kumar Banga	
<b>Wavelet Packet Transform-Based Image Classification for Computer-Aided Glaucoma Diagnosis Using Naïve Bayes Classifier</b> .....	597
Anisha Rebinth and S. Mohan Kumar	
<b>A Robust Method for Multi-algorithmic Palmprint Recognition Using Exponential Genetic Algorithm-Based Feature Selection</b> .....	607
Aruna Kumari Palisetty and Jaya Suma Gogulamanda	
<b>Signature Extraction Using Connected Component Labeling</b> .....	619
Venkata Sai Nitesh Virothi and Meghana Santoshi Janapareddy	
<b>Bitcoin Price Prediction and Analysis Using Deep Learning Models</b> ...	631
Temesgen Awoke, Minakhi Rout, Lipika Mohanty, and Suresh Chandra Satapathy	

<b>Trajectory Planning in 2D Space Using Evolutionary Algorithms</b> . . . . .	641
Divyanshi Raghuvanshi, Anand Kumar Sahay, Junali Jasmine Jena, Lipika Mohanty, and Suresh Chandra Satapathy	
<b>Use of Evolutionary Algorithms for Detection of Fatal Diseases via DNA Micro-array Classification: A Review</b> . . . . .	649
Junali Jasmine Jena and Suresh Chandra Satapathy	
<b>An Efficient JAYA-Based Clustering Technique</b> . . . . .	657
Prabhu Prasad Dev, Priya Mishra, and Anasua Banerjee	
<b>Online Voting System Using Blockchain</b> . . . . .	665
Anjali Prajapati and Vandana Reddy	
<b>Data Communication Through Single-Board Computers</b> . . . . .	673
Prakruti Mallayya Bilagi, Vidyadhar S. Melkeri, and Gauri Kalnoor	
<b>Cloud Computing—Security, Issues, and Solutions</b> . . . . .	687
Ritesh Sharma, Mahendra Kumar Gourisaria, and S. S. Patra	
<b>Prediction of Sedimentation in a Watershed Using RNN and SVM</b> . . . . .	701
Abinash Sahoo, Ajit Barik, Sandeep Samantaray, and Dillip K. Ghose	
<b>Prophecy of Runoff in a River Basin Using Various Neural Networks</b> . . . . .	709
Sneha Raichel Jimmy, Abinash Sahoo, Sandeep Samantaray, and Dillip K. Ghose	
<b>Application of Artificial Neural Networks and Multiple Linear Regression for Rainfall–Runoff Modeling</b> . . . . .	719
Wajahat Annayat, Ajay Gupta, Kondepogu Ravi Prakash, and Briti Sundar Sil	
<b>Runoff Prediction Using Hybrid Neural Networks in Semi-Arid Watershed, India: A Case Study</b> . . . . .	729
Sandeep Samantaray, Abinash Sahoo, Nihar Ranjan Mohanta, Paresh Biswal, and Umesh K. Das	
<b>Runoff is a Key Constraint Toward Water Table Fluctuation Using Neural Networks: A Case Study</b> . . . . .	737
Bijay Narayan Sarkar, Sandeep Samantaray, U. Kumar, and Dillip K. Ghose	
<b>Estimation of Water Table Depth Using Wavelet-ANFIS: A Case Study</b> . . . . .	747
Sriharsha Sridharam, Abinash Sahoo, Sandeep Samantaray, and Dillip K. Ghose	

<b>Estimation of Flood in a River Basin Through Neural Networks: A Case Study</b> .....	755
Abinash Sahoo, Ujjawal K. Singh, Mavoori Hitesh Kumar, and Sandeep Samantaray	
<b>Assessment of Flow Discharge in a River Basin Through CFBPNN, LRNN and CANFIS</b> .....	765
Sriharsha Sridharam, Abinash Sahoo, Sandeep Samantaray, and Dillip K. Ghose	






**Communication Software and Networks** pp 271–279

[Home](#) > [Communication Software and Networks](#) > Conference paper

## A Review on Image Compression Techniques

[Krishna Marlapalli](#) , [Rani S. B. P. Bandlamudi](#), [Rambabu Busi](#), [Vallabaneni Pranav](#) & [B. Madhavrao](#)

Conference paper | [First Online: 04 October 2020](#)

**1364** Accesses | **7** Citations

Part of the [Lecture Notes in Networks and Systems](#) book series (LNNS, volume 134)

### Abstract

With the continuous advances in technology, the bandwidth requirements of a communication network have been increased. But increased pixel size in and gray level resolution in sensor technology and in digital image representation, the increased bandwidth is not satisfying the requirements. Hence image compression becomes a prominent research area. Image compression decreases the number of bits necessary to

Suresh Chandra Satapathy  
Vikrant Bhateja  
B. Janakiramaiah  
Yen-Wei Chen *Editors*

# Intelligent System Design

Proceedings of Intelligent System  
Design: INDIA 2019

# Advances in Intelligent Systems and Computing

Volume 1171

## Series Editor

Janusz Kacprzyk, Systems Research Institute, Polish Academy of Sciences,  
Warsaw, Poland

## Advisory Editors

Nikhil R. Pal, Indian Statistical Institute, Kolkata, India

Rafael Bello Perez, Faculty of Mathematics, Physics and Computing,  
Universidad Central de Las Villas, Santa Clara, Cuba

Emilio S. Corchado, University of Salamanca, Salamanca, Spain

Hani Hagrass, School of Computer Science and Electronic Engineering,  
University of Essex, Colchester, UK

László T. Kóczy, Department of Automation, Széchenyi István University,  
Gyor, Hungary

Vladik Kreinovich, Department of Computer Science, University of Texas  
at El Paso, El Paso, TX, USA

Chin-Teng Lin, Department of Electrical Engineering, National Chiao  
Tung University, Hsinchu, Taiwan

Jie Lu, Faculty of Engineering and Information Technology,  
University of Technology Sydney, Sydney, NSW, Australia

Patricia Melin, Graduate Program of Computer Science, Tijuana Institute  
of Technology, Tijuana, Mexico

Nadia Nedjah, Department of Electronics Engineering, University of Rio de Janeiro,  
Rio de Janeiro, Brazil

Ngoc Thanh Nguyen, Faculty of Computer Science and Management,  
Wrocław University of Technology, Wrocław, Poland

Jun Wang, Department of Mechanical and Automation Engineering,  
The Chinese University of Hong Kong, Shatin, Hong Kong

# Contents

<b>Acceptance of Technology in the Classroom: A Qualitative Analysis of Mathematics Teachers' Perceptions</b> .....	1
Perienen Appavoo	
<b>Smart Agriculture Using IOT</b> .....	11
Bammidi Deepa, Chukka Anusha, and P. Chaya Devi	
<b>CSII-TSBCC: Comparative Study of Identifying Issues of Task Scheduling of Big data in Cloud Computing</b> .....	21
Chetana Tukkoji, K. Seetharam, T. Srinivas Rao, and G. Sandhya	
<b>De-Centralized Cloud Data Storage for Privacy-Preserving of Data Using Fog</b> .....	31
Gadu Srinivasa Rao, G. Himaja, and V. S. V. S. Murthy	
<b>Multilayer Perceptron Back propagation Algorithm for Predicting Breast Cancer</b> .....	41
K. Satish Kumar, V. V. S. Sasank, K. S. Raghu Praveen, and Y. Krishna Rao	
<b>IOT-Based Borewell Water-Level Detection and Auto-Control of Submersible Pumps</b> .....	55
Sujatha Karimisetty, Vaikunta Rao Rugada, and Dadi Harshitha	
<b>Institute Examcell Automation with Mobile Application Interface</b> .....	63
Sujatha Karimisetty, Sujatha Thulam, and Surendra Talari	
<b>Plasmonic Square Ring Resonator Based Band-Stop Filter Using MIM Waveguide</b> .....	71
P. Osman, P. V. Sridevi, and K. V. S. N. Raju	
<b>Interactive and Assistive Gloves for Post-stroke Hand Rehabilitation</b> .....	77
Riya Vatsa and Suresh Chandra Satapathy	

<b>An Approach for Collaborative Data Publishing Using Self-adaptive Genetic Grey Wolf Optimizer . . . . .</b>	87
T. Senthil Murugan and Yogesh R. Kulkarni	
<b>Review of Optical Devanagari Character Recognition Techniques . . . . .</b>	97
Sukhjinder Singh and Naresh Kumar Garg	
<b>A Comprehensive Review on Deep Learning Based Lung Nodule Detection in Computed Tomography Images . . . . .</b>	107
Mahender G. Nakrani, Ganesh S. Sable, and Ulhas B. Shinde	
<b>ROS-Based Pedestrian Detection and Distance Estimation Algorithm Using Stereo Vision, Leddar and CNN . . . . .</b>	117
Anjali Mukherjee, S. Adarsh, and K. I. Ramachandran	
<b>An Enhanced Prospective Jaccard Similarity Measure (PJSM) to Calculate the User Similarity Score Set for E-Commerce Recommender System . . . . .</b>	129
H. Mohana and M. Suriakala	
<b>Spliced Image Detection in 3D Lighting Environments Using Neural Networks . . . . .</b>	143
V. Vinolin and M. Sucharitha	
<b>Two-Level Text Summarization Using Topic Modeling . . . . .</b>	153
Dhannuri Saikumar and P. Subathra	
<b>A Robust Blind Oblivious Video Watermarking Scheme Using Undecimated Discrete Wavelet Transform . . . . .</b>	169
K. Meenakshi, K. Swaraja, Padmavathi Kora, and G. Karuna	
<b>Recognition of Botnet by Examining Link Failures in Cloud Network by Exhausting CANFES Classifier Approach . . . . .</b>	179
S. Nagendra Prabhu, D. Shanthi Saravanan, V. Chandrasekar, and S. Shanthi	
<b>Low Power, Less Leakage Operational Transconductance Amplifier (OTA) Circuit Using FinFET . . . . .</b>	191
Maram Anantha Guptha, V. M. Senthil Kumar, T. Hari Prasad, and Ravindrakumar Selvaraj	
<b>Fast Converging Magnified Weighted Sum Backpropagation . . . . .</b>	201
Ashwini Sapkal and U. V. Kulkarni	
<b>Quantum Cryptography Protocols for Internet of Everything: General View . . . . .</b>	211
Ch. Nikhil Pradeep, M. Kameswara Rao, and B. Sai Vikas	
<b>Secure Mobile-Server Communications Using Vector Decomposition Problem . . . . .</b>	219
P. Arjun Gopinath and I. Praveen	



<b>A Hybrid Full Adder Design Using Multigate Devices Based on XOR/XNOR Logic</b> .....	229
V. M. Senthil Kumar, Ciddula Rathnakar, Maram Anandha Gupta, and Ravindrakumar Selvaraj	
<b>Examining Streaming Data on Twitter Hash Tags with Relevance to Social Problems</b> .....	237
S. Shanthi, D. Sujatha, V. Chandrasekar, and S. Nagendra Prabhu	
<b>A Semantic-Aware Strategy for Automatic Speech Recognition Incorporating Deep Learning Models</b> .....	247
A. Santhanavijayan, D. Naresh Kumar, and Gerard Deepak	
<b>A Novel Encryption Design for Wireless Body Area Network in Remote Healthcare System Using Enhanced RSA Algorithm</b> .....	255
R. Nidhya, S. Shanthi, and Manish Kumar	
<b>Sentimental Analysis on Twitter Data Using Hadoop with Spring Web MVC</b> .....	265
RaviKiran Ramaraju, G. Ravi, and Kondapally Madhavi	
<b>Slicing Based on Web Scrapped Concurrent Component</b> .....	275
Niharika Pujari, Abhishek Ray, and Jagannath Singh	
<b>Service Layer Security Architecture for IOT Using Biometric Authentication and Cryptography Technique</b> .....	291
Santosh Kumar Sharma and Bonomali Khuntia	
<b>An Effective Modeling and Design of Closed-Loop High Step-up DC–DC Boost Converter</b> .....	303
Baggam Swathi and Kamala Murthy	
<b>Sales Analysis on Back Friday Using Machine Learning Techniques</b> .....	313
Somula Ramasubbareddy, T. A. S. Srinivas, K. Govinda, and E. Swetha	
<b>GMusic Player Using Self-adjusting Graph Data Structures</b> .....	321
S. Aravindharamanan, Somula Ramasubbareddy, K. Govinda, and E. Swetha	
<b>Plants Nutrient Deficiency Identification Using Classification</b> .....	329
Somula Ramasubbareddy, M. Manik, T. A. S. Srinivas, and K. Govinda	
<b>Maximize Power Generated Using Solar Tracking Mechanism</b> .....	339
G. Naga Chandrika, Somula Ramasubbareddy, K. Govinda, and C. S. Pavan Kumar	
<b>An Automated Glaucoma Detection in Fundus Images—A Survey</b> ....	347
V. Priyanka and D. Vaishnavi	

<b>TEAP-Technically Equipped Agricultural Practice</b> .....	361
N. Mangathayaru, M. Lakshmi Lashita, D. Sri Pallavi, and C. Mithila Reddy	
<b>A Comparatives Study of Protein Kinase Domain Regions for MAPK 1-14</b> .....	369
Deepak Nedunuri, S. M. B. Chowdary, S. Jaya Prakash, and M. Krishna	
<b>Predicting Type of Lung Cancer by Using K-MLR Algorithm</b> .....	377
Shameena Begum, T. Satish, Chalumuru Suresh, T. Bhavani, and Somula Ramasubbareddy	
<b>Core Performance Based Packet Priority Router for NoC-Based Heterogeneous Multicore Processor</b> .....	389
K. Indragandhi and P. K. Jawahar	
<b>Sequential Pattern Mining for the U.S. Presidential Elections Using Google Cloud Platform (GCP)</b> .....	399
M. Varaprasad Rao, B. Kavitha Rani, K. Srinivas, and G. Madhukar	
<b>Efficient Lossy Audio Compression Using Vector Quantization (ELAC-VQ)</b> .....	407
Vinayak Jagtap, K. Srujan Raju, M. V. Rathnamma, and J. Sasi Kiran	
<b>Multi-objective Evolutionary Algorithms for Data Mining: A Survey</b> .....	417
D. Raghava Lavanya, S. Niharika, and A. S. A. L. G. Gopala Gupta	
<b>A Multi-Criteria Decision Approach for Movie Recommendation Using Machine Learning Techniques</b> .....	425
D. Anji Reddy and G. Narasimha	
<b>Scope of Visual-Based Similarity Approach Using Convolutional Neural Network on Phishing Website Detection</b> .....	435
J. Rajaram and M. Dhasaratham	
<b>Survey on Massive MIMO System with Underlaid D2D Communication</b> .....	453
Suresh Penchala, Deepak Kumar Nayak, and B. Ramadevi	
<b>Prevention of DDoS Attacks and Detection on Cloud Environment—A Review and Survey</b> .....	463
Sharath Kumar Allam and Gudapati Syam Prasad	
<b>A Review on Massive MIMO for 5G Systems: Its Challenges on Multiple Phases</b> .....	471
Lalitha Nagapuri	
<b>A New Ensemble Technique for Recognize the Long and Shortest Text</b> .....	481
M. Malyadri, Najeema Afrin, and M. Anusha Reddy	

<b>Image Denoising Using NLM Filtering and Convolutional Neural Network</b> .....	487
K. Srinivasa Babu, K. Rameshwaraiyah, A. Naveen, and T. Madhu	
<b>A Survey on Diverse Chronic Disease Prediction Models and Implementation Techniques</b> .....	497
Nitin Chopde and Rohit Miri	
<b>An Efficient Text-Based Image Retrieval Using Natural Language Processing (NLP) Techniques</b> .....	505
P. M. Ashok Kumar, T. Subha Mastan Rao, L. Arun Raj, and E. Pugazhendi	
<b>An Efficient Scene Content-Based Indexing and Retrieval on Video Lectures</b> .....	521
P. M. Ashok Kumar, Rami Reddy Ambati, and L. Arun Raj	
<b>Text Summarization Using Natural Language Processing</b> .....	535
Kota Prudhvi, A. Bharath Chowdary, P. Subba Rami Reddy, and P. Lakshmi Prasanna	
<b>Light-Weight Key Establishment Mechanism for Secure Communication Between IoT Devices and Cloud</b> .....	549
Syam Prasad Gudapati and Vidya Gaikwad	
<b>BUGVILLA: Calibrating Bug Reports with Correlated Developers, Tracking Bug Reports, and Performance Analysis</b> .....	565
Gudapati Syam Prasad, D. Kiran, and G. Sreeram	
<b>Annihilate Unsighted Dots in Operating and Aviation Using Artificial Intelligence</b> .....	583
P. S. Rajakumar, S. Pradeep Sunkari, and G. Sreeram	
<b>Miss Rate Estimation (MRE) an Novel Approach Toward L2 Cache Partitioning Algorithm's for Multicore System</b> .....	593
Pallavi Joshi, M. V. Rathnamma, K. Srujan Raju, and Urmila Pawar	
<b>Hierarchical Agglomerative Based Iterative Fuzzy Clustering to Impute Missing Values in Health Datasets</b> .....	605
Ravindar Mogili and G. Narsimha	
<b>Association Rules Mining for STO Dataset of HSES Knowledge Portal System</b> .....	615
Santosh Kumar Miri, Neelam Sahu, Rohit Miri, and S. R. Tandan	
<b>The Role of Heart Rate Variability in Atrial ECG Components of Normal Sinus Rhythm and Sinus Tachycardia Subjects</b> .....	637
B. Dhananjay and J. Sivaraman	

<b>Road Traffic Counting and Analysis Using Video Processing</b> . . . . .	645
A. Kousar Nikhath, N. Venkata Sailaja, R. Vasavi, and R. Vijaya Saraswathi	
<b>SCP Design of Situated Cognitive Processing Model to Assist Learning-Centric Approach for Higher Education in Smart Classrooms</b> . . . . .	653
A. Kousar Nikhath, S. Nagini, R. Vasavi, and S. Vasundra	
<b>A Simple Method for Speaker Recognition and Speaker Verification</b> . . . . .	663
Kanaka Durga Returi, Y. Radhika, and Vaka Murali Mohan	
<b>An Effective Model for Handling the Big Data Streams Based on the Optimization-Enabled Spark Framework</b> . . . . .	673
B. Srivani, N. Sandhya, and B. Padmaja Rani	
<b>Event Organization System for Turnout Estimation with User Group Analysis Model</b> . . . . .	697
P. Subhash, N. Venkata Sailaja, and A. Brahmananda Reddy	
<b>A Method of Speech Signal Analysis Using Multi-level Wavelet Transform</b> . . . . .	711
Kanaka Durga Returi, Y. Radhika, Vaka Murali Mohan, and K. Srujan Raju	
<b>A Systematic Survey on IoT Security Issues, Vulnerability and Open Challenges</b> . . . . .	723
Ranjit Patnaik, Neelamadhab Padhy, and K. Srujan Raju	
<b>Prevention and Analysing on Cross Site Scripting</b> . . . . .	731
L. Jagajeevan Rao, S. K. Nazeer Basha, and V. Rama Krishna	
<b>First-Hand Information from the Spot of Accident and Resolution of Claims</b> . . . . .	741
G. Venkatram Reddy, B. Veera Mallu, B. Sunil Srinivas, and CH. Naga Lakshmi	
<b>Survey on Biological Environmental Sequence Analysis Using Association Technique</b> . . . . .	751
G. Sivanageswara Rao, U. Vignesh, Bhukya Jabber, T. Srinivasarao, and D. Babu Rao	
<b>Neural Network-Based Random-Valued Impulsive Noise Suppression Scheme</b> . . . . .	759
Punyaban Patel and Bibekananda Jena	
<b>Recognition of Change in Facial Expressions From Video Sequence Using Incenter-Circumcenter Pair Gradient Signature</b> . . . . .	771
Md Nasir, Paramartha Dutta, and Avishek Nandi	

<b>A Novel Fusion of Deep Learning and Android Application for Real-Time Mango Fruits Disease Detection</b> .....	781
Vani Ashok and D. S. Vinod	
<b>Time Series Forecasting to Predict Pollutants of Air, Water and Noise Using Deep Learning Methods</b> .....	793
Nimit Jain, Siddharth Singh, Naman Datta, and Suma Dawn	
<b>MAFCA: Mobility-Aware Fuzzy Clustering Algorithm for Wireless Sensor Networks</b> .....	803
Deepika Agrawal and Sudhakar Pandey	
<b>Multiple Hand Gestures for Cursor Movement Using Convolution Neural Networks</b> .....	813
G. Santoshi, Pritee Parwekar, G. Gowri Pushpa, and T. Kranthi	
<b>Secure Anti-piracy System</b> .....	827
Junaid Khan, Akshatha Shenoy, K. M. Bhavana, Megha S. Savalgi, and Surekha Borra	
<b>Analyzing a Cattle Health Monitoring System Using IoT and Its Challenges in Smart Agriculture</b> .....	837
Bharat Singh Thakur and Jitendra Sheetlani	
<b>Image Compression and Reconstruction Using Encoder-Decoder Convolutional Neural Network</b> .....	845
Ajinkya Prabhu, Sarthak Chowdhary, Swathi Jamjala Narayanan, and Boominathan Perumal	
<b>Enhancement of Synthetic-Aperture Radar (SAR) Images Based on Dynamic Unsharp Masking</b> .....	857
Ankita Bishnu, Vikrant Bhateja, and Ankita Rai	
<b>Cough Sound Analysis in Transform Domain for Classification of Respiratory Disorders</b> .....	865
Ahmad Taquee and Vikrant Bhateja	
<b>Factor's Persuading 'Online Shopping' Behaviour in Mauritius: Towards Structural Equation Modelling</b> .....	873
Vani Ramesh, Vishal Chndre Jaunky, and Christopher Lafleur	
<b>'Customer Satisfaction', Loyalty and 'Adoption' of E-Banking Technology in Mauritius</b> .....	885
Vani Ramesh, Vishal Chndre Jaunky, Randhir Roopchund, and Heemlesh Sigh Oodit	






**Intelligent System Design** pp 369–376

[Home](#) > [Intelligent System Design](#) > Conference paper

## A Comparatives Study of Protein Kinase Domain Regions for MAPK 1-14

[Deepak Nedunuri](#) , [S. M. B. Chowdary](#), [S. Jaya Prakash](#) & [M. Krishna](#)

Conference paper | [First Online: 11 August 2020](#)


**714** Accesses

Part of the [Advances in Intelligent Systems and Computing](#) book series (AISC, volume 1171)

### Abstract

Most of the MAPKs activity is to stimulate a wide variety of signals which include mitogens, growth factors, cytokines, T cell antigens, pheromones, UV and ionizing radiations, osmotic stress, heat shock, oxidative stress and various other factors. MAPKs acts on most non-nuclear oncogenes and is found to be liable for growth factors response towards cellular stimuli. MAPK proteins participating in

# A Textbook of Programming in C



Mr. T. N. S. Koti Mani Kumar



Pandit  
Publications

## ABOUT THE AUTHOR



Mr. T. N. S. Koti Mani Kumar completed his B.Tech in Information Technology and M.Tech in Computer Science and Engineering. He was appointed as Assistant Professor in Department of Computer Science and Engineering at Sir CR Reddy College of Engineering, Eluru, West Godavari district, Andhra Pradesh. He is Microsoft certified in Microsoft Dynamics CRM 2016 customization and configuration (Candidate ID: Ms0615248291). He has 2+ years of industrial experience with .NET technologies using ASP.NET, C# .NET, WCF and MS SQL server 2008 & 2012. He has 3+ years of experience in teaching. His area of interest is in C, Java, Python and Computer Networks.



789389 044225 >



**Pandit Publications,**

• 29, Raman Street, New Road,  
Sivakasi-626123, Tamilnadu, India.

E-mail: [info@panditpublications.org](mailto:info@panditpublications.org)

Website: <http://www.panditpublications.org>

Copyright © 2020 by Pandit Publications

All rights reserved. Authorized reprint of the edition published by Pandit Publications. No part of this book may be reproduced in any form without the written permission of the publisher.

**Limits of Liability/Disclaimer of Warranty:** The authors are solely responsible for the contents of the paper in this volume. The publishers or editors do not take any responsibility for the same in any manner. Errors, if any, are purely unintentional and readers are required to communicate such errors to the editors or publishers to avoid discrepancies in future. No warranty may be created or extended by sales or promotional materials. The advice and strategies contained herein may not be suitable for every situation. This work is sold with the understanding that the publisher is not engaged in rendering legal, accounting, or other professional services. If professional assistance is required, the services of a competent professional person should be sought. Further, reader should be aware that internet website listed in this work may have changed or disappeared between when this was written and when it is read.

Pandit Publications also publishes its books in a variety of electronic formats. Some content that appears in print may not be available in electronic books.



**ISBN : 978-93-89044-22-5**

**AUTHOR:**

Mr. T. N. S. KOTI MANI KUMAR

**Price : Rs,**

**PANDIT PUBLICATIONS**

27, Ramanadar street,

New Road,

Sivakasi-626123

Tamilnadu

E-mail: [info@panditpublications.org](mailto:info@panditpublications.org)

Website: <http://panditpublications.org>

Phone: +91 8015397794

**DEDICATION**

## CONTENTS

<b>1. INTRODUCTION TO C PROGRAMMING.....</b>	<b>1</b>
1.Introduction.....	1
1.1. Features of C Language.....	1
1.2. Translators.....	3
1.3. Basic Structure Of C-Program.....	6
1.4. Identifiers.....	9
1.5. Data Types.....	10
1.6. Variables.....	13
1.7. Operators.....	21
1.7.1. Arithmetic Operators.....	21
1.7.2. Relational Operators.....	23
1.7.3. Logical Operator.....	25
1.7.4. Bitwise Operators.....	27
1.7.5. Assignment Operators.....	32
1.7.6. Conditional Operators.....	34
1.7.7. Increment or Decrement Operators.....	35
1.7.8. Special Operators.....	36
<b>2. TYPE CONVERSION STATEMENTS.....</b>	<b>39</b>
2.1. Type Conversions and Casting.....	39
2.2. Implicit Type Conversion.....	39
2.2.1. Case Study on Implicit Conversion.....	40
2.3. Explicit Type Conversion.....	43
2.3.1. Case Study on Explicit Conversion.....	44
<b>3. SELECTION AND MAKING DECISIONS.....</b>	<b>46</b>
3.Introduction.....	46
3.1. if statement.....	46
3.2. if..else Statement.....	49
3.2.1. Case Study of 'if' Clause.....	57
3.3. if...else...if Ladder.....	59
3.4. Nested if Statement.....	69
3.5. switch Statement.....	73
3.5.1. Case Study On Switch Statement.....	82
<b>4.LOOPS.....</b>	<b>85</b>
4.1. for Loop.....	85
4.4.1. Case study for Loop.....	94



4.2.while Loop. ....	98
4.3.do-while Loop. ....	104
4.4.Jump statements. ....	109
4.4.1.break statement. ....	110
4.4.2.continue statement. ....	114
4.4.3.goto statement. ....	116
<b>5.ARRAYS. ....</b>	<b>120</b>
5.1.One dimensional arrays. ....	120
5.1.1.Declaration. ....	120
5.1.2.Initialization. ....	121
5.1.3.Accessing. ....	122
5.2.Two dimensional array. ....	129
5.2.1.Declaration. ....	129
5.2.2.Initialization. ....	131
5.2.3.Accessing. ....	132
<b>6.STRINGS. ....</b>	<b>142</b>
6.1:Introduction to strings. ....	142
6.1.1.Initialization. ....	142
6.1.2.Accessing. ....	144
6.2. String Handling Functions. ....	145
6.2.1. String Length (strlen ()). ....	145
6.2.2. String Concatination (strcat ()). ..	146
6.2.3. String Compare (strcmp ()). ....	147
6.2.4. String Copy (strcpy()). ....	148
6.3.Example Programs on Strings Without Using String Handling Functions. ...	149
6.4.Array of strings. ....	154
<b>7.Structure and Union. ....</b>	<b>158</b>
7.1. Introduction to Structures. ....	158
7.1.1.Structure definition. ....	158
7.1.2. Declaration of Structure Variable. ....	159
7.1.3. Initialization of Structure Members. ....	161
7.1.4. Accessing Structure Members. ...	163
7.2. Structure using Pointers. ....	166
7.2.1. Structure Definition. ....	166
7.2.2.Structure Variable Declaration using Pointers. ....	166

Lecture Notes in Networks and Systems 134

Suresh Chandra Satapathy

Vikrant Bhateja

M. Ramakrishna Murty

Nguyen Gia Nhu

Jayasri Kotti *Editors*

# Communication Software and Networks

Proceedings of INDIA 2019

 Springer

# Contents

<b>IOT-Based Smart Stale Food Detector</b> .....	1
B. V. Ramana Murthy, C. Kishor Kumar Reddy, P. R. Anisha, and RajaShekar Sastry	
<b>Detection of Tyre Wear Out Using OpenCV and Convolution Neural Networks–Survey</b> .....	9
Allipilli Harshitha and Samyuktha Samala	
<b>Smart Luggage System</b> .....	19
L. Lalitha Gayatri and Sai Nidhi Paidimarry	
<b>Comparative Study of Privacy Preservation of Data in Hybrid Cloud of Combined Clustering and Geometric Data Perturbation Approach and Hybrid Ant Colony Optimization and Gravitational Search Algorithm</b> .....	25
Sridhar Reddy Vulapula and Srinivas Malladi	
<b>Detection of Plant Diseases Using Data Mining Techniques–A Literature Survey</b> .....	39
Shivani Munigala, Pravalika Nampelli, and Pallavi Tandra	
<b>The New Era of Healthcare: Smart Healthcare Assistant</b> .....	47
Zuha Kareem Ansari, Bushra Taher, Nida Arshad, Sadiyya Fayaz, and Fathima Khader	
<b>Usage of Web Mining for Sales and Corporate Marketing</b> .....	55
Shivani Yadao and A. Vinaya Babu	
<b>A Bird Eye View on the Usage of Artificial Intelligence</b> .....	61
P. R. Anisha and Anulekha Polati	
<b>Early Detection of Diabetes Using Machine Learning Algorithms and Internet of Things: ADPA</b> .....	79
P. R. Anisha and C. Kishor Kumar Reddy	

<b>Unique Identification Authority of India BOT: An Intelligent Application Using Artificial Intelligence Approach . . . . .</b>	87
V. Prasad, M. Vineeth Kumar, K. Viswanadh, and P. V. N. Mahesh	
<b>CAPTCHA Techniques of Secure Web Authentication: A Survey . . . . .</b>	97
Gannavarapu Ananth Kumar and Garg Rishav	
<b>Time Series Analysis on Univariate and Multivariate Variables: A Comprehensive Survey . . . . .</b>	119
Satyanarayana Reddy Beeram and Swarna Kuchibhotla	
<b>Basic Review of Different Strategies for Classification of Sentiment Analysis in Social Networks . . . . .</b>	127
K. Venkateswara Rao and Mangalampalli Kameswara Subrahmanyam	
<b>Enhancing the Security, Reliability, and Data Integrity Issues in the Internet of Things by Implementing Blockchain Strategy in Mining: Challenges and Solutions . . . . .</b>	137
Biswaranjan Mishra and Neelamadhaba Padhy	
<b>Dynamic Hand Gesture Recognition Using 3D-Convolutional Neural Network . . . . .</b>	145
Mithun Channayanamath, Akshay Math, Venkat Peddigari, Shilpa Kamath, Kavita Chachadi, Faisal Sabeeh, and Ameen Attar	
<b>Evaluating Machine Learning Algorithms for Marketing Data Analysis: Predicting Grocery Store Sales . . . . .</b>	155
Deepa Rani Gopagoni, P. V. Lakshmi, and Ankur Chaudhary	
<b>Review on the Methodologies for Image Segmentation Based on CNN . . . . .</b>	165
G. V. Sivanarayana, K. Naveen Kumar, Y. Srinivas, and G. V. S. Raj Kumar	
<b>A Relativistic Study on Recent Clustering Algorithms . . . . .</b>	177
D. Sirisha and S. Sambhu Prasad	
<b>Learning Style Recommender System Using VAK Technique and Machine Learning . . . . .</b>	187
Srinivas Adapa, Netaji Gandhi, Vechalapu Alekya, and Ganthakora Lakshmi Durga	
<b>Advanced Safety Analysis and Modeling of Control Software in Implantable Medical Devices . . . . .</b>	201
Umamaheswararao Batta, Jayasri Kotti, and Seetharamaiah Panchumarthy	
<b>Empty Region Detection in an Image Using Deep Convolutional Neural Network . . . . .</b>	213
Kavita Chachadi, Vanraj Vala, and Shilpa Kamath	

<b>An Enhanced Approach to Extract Top-K High Productive Itemsets</b> .....	221
Preethi Gandreti, Satyanarayana Mummana, and Budimure Ramana Babu	
<b>Study of Algorithms and Methods on Emotion Detection from Facial Expressions: A Review from Past Research</b> .....	231
Sasanko Sekhar Gantayat and Swathi Lenka	
<b>Data Security Using Matrix Operations</b> .....	245
Snehal Bhogan and Ashish Narvekar	
<b>Impact of Naïve Bayesian Classification on Banking Sector</b> .....	255
Sarmistha Saha and G. P. Saradhi Varma	
<b>Smart Door Unlocking Using Face Recognition and Blink Detection</b> ...	261
Rajesh K. Yadav and K. M. Karthik	
<b>A Review on Image Compression Techniques</b> .....	271
Krishna Marlapalli, Rani S. B. P. Bandlamudi, Rambabu Busi, Vallabaneni Pranav, and B. Madhavrao	
<b>A Novel Design of Multiband Monopole Antenna Loaded with Complementary Split Ring Resonator</b> .....	281
Y. Sukanya, D. Uma, P. A. Nageswara Rao, and R. P. Das	
<b>Gold, Inflation, GDP, and Lending Rate: An Interesting Relation</b> .....	293
S. Ravi Kumar Raju and P. S. Avadhani	
<b>A Mechatronics Design Approach of a Low-Cost Smart Reconnaissance Robot</b> .....	299
N. Seenu, R. M. Kuppan Chetty, K. M. Adithya Krishna, Taarun Srinivas, and R. G. Pranav Raj	
<b>Arrhythmia Recognition and Evaluation of ECG Signal Using Signal Processing Techniques</b> .....	311
G. Gayatri and T. Madhavi	
<b>Cloud Virtualized Middlebox: An IDS</b> .....	321
K. S. Resma, G. S. Sharvani, and Manisha S. Soneja	
<b>Novel Approach to New Domain Aspect Identification Using Deep Learning and Word Replacement</b> .....	331
Bonson Sebastian Mampilli and Deepa Anand	
<b>Power Quality Improvement of a Grid-Connected System Using Fuzzy-Based Custom Power Devices</b> .....	345
V. Anantha Lakshmi and T. R. Jyothsna	
<b>Detection and Prediction of Land Use and Land Cover Changes Using Deep Learning</b> .....	359
Eliza Femi Sherley, Ajay Kumar, Revathy, and Divyashree	



<b>A Study of Machine Learning Approaches to Detect Cyberbullying . . .</b>	<b>369</b>
Subbaraju Pericherla and E. Ilavarasan	
<b>Dynamic and Collaborative Group Key Generation with Quadtree-Based Queue-Batch Algorithm . . . . .</b>	<b>379</b>
V. Srinadh and P. V. Nageswara Rao	
<b>Performance Evaluation of Tandem Communication Network Model with DBA Having Direct Weibull Inter Arrival Times and Phase-Type Transmission . . . . .</b>	<b>393</b>
G. Sita Ratnam, P. Srinivasa Rao, K. Srinivasa Rao, and Mugada Swetha	
<b>A Novel Approach for Detection of Driver Drowsiness Using Behavioural Measures . . . . .</b>	<b>403</b>
D. Venkata Subbaiah, Pushkal Padala, and K. Venkata Rao	
<b>Interpretation of Statistical Errors for Precise GPS Receiver Positioning Using Recursive Least Squares and Extended Kalman Filter Approaches . . . . .</b>	<b>415</b>
P. Sirish Kumar and V. B. S. Srilatha Indira Dutt	
<b>Robust Blood Vessels Segmentation Based on Memory-Augmented Neural Network . . . . .</b>	<b>425</b>
K. Arunabhaskar and R. Kiran Kumar	
<b>Mutual Information and Machine Learning Based Distinguishers for Pseudo Random Bit Sequences . . . . .</b>	<b>435</b>
Bharat Lal Jangid	
<b>Rectangular Patch with Optimized Circular Slot and Perturbed Rings for Multiband Application . . . . .</b>	<b>445</b>
Ribhu Abhusan Panda, Md Danish Iqbal, Abhishek Panigrahi, G. Sai Varun, and Debasis Mishra	
<b>A Hybrid Imbalanced Data Learning Framework to Tackle Opinion Imbalance in Movie Reviews . . . . .</b>	<b>453</b>
Salina Adinarayana and E. Ilavarasan	
<b>Design and Implementation of an Efficient VLSI Architecture for 10T Full Adder Used in Ultra Low Power Applications . . . . .</b>	<b>463</b>
Vagu Radha Haneesha, Vemu Srinivasa Rao, and S. Adinarayana	
<b>Location Based Scalable Recommendations Using Social Relationships . . . . .</b>	<b>477</b>
Joydeep Das, Abhishek Agarwal, Subhashis Majumder, and Kalyani Mali	
<b>A Survey on Identity-Based Security in Wireless Sensor Networks . . . . .</b>	<b>487</b>
Lakshmanarao Kalabarige and Hima Bindu Maringanti	

<b>Analysis of Crimes Against Women in India Using Machine Learning Techniques</b> .....	499
K. Ravi Teja, K. R. M. Ajay Kumar, G. S. S. Praveen, and D. N. D. Harini	
<b>Comparative Analysis of Genomic Personalized Cancer Diagnosis by Machine Learning Approaches ROC Curve</b> .....	511
V. Kakulapti, P. Lalitha Bhavani, K. Swathi Reddy, and P. Nissar Ahmed	
<b>DNA Playfair Cryptosystem Based on <math>16 \times 16</math> Key Matrix Using DNA ASCII Table</b> .....	529
P. Bharathi Devi, R. Kiran Kumar, and P. Ravindra	
<b>Non-negative Matrix Factorization Procedure for Characteristic Mining of Mathematical Formulae from Documents</b> .....	539
K. N. Brahmaji Rao, G. Srinivas, P. V. G. D. Prasad Reddy, and B. Tarakeswara Rao	
<b>A Comparative Study on Coverage-Hole Detection Improvement with Inner Empty Circle over Delaunay Triangulation Method in Wireless Sensor Networks</b> .....	553
Smita Das and Mrinal Kanti Debbarma	
<b>An Energy-Efficient Resource Allocation System Using OFDM DAS Model for LTE Applications</b> .....	563
B. Kiranmai, V. Lavanya, and S. S. Kiran	
<b>Blockchain Based Proof of Existence (PoE) Application for Educational Certificate Verification</b> .....	575
K. Ravi Kishore, G. Jyostna, Mahesh U. Patil, P. R. Lakshmi Eswari, and E. Magesh	
<b>An Optimized Speed Adaptive Beacon Broadcast Approach for Information Dissemination in Vehicular Ad hoc Networks</b> .....	587
Sandeep Kad and Vijay Kumar Banga	
<b>Wavelet Packet Transform-Based Image Classification for Computer-Aided Glaucoma Diagnosis Using Naïve Bayes Classifier</b> .....	597
Anisha Rebinth and S. Mohan Kumar	
<b>A Robust Method for Multi-algorithmic Palmprint Recognition Using Exponential Genetic Algorithm-Based Feature Selection</b> .....	607
Aruna Kumari Palisetty and Jaya Suma Gogulamanda	
<b>Signature Extraction Using Connected Component Labeling</b> .....	619
Venkata Sai Nitesh Virothi and Meghana Santoshi Janapareddy	
<b>Bitcoin Price Prediction and Analysis Using Deep Learning Models</b> ...	631
Temesgen Awoke, Minakhi Rout, Lipika Mohanty, and Suresh Chandra Satapathy	

<b>Trajectory Planning in 2D Space Using Evolutionary Algorithms</b> . . . . .	641
Divyanshi Raghuvanshi, Anand Kumar Sahay, Junali Jasmine Jena, Lipika Mohanty, and Suresh Chandra Satapathy	
<b>Use of Evolutionary Algorithms for Detection of Fatal Diseases via DNA Micro-array Classification: A Review</b> . . . . .	649
Junali Jasmine Jena and Suresh Chandra Satapathy	
<b>An Efficient JAYA-Based Clustering Technique</b> . . . . .	657
Prabhu Prasad Dev, Priya Mishra, and Anasua Banerjee	
<b>Online Voting System Using Blockchain</b> . . . . .	665
Anjali Prajapati and Vandana Reddy	
<b>Data Communication Through Single-Board Computers</b> . . . . .	673
Prakruti Mallayya Bilagi, Vidyadhar S. Melkeri, and Gauri Kalnoor	
<b>Cloud Computing—Security, Issues, and Solutions</b> . . . . .	687
Ritesh Sharma, Mahendra Kumar Gourisaria, and S. S. Patra	
<b>Prediction of Sedimentation in a Watershed Using RNN and SVM</b> . . . . .	701
Abinash Sahoo, Ajit Barik, Sandeep Samantaray, and Dillip K. Ghose	
<b>Prophecy of Runoff in a River Basin Using Various Neural Networks</b> . . . . .	709
Sneha Raichel Jimmy, Abinash Sahoo, Sandeep Samantaray, and Dillip K. Ghose	
<b>Application of Artificial Neural Networks and Multiple Linear Regression for Rainfall–Runoff Modeling</b> . . . . .	719
Wajahat Annayat, Ajay Gupta, Kondepogu Ravi Prakash, and Briti Sundar Sil	
<b>Runoff Prediction Using Hybrid Neural Networks in Semi-Arid Watershed, India: A Case Study</b> . . . . .	729
Sandeep Samantaray, Abinash Sahoo, Nihar Ranjan Mohanta, Paresh Biswal, and Umesh K. Das	
<b>Runoff is a Key Constraint Toward Water Table Fluctuation Using Neural Networks: A Case Study</b> . . . . .	737
Bijay Narayan Sarkar, Sandeep Samantaray, U. Kumar, and Dillip K. Ghose	
<b>Estimation of Water Table Depth Using Wavelet-ANFIS: A Case Study</b> . . . . .	747
Sriharsha Sridharam, Abinash Sahoo, Sandeep Samantaray, and Dillip K. Ghose	


<b>Estimation of Flood in a River Basin Through Neural Networks: A Case Study</b> .....	755
Abinash Sahoo, Ujjawal K. Singh, Mavoori Hitesh Kumar, and Sandeep Samantaray	
<b>Assessment of Flow Discharge in a River Basin Through CFBPNN, LRNN and CANFIS</b> .....	765
Sriharsha Sridharam, Abinash Sahoo, Sandeep Samantaray, and Dillip K. Ghose	



**Communication Software and Networks** pp.271–279

[Home](#) > [Communication Software and Networks](#) > [Conference paper](#)

## A Review on Image Compression Techniques

[Krishna Marlapalli](#) , [Rani S. B. P. Bandlamudi](#), [Rambabu Busi](#), [Vallabaneni Pranav](#) & [B. Madhavrao](#)

Conference paper | [First Online: 04 October 2020](#)

**1364** Accesses | **7** Citations

Part of the [Lecture Notes in Networks and Systems](#) book series (LNNS, volume 134)

### Abstract

With the continuous advances in technology, the bandwidth requirements of a communication network have been increased. But increased pixel size in and gray level resolution in sensor technology and in digital image representation, the increased bandwidth is not satisfying the requirements. Hence image compression becomes a prominent research area. Image compression decreases the number of bits necessary to



## ABOUT THE AUTHORS



**Dr. D. Thirupathi Naidu**, Professor of Physics at Chalapati Institute of Engineering & Technology, Guntur. Formerly he worked as Professor of Physics & Principal in Gayatri Institute of Engineering & Technology, West Godavari District and RNEC, Ongole. He received his Master Degree in Science and Doctoral Degree in Physics on **Spectroscopic investigations of certain lanthanide ions doped mixed alkali borate glasses** from S.V. University, Tirupati.

He has Sixteen years of teaching & research experience and published more than 20 research papers in various reputed International Journals and attended number of conferences at national & international level and presented technical papers. He acted as a research supervisor and guided many students in getting their M.Phil and Ph.D Degrees. Apart from teaching, he discharged duties at various capacities and served the students. He has a passion for physics and flair for teaching physics to the students of technology for many years and received laurels from all students.



**M. Veeranjanyulu**, working in Sir C.R. Reddy College of Engineering, Eluru. Formerly he worked as an Associate professor in physics in Rao & Naidu Engineering College, Ongole, received his M.Sc., B.Ed., Degrees from Nagarjuna University and M.Phil Degree from Andhra University. For the past twenty seven years, he has been rendering his services in enlightening the concepts of Physics to the technical students in the strata of Engineering Physics and to the students at degree level. He has shown his brilliance in Physics at various platforms by presenting papers and by attending various conferences. His conceptual clarity motivates students and inspires them to go for research. He stands as an icon among the teachers of Physics.

## ABOUT THE TEXTBOOK

This book is written specifically to address the course curriculum in Applied Physics for the 1st year B.Tech students. The book follows the sequence of topics as prescribed in the course syllabus of engineering colleges of Kakinada. Lucid presentation and simple language with logical flow of topics along with relevant concepts helps students to acquire a good command on the basics of the subject.

### Salient Features

- ✦ Provides a perfect link between fundamental concepts and their relevant applications.
- ✦ Comprehensive coverage of important topics.
- ✦ Rich pool of pedagogy includes both objective and subjective type questions and Model Examination papers.



₹ 225/-

**WGS**  
BOOK LINKS

AMALAPURAM - VIJAYAWADA



1 Year B.Tech  
JNTUK, KAKINADA.

APPLIED PHYSICS

Dr. D. THIRUPATHI NAIDU  
M. VEERANJANEYULU



TECHNO SERIES

FOURTH EDITION



# APPLIED PHYSICS

for 1 Year B.Tech Students of JNTUK, KAKINADA

**Dr. D. THIRUPATHI NAIDU**  
**M. VEERANJANEYULU**



# Applied Physics

for 1st Year B.Tech Students of JNTUK Kakinada

**Dr. D. Thirupathi Naidu**, M.Sc., Ph.D.

Professor in Physics  
Chalapathi Institute of Engineering & Technology,  
LAM GUNTUR - 522034

**M. Veeranjanyulu**, M.Sc., M.Phil., B.Ed.

Department of Physics  
Sir. C.R. Reddy College of Engineering,  
ELURU-534007.



## V.G.S. BOOK LINKS

# 5-6-59/3, Second Floor, Tammina Krishna Street, Behind Sairam Theatre,  
Vijayawada - 520 001. Ph : 2510202, 2512222, Fax : 0866-2515555.

B.O. : # 3-1-399, Nimboliadda, Kachiguda, Hyderabad-500 027.  
Ph : 040-24650717. email : vgspublishers.hyd@gmail.com

# APPLIED PHYSICS

Fourth Edition : January 2020

As per R-19

Copyrights reserved by publishers

₹ 225/-

Copies can be had from :

## V.G.S. BOOK LINKS

5-6-59/3, Second Floor,

Tamma Krishna Street,

Behind Sairam Theatre,

VIJAYAWADA - 520 001.

Ph : 0866 - 2510202, 2512222.

Fax : 0866 - 2515555.

email: vgsbooklinks@gmail.com

## B.O : V.G.S. BOOK LINKS

# 3-1-399, Nirmaloladda,

Kachiguda, Hyderabad-500027.

email: vgspublishers.hyd@gmail.com

Ph. 040-24650717

&

## SHREE RAJESWARI BOOK STALL

15-1-66, Siddiamber Bazaar,

HYDERABAD - 500 012.

Ph : 24742570, 24731972.

Fax : 040 - 24607764

This book or parts thereof shall not be reproduced in any form without permission of the Authors and the Publishers.

We have taken many efforts to present this book without errors. But, some errors might have crept in. We don't take any legal responsibility for such errors and omissions. If you bring them to our notice, we will correct them in our next edition.

All disputes are subject to AMALAPURAM Jurisdiction only.

# Contents

<b>CHAPTER - 1</b>	<b>1.1 - 1.42</b>
<b>INTERFERENCE</b>	
1.1 Introduction	1.3
1.2 Superposition Principle	1.4
1.3 Interference	1.7
1.4 Types of Interference	1.7
1.5 Coherence	1.8
1.6 Young's Double Slit Experiment	1.9
1.6.1 Explanation	1.9
1.6.2 Theory of interference fringes	1.10
1.7 Interference in Thin Films by Reflection	1.12
1.7.1 Interference in plane parallel films due to the reflected light	1.12
1.7.2 Interference by a film with two non-parallel reflecting surfaces (or) interference in wedge shaped film	1.15
1.7.3 Colours of thin films	1.17
1.8 Newton's Rings	1.18
1.8.1 Experimental arrangement	1.18
1.8.2 Theory (Newton's rings by reflected light)	1.19
1.8.3 Determination of wavelength ( $\lambda$ ) of given source of light	1.21
1.8.4 Determination of refractive index of a liquid	1.21
1.9 Newton's rings in white light	1.22
1.10 Applications of Interference	1.22
• Solved Problems	1.22
• Objective Questions	1.37
• Review Questions	1.41
• Exercise Problems	1.42

<b>CHAPTER - 2</b>	<b>2.1 - 2.56</b>
<b>DIFFRACTION</b>	
2.1 Introduction	2.3
2.2 Phenomenon of Diffraction	2.4
2.3 Fresnel and Fraunhofer Diffraction	2.4
2.3.1 Differences between fresnel and fraunhofer diffraction	2.6
2.4 Differences Between Interference and Diffraction	2.6
2.5 Fraunhofer Diffraction at a Single Slit	2.7
2.6 Fraunhofer Diffraction Due to Double Slit	2.11
2.7 Fraunhofer Diffraction at a Circular Aperture	2.14
2.8 Diffraction Grating	2.17
2.8.1 Fraunhofer Diffraction due to N Slits (Plane Diffraction Grating)	2.18
2.8.2 Grating equation	2.23
2.8.3 Grating spectrum	2.23
2.8.4 Possible orders with a grating	2.24
2.8.5 Determination of wavelength of light	2.25
2.8.6 Dispersive power of grating	2.25
2.9 Resolving Power	2.26
2.9.1 Rayleigh's criterion of resolution	2.26
2.9.2 Resolving power of grating	2.27
2.9.3 Resolving Power of a telescope	2.29
2.9.4 Resolving power of a microscope	2.31
2.10 Applications of diffraction	2.34
• Solved Problems	2.34
• Objective Questions	2.46
• Review Questions	2.52
• Exercise Problems	2.54



---

**CHAPTER - 3**  
**QUANTUM MECHANICS****3.1 - 3.40**

3.1	Introduction	3.3
3.2	Wave and Particle	3.4
3.3	de-Broglie Hypothesis of Matter Waves	3.4
3.4	Properties of Matter Waves	3.6
3.5	Davison - Germer Experiment	3.7
3.6	G.P Thomson Experiment	3.10
3.7	Heisenberg's Uncertainty Principle	3.12
3.8	Schrodinger's Wave Equations	3.13
3.8.1	Time independent Schrodinger's wave equation	3.13
3.8.2	Time dependent Schrodinger's wave equation	3.15
3.9	Interpretation of Wave Function	3.16
3.10	Particle in one Dimensional Potential Box	3.18
	• Solved Problems	3.22
	• Objective Questions	3.35
	• Review Questions	3.39
	• Exercise Problems	3.40

---

**CHAPTER - 4**  
**FREE ELECTRON THEORY****4.1 - 4.34**

4.1	Introduction	4.3
4.2	Classical Free Electron Theory of Metals	4.4
4.3	Mean Free Path, Mean Collision Time, Drift Velocity and Relaxation Time	4.5
4.3.1	Mean free path ( $\lambda$ )	4.5
4.3.2	Mean collision time ( $\tau$ )	4.5
4.3.3	Drift velocity ( $v_d$ )	4.6
4.3.4	Relaxation time ( $\tau_r$ )	4.6

4.4	Expression for Electrical Conductivity Based on Classical Free Electron Theory	4.7
4.5	Expression for Thermal Conductivity Based on Classical Free Electron Theory	4.8
4.6	Weidemann-Franz Ratio for Metal	4.10
4.7	Success of Classical Free Electron Theory	4.11
4.8	Drawbacks of Classical Free Electron Theory	4.11
4.9	Quantum Free Electron Theory (Sommerfeld Model)	4.12
4.9.1	Success of quantum free electron theory	4.13
4.9.2	Drawbacks of quantum free electron theory	4.14
4.10	Fermi Surface	4.15
4.11	Fermi Level and Fermi Energy	4.16
4.12	Fermi-Dirac Distribution	4.17
4.13	Density of States	4.18
4.14	Expression for Current Density and Electrical Conductivity Based on Quantum Free Electron Theory	4.20
4.15	Electrical Resistance	4.22
4.16	Different Scattering Mechanisms-Electrical Resistance	4.23
	• Solved Problems	4.23
	• Objective Questions	4.28
	• Review Questions	4.33
	• Exercise Problems	4.34

---

**CHAPTER - 5**  
**BAND THEORY OF SOLIDS****5.1 - 5.20**

5.1	Introduction	5.3
5.2	Bloch Theorem	5.4
5.3	Kronig-Penney Model	5.5
5.4	Origin of Energy Band Formation in Solids	5.10
5.5	Distinction between Conductors, Semiconductors and Insulators	5.10
5.6	Concept of Effective Mass of an Electron	5.12

---



5.7	Concept of a Hole	5.14
	• Solved Problems	5.15
	• Objective Questions	5.17
	• Review Questions	5.20

---

**CHAPTER - 6**  
**SEMICONDUCTORS**

**6.1 - 6.42**

6.1	Introduction	6.3
6.2	Intrinsic Semiconductors	6.4
6.3	Extrinsic Semiconductors	6.5
	6.3.1 n-type semiconductor	6.5
	6.3.2 p-type semiconductor	6.6
6.4	Carrier Concentration in Intrinsic Semiconductor	6.7
6.5	Equation for Electrical Conductivity of Intrinsic Semiconductor	6.12
6.6	Carrier Concentration in n-type Semiconductor	6.15
6.7	Carrier Concentration in p-type Semiconductors	6.18
6.8	Drift and Diffusion Currents	6.21
	6.8.1 Drift current	6.21
	6.8.2 Diffusion current	6.22
6.9	Einstein's Equation	6.23
6.10	Hall Effect	6.24
6.11	Direct and Indirect Band Gap Semiconductors	6.27
	• Solved Problems	6.28
	• Objective Questions	6.35
	• Review Questions	6.41
	• Exercise Problems	6.42

---

**CHAPTER - 7**

**MAGNETISM**

**7.1 - 7.32**

7.1	Introduction	7.3
7.2	Basic Definitions	7.4
7.3	Origin of Magnetic Moment	7.7
7.4	Classification of Magnetic Materials	7.9
	7.4.1 Diamagnetism	7.9
	7.4.2 Paramagnetism	7.10
	7.4.3 Ferromagnetism	7.12
	7.4.4 Antiferromagnetism	7.13
	7.4.5 Ferrimagnetism	7.14
7.5	Domain Theory of Ferromagnetism	7.15
7.6	Weiss Field Theory of Ferromagnetism	7.17
7.7	Hysteresis Loop	7.18
7.8	Soft and Hard Magnetic Materials	7.19
	• Solved Problems	7.21
	• Objective Questions	7.25
	• Review Questions	7.31
	• Exercise Problems	7.32

---

**CHAPTER - 8**

**DIELECTRICS**

**8.1 - 8.44**

8.1	Introduction	8.3
8.2	Polar and Non-polar Dielectrics	8.3
8.3	Basic Definitions	8.4
8.4	Types of Polarization	8.8
	8.4.1 Electronic polarization	8.8

---

8.4.2	Ionic polarization	8.11
8.4.3	Orientational or dipolar polarization	8.12
8.4.4	Space charge polarization	8.16
8.4.5	Total polarization	8.16
8.5	Internal Field (or) Local Field in Solids	8.16
8.6	Clausius-Mosotti Equation	8.19
8.7	Dielectrics in Alternating Fields	8.20
8.7.1	Dielectric loss	8.21
8.7.2	Frequency dependence of polarizability	8.22
8.8	Dielectric Breakdown and Strength	8.23
8.8.1	Dielectric breakdown	8.23
8.8.2	Dielectric strength	8.24
8.9	Ferroelectricity	8.25
8.10	Piezoelectricity	8.27
8.11	Application of Dielectric Materials	8.28
	• Solved Problems	8.29
	• Objective Questions	8.37
	• Review Questions	8.42
	• Exercise Problems	8.43

### Model Papers

i - xii

## CHAPTER - 1

# Interference

- 1.1 Introduction
- 1.2 Superposition Principle
- 1.3 Interference
- 1.4 Types of Interference
- 1.5 Coherence
- 1.6 Young's Double Slit Experiment
  - 1.6.1 Explanation
  - 1.6.2 Theory of interference fringes
- 1.7 Interference in Thin Films by Reflection
  - 1.7.1 Interference in plane parallel films due to the reflected light
  - 1.7.2 Interference by a film with two non-parallel reflecting surfaces (or) interference in wedge shaped film
  - 1.7.3 Colours of thin films
- 1.8 Newton's Rings
  - 1.8.1 Experimental arrangement
  - 1.8.2 Theory (Newton's rings by reflected light)
  - 1.8.3 Determination of wavelength ( $\lambda$ ) of given source of light
  - 1.8.4 Determination of refractive index of a liquid
- 1.9 Newton's rings in white light
- 1.10 Applications of Interference
  - Solved Problems
  - Objective Questions
  - Review Questions
  - Exercise Problems

# An Exposition of Speculative and Numerical Analysis of CFST Columns

Pala Gireesh Kumar<sup>1</sup>, Seethalam Sai Charan<sup>2</sup>, S Reshma Sri Mani<sup>3</sup> and Kundeti Nagarjuna<sup>2</sup>

Published under licence by IOP Publishing Ltd

IOP Conference Series: Materials Science and Engineering, Volume 1006, Sustainable Construction Technologies & Advancements in Civil Engineering (SeTACE-2020) 9-10 October 2020, Bhimavaram, India

**Citation** Pala Gireesh Kumar *et al* 2020 *IOP Conf. Ser.: Mater. Sci. Eng.* **1006** 012043

**DOI** 10.1088/1757-899X/1006/1/012043

palagireeshk@gmail.com

<sup>1</sup> Associate Professor and Head, Department of Civil Engineering, Shri Vishnu Engineering College for Women (Autonomous), Bhimavaram, West Godavari, Andhra Pradesh, India

<sup>2</sup> Assistant Professor, Gudlavalleru Engineering College


<sup>3</sup> Assistant Professor, Ramachandra College of Engineering

Buy this article in print

Journal RSS

Sign up for new issue notifications

## Abstract

Owing to the advantages like intense compressive strength, large ductility and enormous energy incorporation, Concrete filled steel tube column system is gaining momentum when set side by side to regular steel or reinforced concrete system. Local buckling is one such major advantage that CFST gives experimental results from various articles has proven that there is an increase in the properties of CFST over normal concrete systems. This paper aims to give brief understanding on the experiments works conducted and numerical results obtained from various articles are discussed. Experimental works exposed to view that circular concrete filled steel tubes were more appropriate than square concrete filled steel tubes. In this paper, nonlinear finite element analysis for concrete filled steel tube is effectuated through varied parameters like concrete infill grade, as short columns with diameter ratio ( $L/D$ ) not exceeding 4.5 with devoid of slenderness have also been discussed. This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see [the Privacy Policy](#). 

# Document details - Design and Analysis Metamaterial Inspired Wearable Antenna for 2.45GHz ISM Band

1 of 1

[Export](#) [Download](#) [More...](#)

Proceedings of the International Conference on Microelectronics, ICM

Volume 2020-December, 14 December 2020, Article number 9331772

32nd International Conference on Microelectronics, ICM 2020; Virtual, Aqaba; Jordan; 14 December 2020 through 18 December 2020; Category number CFP20473-ART; Code 166845

## Design and Analysis Metamaterial Inspired Wearable Antenna for 2.45GHz ISM Band (Conference Paper)

Sri Latha, G., Raju, G.S.N., Sunny Dayal, P.A.

<sup>a</sup>Sir Crcce, Ece, Eluru, India

<sup>b</sup>Cuttm, Ece, Vizianagaram, India

### Abstract

A metamaterial (MTM) inspired wearable antenna for 2.45GHz ISM band is presented in this paper. The radiating element is designed using a rectangular patch having n shaped slot, this structure resembles metamaterial like geometry. The strip line for feed is altered to match the impedance for better performance. The proposed antenna design consists partial ground and four metamaterial unit cells under the radiating element in the same plane as ground. The MTM unit cells are designed using square shaped patches with inverted U shaped slots. The metamaterial are placed on top of the jeans cloth. The MTM unit cells helped in achieving the reduction of the specific absorption rate (SAR). The performance of the proposed antenna is presented using comparative simulated analysis like reflection coefficient, VSWR, radiation patterns and other antenna parameters for without MTM and with MTM cases. The suitability of the antenna for wearable application presented with the help of simulated analysis comparison for off-body and on-body conditions. © 2020 IEEE.

### Author keywords

2.45GHz ISM band Metamaterial SAR Wearable

### Indexed keywords

Engineering controlled terms:

Directional patterns (antenna) Metamaterial antennas Metamaterials Microelectronics

Engineering uncontrolled terms

2.45GHz ISM bands Antenna parameters Design and analysis Metamaterial (MTM) Radiating elements Simulated analysis Specific absorption rate Wearable applications

Engineering main heading:

Wearable antennas

ISBN: 978-172819664-0

Source Type: Conference Proceeding

Original language: English

DOI: 10.1109/ICM50269.2020.9331772

Document Type: Conference Paper

Publisher: Institute of Electrical and Electronics Engineers Inc.

### Cited by 3 documents

Waly, M.I., Smida, A., Aljarallah, N.A.

Advancement of a High-Efficiency Wearable Antenna Enabling Wireless Body Area Networks

(2023) *IEEE Access*

Srilatha, G., Raju, G.S.N., Sunny Dayal, P.A.

Metasurface-Enabled Fork-Shaped Antenna for 2.45 GHz ISM Band Wearable Applications

(2023) *Lecture Notes in Electrical Engineering*

Ali, U., Ullah, S., Kamal, B.

Design, Analysis and Applications of Wearable Antennas: A Review

(2023) *IEEE Access*

[View details of all 3 citations](#)

Inform me when this document is cited in Scopus:

Set citation alert > Set citation feed >

### Related documents

Find more related documents in Scopus based on:

[Authors >](#) [Keywords >](#)

### SciVal Topic Prominence

Topic:

Prominence percentile:

①

Sri Latha, G.; Sir Crcce, Ece, Eluru, India;

© Copyright 2021 Elsevier B.V., All rights reserved.



Smart Innovation, Systems and Technologies 169

A. N. R. Reddy · Deepak Marla ·  
Milan Simic · Margarita N. Favorskaya ·  
Suresh Chandra Satapathy · *Editors*



# Intelligent Manufacturing and Energy Sustainability

Proceedings of ICIMES 2014

  
International

Springer



# Contents

<b>Performance Evaluation of Multi-layer Barriers for Machine-Induced Low-Frequency Noise Attenuation</b> .....	1
Abid Hossain Khan, Muhammed Mahbubur Razzaque and Md. Shafiqul Islam	
1 Introduction .....	2
2 Mathematical Model .....	3
3 Experiment Methodology .....	5
4 Results and Discussion .....	6
5 Conclusion .....	8
References .....	9
<b>Planing Process on AISI S-1006, S-7, and S-4340, Based on Johnson–Cook Model Using Numerical Technique</b> .....	11
Abhinav, D. Prajwal and Punith Kumar	
1 Introduction .....	11
1.1 Modeling Techniques and Assumptions .....	12
2 Results and Discussion .....	13
3 Conclusions .....	16
References .....	18
<b>An Analytical Study of Diametral Error in Simultaneous Turning Process</b> .....	21
Sandeep Kumar, Kalidasan Rathinam, Vivek Sharma and VaitlaSai Kumar	
1 Introduction .....	21
2 Formulation of Diametral Error of Workpiece with Cutting Tools kept Opposite to Each Other .....	23
3 Comparison of Analytical Model with Literature .....	28
4 Conclusion .....	29
References .....	31

<b>Improvement of Electric Heater Design for Household Cooking Application in Developing Countries</b> .....	33
Angkush Kumar Ghosh, Abid Hossain Khan and A. N. M. Mizanur Rahman	
1 Introduction .....	33
2 Experiment Methodology .....	34
3 Results and Discussion .....	37
4 Conclusions .....	41
References .....	41
<b>Embodiment of an Efficient Brown's Gas Compound Fuel Tank</b> .....	43
K. A. Alex Luke, J. Arun, R. Hemanth Prasanna and Ashish Selokar	
1 Introduction .....	44
2 Literature Survey .....	45
3 Materials and Methods .....	47
3.1 HHO Module Design .....	48
3.2 Tank Design and Development .....	48
4 Water Flow Sensor Results and Discussions .....	50
5 Conclusions .....	51
References .....	52
<b>Automated Solar Photovoltaic Panel Cleaning/Cooling System Using Air-Water Mixture and Sustainable Solutions to Off-Grid Electrification</b> .....	53
Nithin Sha Najeeb, Prashant Kumar Soori and Iyad Al Madanat	
1 Introduction .....	53
2 Proposed Methodology .....	56
2.1 Automation of Solar Panel Cleaning and Cooling System .....	57
3 Results and Discussion .....	59
4 Conclusions .....	63
References .....	64
<b>Design and Fabrication of Four-Way Multi-hacksaw Cutting Machine</b> .....	67
Anupoju Sai Vamsi, Chiranjeeva Rao Seela and Arnipalli Naveen	
1 Introduction .....	67
2 Fabrication .....	68
3 Working .....	70
3.1 Working Principle .....	71
4 Design Calculations .....	71
5 Cost Analysis .....	75
6 SWOT Analysis .....	75
7 Conclusions .....	76
References .....	76

<b>Adhesion Strength of Plasma Sprayed Coatings—A Review</b> .....	77
Abhinav, Harish Kumar Kustagi and Arun R. Shankar	
1 Introduction .....	77
1.1 Selection Criterion in Plasma Sprayed Coatings .....	78
2 Adhesion Strength of Plasma Sprayed Coatings .....	79
3 Conclusions .....	81
References .....	81
<b>An Experimental Studies on the Polymer Hybrid Composites—Effect of Fibers on Characterization</b> .....	85
M. Ashok Kumar, K. Mallikarjuna, P. V. Sanjeev Kumar and P. Hari Sankar	
1 Introduction .....	86
2 Materials and Methods .....	87
2.1 Fabrication of Composites .....	87
3 Results and Discussions .....	88
4 Conclusion .....	91
References .....	91
<b>Design Analysis and Pressure Loss Optimization of Automobile Muffler</b> .....	93
Vikram Kumar, Naresh Prasad, M. K. Paswan, Pankaj Kumar and Sanjoy Biswas	
1 Introduction .....	93
1.1 Backpressure .....	94
1.2 Effects of Increased Back Pressure .....	95
2 Methodology .....	95
3 Geometry .....	95
3.1 Meshing .....	97
3.2 Assumption and Boundary Conditions .....	97
4 Results and Discussions .....	99
4.1 Inlet Velocity: Case 1: 39 M/S .....	99
4.2 Inlet Velocity: Case 2: 44 M/S .....	99
4.3 Inlet Velocity: Case 3: 49 M/S .....	100
5 Conclusion and Future Work .....	106
References .....	106
<b>Different Modules for Car Parking System Demonstrated Using Hough Transform for Smart City Development</b> .....	109
Janak D. Trivedi, M. Sarada Devi and Dhara H. Dave	
1 Introduction .....	109
2 Technology Gap .....	110
3 Background .....	111
4 Hough Transform .....	112
4.1 Find Circle Using Hough Transform .....	114

5	IP Webcam .....	114
6	Proposed Method .....	114
	6.1 Step-by-Step Procedure .....	115
7	Simulation Results .....	117
	7.1 Circle with Different Radius—Parallel Parking .....	117
	7.2 Circle with the Same Radius, Angle Parking .....	119
8	Conclusion and Future Work .....	120
	References .....	120
<b>Effect of Arrangement and Number of Water Mist Spray Nozzles on Air Humidity .....</b>		
		123
Pravinth Balthazar, Mohd Azmi Ismail, Andyqa Abdul Wahab, Mohammad Nazmi Nasir, Muhammad Iftishah Ramdan and Hussin Bin Mamat		
1	Introduction .....	124
2	Equipment Modification .....	125
3	Results and Discussion .....	127
4	Conclusions .....	131
	References .....	131
<b>Vibration Condition Monitoring of Spur Gear Using Feature Extraction of EMD and Hilbert–Huang Transform .....</b>		
		133
A. Krishnakumari, M. Saravanan, M. Ramakrishnan, Sai Manikanta Ponnuri and Reddy Srinadh		
1	Introduction .....	134
2	Gear Vibration Signals .....	135
3	Time–Frequency Representations .....	135
	3.1 HHT .....	136
4	Results and Discussions .....	138
	4.1 EMD .....	138
	4.2 HSA and FFT .....	140
5	Conclusion .....	144
	References .....	144
<b>Comparative Study of PWM Technique for Switching Loss Reduction and Acoustic Noise Reduction in VSI-Fed Drives .....</b>		
		147
Tarang Kalaria, Tapankumar Trivedi, Vinod Patel, Rajendrasinh Jadeja and Chandresh Patel		
1	Introduction .....	147
2	Advanced PWM Scheme .....	148
3	Switching Loss .....	150
4	Acoustic Noise Prediction .....	151
5	Simulation Results and Discussions .....	152
6	Conclusion .....	154
	References .....	154

<b>An Improved Genetic Algorithm for Production Planning and Scheduling Optimization Problem</b> .....	157
Aditya Kunapareddy and Gopichand Allaka	
1 Introduction .....	157
2 Research Methodology .....	158
2.1 Problem Modelling .....	158
2.2 Chromosome Encoding .....	159
2.3 Notations .....	159
2.4 Evaluation .....	159
2.5 Selection .....	162
2.6 Crossover .....	162
2.7 Mutation .....	163
3 Case Study .....	163
4 Experimental Results and Discussion .....	163
5 Conclusion .....	169
References .....	170
<b>Automatic Calibration for Residential Water Meters by Using Artificial Vision</b> .....	173
Edwin Pruna, Carlos Bustamante, Miguel Escudero, Santiago Mullo, Ivón Escobar and José Bucheli	
1 Introduction .....	173
2 Equipment Description .....	175
3 Instrument Measurement .....	177
4 Results .....	179
5 Conclusions .....	180
References .....	180
<b>Hardware-in-the-Loop of a Flow Plant Embedded in FPGA, for Process Control</b> .....	181
Edwin Pruna, Icler Jimenez and Ivón Escobar	
1 Introduction .....	181
2 Development of the HIL .....	183
2.1 The Flow Plant Design .....	183
2.2 Implementation of the Flow Plant .....	183
3 Controller Design .....	184
3.1 Design of the Continuous PID Controller .....	184
3.2 Design of the Discrete PID Controller .....	185
4 Tests and Results .....	185
4.1 Tests .....	185
4.2 Results .....	186
5 Conclusions .....	188
References .....	188



<b>Error Diagnosis in Space Navigation Integration Using Wavelet Multi-Resolution Analysis with General Regression Neural Network</b> . . . . .	191
Ramanan Gopalakrishnan, Diju Samuel Gnanadhas and Madhu Kiran Reddy Muli	
1 Introduction . . . . .	191
2 Inertial Navigation Systems . . . . .	192
2.1 Prediction of Errors in GPS . . . . .	193
2.2 Parameters Obtained . . . . .	193
3 Wavelet Analysis . . . . .	193
4 Neural Networks . . . . .	194
5 Result and Discussion . . . . .	195
6 Conclusion . . . . .	198
References . . . . .	198
<b>Hydromagnetic Squeeze Film Performance of Two Conducting Longitudinally Rough Elliptical Plates</b> . . . . .	199
J. V. Adeshara, M. B. Prajapati, G. M. Deheri and R. M. Patel	
1 Introduction . . . . .	200
2 Analysis . . . . .	202
3 Results and Discussions . . . . .	204
4 Conclusion . . . . .	207
References . . . . .	208
<b>Performance and Emission Characteristics of Biodiesel from Rapeseed and Soybean in CI Engine</b> . . . . .	209
R. Udayakumar, Vivek J. Shah and Sai Vijay Venkatesh	
1 Introduction . . . . .	209
2 Literature Review . . . . .	210
3 Methodology . . . . .	211
4 Results and Discussion . . . . .	212
4.1 Brake Power . . . . .	213
4.2 Specific Fuel Consumption . . . . .	214
4.3 Brake Thermal Efficiency . . . . .	215
4.4 NO <sub>x</sub> Emission . . . . .	216
4.5 CO <sub>2</sub> Emission . . . . .	217
4.6 Particulate Matter Emission . . . . .	218
5 Conclusion . . . . .	218
References . . . . .	219
<b>A Practical Approach to Camera Calibration for Part Alignment for Hybrid Additive Manufacturing Using Computer Vision</b> . . . . .	221
Pallavi Kulkarni, Atul Magikar and Tejas Pendse	
1 Introduction . . . . .	221
1.1 Problem Identification . . . . .	222
1.2 Camera Calibration . . . . .	223

2	Literature Review .....	223
3	Experimentation .....	225
	3.1 Setup .....	225
	3.2 Results .....	226
	3.3 Result Table .....	227
4	Conclusion .....	228
5	Future Work .....	228
	References .....	228
<b>Development of a Colour and Orientation Detection System for Small Part Feeding .....</b>		
		231
Aditya Sachdeva, Rohan Kapoor, Awwal Singh and Pradeep Khanna		
1	Introduction .....	231
2	Experimental Setup .....	233
	2.1 Colour Sensor .....	233
	2.2 Infrared Sensor .....	234
	2.3 Servo-Based Actuator .....	234
	2.4 Microcontroller .....	234
3	Description of Algorithm Used in Code .....	234
	3.1 Mean of a Set of 10 Readings of Colour Sensor to Reduce the Error .....	234
	3.2 Identification of the Colour from the Mean RGB Values .....	235
	3.3 Taking the Mean of 10 Infrared Sensor Values for More Accuracy and Sensing the Orientation of the Parts .....	236
	3.4 Condition for Rejection of the Undesirable Part by the Actuator .....	236
4	Working .....	237
5	Conclusion .....	237
	References .....	237
<b>Comparative Analysis on Battery Used in Solar Refrigerated E-Rickshaw in India .....</b>		
		239
Surender Kumar and Rabinder Singh Bharj		
1	Introduction .....	239
2	Smart Mobility System for Indian Megacities .....	241
3	BMS Duty for Li-Ion Battery Use in E-Rickshaw and SHRERs .....	242
4	The Relation Between State of Function with SOC and SOH .....	243
5	Conclusion .....	244
	References .....	248
<b>Application of Value Stream Mapping (VSM) in a Sewing Line for Improving Overall Equipment Effectiveness (OEE): A Case Study .....</b>		
		249
Shawkat Imam Shakil and Mahmud Parvez		
1	Introduction .....	249
	1.1 General .....	249

1.2	Objectives . . . . .	250
2	Literature Review . . . . .	250
2.1	Case Studies . . . . .	250
2.2	Conceptual Work . . . . .	251
2.3	Modeling Work . . . . .	251
2.4	Survey Articles . . . . .	251
3	Methodology . . . . .	252
3.1	Current State VSM . . . . .	252
3.2	Rough Set Theory . . . . .	252
3.3	Future State VSM . . . . .	255
4	OEE and Other Performance Parameters . . . . .	255
4.1	Formula Used . . . . .	255
4.2	OEE Calculation . . . . .	257
4.3	Existing Scenario . . . . .	257
4.4	Proposed Scenario . . . . .	257
4.5	Calculation of Other Performance Parameters . . . . .	258
5	Result and Conclusion . . . . .	259
	References . . . . .	259

**CFD Analysis to Increase Heat Transfer in Pipe with Combined Effect of Circular Perforated Ring and Twisted Tape Insert . . . . . 261**

Prashant Negi, Vikash Kumar Gupta, Anil K. Prasad and Inzamam Ahmad

1	Introduction . . . . .	261
2	Numerical Model Description . . . . .	262
2.1	Geometrical Model . . . . .	262
2.2	Governing Equations . . . . .	264
3	Results and Discussion . . . . .	265
4	Conclusion . . . . .	267
	References . . . . .	269

**Study on Solar Parabolic Trough Collector with Different Copper Absorber Tubes . . . . . 271**

V. Hari Haran and P. Venkataramaiah

1	Introduction . . . . .	271
2	Experimental Setup . . . . .	272
2.1	Absorber Tubes . . . . .	272
3	Experimentation . . . . .	274
4	WASPAS Method . . . . .	274
5	Results and Discussions . . . . .	277
6	Observations . . . . .	277
	References . . . . .	278

<b>Harmonic Analysis for Bidirectional Grid-Connected Converter for Electrical Vehicle During Charging and Discharging Operations</b> . . . . .	279
Chitrang Vyas, Amit Ved, Tapankumar Trivedi and Rajendrasinh Jadeja	
1 Introduction . . . . .	280
2 Grid-Connected Converter . . . . .	281
3 Simulation Results . . . . .	283
4 Conclusion . . . . .	286
References . . . . .	287
<b>Effect of Tribo-layer on the Sliding Wear Behavior of Detonation Sprayed Alumina–Titania Coatings</b> . . . . .	289
P. Uday Chandra Rao, P. Suresh Babu, D. Srinivasa Rao, S. V. Gopala Krishna and K. Venkateswara Rao	
1 Introduction . . . . .	289
2 Methodology . . . . .	291
2.1 Sample Preparation . . . . .	291
2.2 Powder Preparation . . . . .	291
2.3 Process Parameters . . . . .	291
2.4 Coating Characterization . . . . .	291
3 Results and Discussion . . . . .	292
3.1 Surface Roughness, Microstructure and Porosity Values of Coatings . . . . .	292
3.2 XRD Analysis . . . . .	293
3.3 MicroHardness Values . . . . .	293
3.4 Sliding Wear Behavior . . . . .	294
3.5 Coefficient of Friction Values . . . . .	295
3.6 Wear Mechanisms . . . . .	295
3.7 EDS Analysis of Worn Surfaces . . . . .	296
4 Conclusions . . . . .	297
References . . . . .	298
<b>Development of Sustainable Cementitious Binder Utilizing Silicomanganese Fumes</b> . . . . .	299
Syed Khaja Najamuddin, Megat Azmi Megat Johari, Mohammed Maslehuddin and Moruf Olalekan Yusuf	
1 Introduction . . . . .	300
2 Methodology of Research . . . . .	301
2.1 Materials . . . . .	301
2.2 Experimental Program . . . . .	302
2.3 Evaluation Methods . . . . .	303
3 Results and Discussion . . . . .	304
3.1 Flow . . . . .	304
3.2 Setting Time . . . . .	305
3.3 Compressive Strength . . . . .	305

4	Conclusion .....	307
	References .....	308
<b>Review on Sliding Wear of Ti-6Al-4V Alloy Concerning Counterface and Sliding Conditions .....</b>		
		309
K. Suneel, N. Nagmohan Rao, R. Balaji, N. Srikanth, Gnanadurai Ravikumar Solomon and Ashish Selokar		
1	Introduction .....	310
2	Literature Review .....	310
	2.1 Microstructures .....	310
	2.2 Coatings .....	311
	2.3 Heat and Surface Treatment .....	311
	2.4 Ti-6Al-4V Against Same and Different Alloys .....	312
3	Discussion and Result .....	314
4	Conclusion and Future Scope of Work .....	317
	References .....	317
<b>Hardness and Microstructure Studies on the Effect of Solution-Treated Age-Hardened Al-6082 Alloy .....</b>		
		319
C. B. Shashikumar, K. R. Harish and Raghavendra P. Nilugal		
1	Introduction .....	319
2	Material Selection .....	320
3	Heat Treatment .....	320
4	Hardness Test .....	320
5	Result and Discussion .....	320
	5.1 Hardness and Microstructure Results of Experiment No. 1 .....	322
	5.2 Hardness and Microstructure Results of Experiment No. 2 .....	322
	5.3 Hardness and Microstructure Results of Experiment No. 3 .....	324
	5.4 Hardness and Microstructure Results of Experiment No. 4 .....	325
	5.5 Hardness and Microstructure Results of Experiment No. 5 .....	326
6	Conclusion .....	327
	References .....	327
<b>Floating Photovoltaic Thin Film Technology—A Review .....</b>		
		329
R. Nagananthini, R. Nagavinothini and P. Balamurugan		
1	Introduction .....	329
2	Floating photovoltaic (FPV) Technology .....	331
	2.1 Design Requirements .....	331
	2.2 Concepts .....	333
3	Thin Film Technology .....	334
	3.1 Commercial Thin Film Technologies in Practice .....	335
	3.2 Future Thin Film Technologies .....	337
4	Conclusion .....	337
	References .....	337



<b>Effect of Ethanol Fumigation on Performance and Combustion Characteristics of Compression Ignition Engine Fuelled with Used Cooking Oil Methyl Ester in Dual-Fuel Mode</b> . . . . .	339
Reddy Srinadh, Velmurugan Ramanathan, Mayakrishnan Jaikumar, Raja Selvakumar, V. A. Shridhar, E. Sangeethkumar and N. Sasikumar	
1 Introduction . . . . .	340
1.1 Present Work . . . . .	341
2 Materials and Methods . . . . .	342
2.1 Source . . . . .	342
2.2 Trans-esterification of UCO . . . . .	342
3 Experimental Set-Up . . . . .	342
3.1 Details of Ethanol Fumigation Rate . . . . .	343
3.2 Details of Energy Sharing of Ethanol . . . . .	344
4 Results and Discussions . . . . .	346
4.1 Effect of Ethanol on Engine Performance . . . . .	346
4.2 Effect of Ethanol on Combustion Analysis . . . . .	348
5 Conclusions . . . . .	350
References . . . . .	351
<b>Estimation and Moderation of Harmonics in Distribution Systems</b> . . . . .	353
J. Viswanatha Rao and G. Lakshminarayana	
1 Introduction . . . . .	353
2 Estimation of Harmonics . . . . .	354
3 Mitigation of Harmonics . . . . .	355
3.1 Harmonic Reduction Using Pulse Converters . . . . .	355
4 Proposed Method . . . . .	355
5 Result and Analysis . . . . .	356
6 Conclusion . . . . .	359
References . . . . .	360
<b>Theoretical Evaluation of Energy Performance of a Vapour Compression Refrigeration System Using Sustainable Refrigerants</b> . . . . .	361
Sharmas Vali Shaik and T. P. Ashok Babu	
1 Introduction . . . . .	361
2 Materials and Methods . . . . .	362
2.1 Development of Sustainable Alternative Refrigerants . . . . .	362
3 Methodology . . . . .	362
3.1 Thermodynamic Analysis of Alternative Refrigerants . . . . .	362
4 Results and Discussion . . . . .	366
4.1 Energy Efficiency Ratio . . . . .	366
4.2 Discharge Temperature of Compressor . . . . .	366
4.3 Power Spent Per Ton of Refrigeration . . . . .	367
4.4 Volumetric Refrigeration Capacity . . . . .	368
5 Conclusions . . . . .	369
References . . . . .	370

<b>Effect of Autofrettage on the Properties of the Aluminium Cylinders</b> .....	371
Neelkant Patil, Shivarudraiah, D. Amaresh Kumar and Kalmeshwar Ullegaddi	
1 Introduction .....	371
2 Experimental Studies .....	372
3 Result and Discussion .....	373
4 Conclusion .....	376
References .....	377
<b>Influence of Graphene and Tungsten Carbide Reinforcement on Tensile and Flexural Strength of Glass Fibre Epoxy Composites</b> .....	379
Kalmeshwar Ullegaddi, C. R. Mahesha and Shivarudraiah	
1 Introduction .....	379
2 Literature Review .....	380
3 Materials .....	381
4 Methodology .....	382
5 Experimental Study .....	382
5.1 Tensile Strength .....	383
5.2 Flexural Strength .....	384
6 Results and Discussions .....	384
6.1 Effect of Fibre Loading on Tensile Properties of Composites .....	384
6.2 Effect of Fibre Loading on Flexural Properties of Composites .....	386
7 Conclusion .....	387
References .....	388
<b>Investigation of Partial Discharge Due to Copper Spherical Particle in Power Transformer Under Various Oil Flow Models Using CFD</b> .....	391
N. Vasantha Gowri	
1 Introduction .....	391
2 Simulation .....	392
2.1 Analysis Under Non-directed Oil Flow System .....	393
2.2 Analysis of Directed Oil Flow System .....	396
3 Discussions and Conclusions .....	399
References .....	399
<b>A High-Power High-Frequency Isolated DC Power Supply for Electric Vehicle Charging Application</b> .....	401
Shivam Joshi, Rajesh Patel, Vinod Patel, Tapankumar Trivedi and Pavak Mistry	
1 Introduction .....	401

2	Proposed Topology of EV Power Supply .....	403
2.1	T-type Converter Topology .....	403
3	Charge Controller .....	404
4	Efficiency Calculation .....	405
5	Simulation Results and Discussions .....	406
5.1	Dynamic Load Test .....	407
5.2	Charging of Battery Pack .....	408
6	Conclusion .....	409
	References .....	410
<b>Effect of Slicing Thickness and Increment on the Design of Patient Specific Implant for Total Knee Replacement (TKR) Using Magnetic Resonance Imaging (MRI)—A Case Study .....</b>		<b>411</b>
Y. Sandeep Kumar, K. V. S. Rajeswara Rao, Sunil R. Yalamalle, S. M. Venugopal and Sandeep Krishna		
1	Introduction .....	411
2	Methodology .....	412
2.1	Creating a 3D Model of Knee .....	412
2.2	Optimization of Data .....	414
3	Results and Discussion .....	415
4	Conclusions .....	415
	References .....	418
<b>Microstructure and Hardness Behaviour Study of Carbon Nanotube in Aluminium Nanocomposites .....</b>		<b>421</b>
Prashant S. Hatti, K. Narasimha Murthy and Anupama B. Somanakatti		
1	Introduction .....	421
2	Materials and Methodology .....	423
3	Synthesizing of Al-Cnt Metal Matrix Composites .....	424
4	Microstructural Analysis .....	424
5	Hardness Test .....	426
6	Results and Discussions .....	426
7	Conclusions .....	427
	References .....	428
<b>Comparison of Electric Fields with and Without Corona Ring for 66 kV Line Insulators .....</b>		<b>429</b>
Prapti Jethva, Krishna Patel and Dinesh Kumar		
1	Introduction .....	429
2	Methodology .....	431
2.1	Numerical Methods .....	431
2.2	Calculation of Electric Field .....	431
3	Modelling .....	432
3.1	Properties of Different Materials .....	432
3.2	Model .....	433

4	Result and Discussion . . . . .	434
4.1	Without Corona Ring . . . . .	434
4.2	With Corona Ring . . . . .	435
5	Conclusion . . . . .	438
	References . . . . .	439
<b>Experimental and FEA Simulation of Thermal-Fluid Interaction Between TIN Coated Tungsten Carbide Tool and Inconel-825 Workpiece . . . . . 441</b>		
M. Sivaramakrishnaiah, P. Nandakumar and G. Rangajanardhana		
1	Introduction . . . . .	442
2	Design of Experiment and Experimentation . . . . .	443
3	Multiple Regression Model . . . . .	444
4	Geometry and Mesh Model . . . . .	446
4.1	Dry and Wet Condition . . . . .	446
5	Results and Discussion . . . . .	447
5.1	Dry and Wet Cutting Condition . . . . .	447
6	Conclusions . . . . .	449
	References . . . . .	451
<b>The Effect of Recrystallization on Electrical Resistivity of Stir Casted SiC<sub>p</sub>/AA6061 Composite After Shot Peening . . . . . 453</b>		
Venumurali Jagannati and Bhanodaya Reddy Gaddam		
1	Introduction . . . . .	453
2	Materials and Methods . . . . .	454
3	Results and Discussion . . . . .	455
3.1	Microstructural Examination . . . . .	455
3.2	XRD Analysis . . . . .	456
3.3	Electrical Resistivity . . . . .	457
4	Conclusions . . . . .	459
	References . . . . .	460
<b>Design and Modeling of Wye Piece . . . . . 461</b>		
Syed Sha Khalid, G. Vijaya and M. S. Rajagopal		
1	Introduction . . . . .	461
2	Modelling Using CATIA and Hypermesh . . . . .	462
3	Meshing and Boundary Conditions Using Hypermesh . . . . .	463
4	Analysis Results . . . . .	464
5	Conclusions . . . . .	470
6	Future Scope . . . . .	470
	References . . . . .	470

<b>Comparative Investigation on Gas Tungsten Arc Welding and Friction Stir Welding of Electrolytic Tough Pitch Copper Plates . . . . .</b>		<b>473</b>
K. A. Alex Luke, V. Balaji Reddy and Ashish Selokar		
1	Introduction . . . . .	473
2	Materials and Methods . . . . .	474
	2.1 Material . . . . .	474
3	Result and Discussion . . . . .	477
4	Conclusion and Further Scope . . . . .	480
	References . . . . .	480
<b>Synthesis and Characterization of Functionally Graded Ceramic Material for Aerospace Applications . . . . .</b>		<b>483</b>
M. Jeshrun Shalem, A. Devaraju and K. Karthik		
1	Introduction . . . . .	483
2	Experimentation . . . . .	484
	2.1 Slip Casting . . . . .	484
3	Results . . . . .	484
	3.1 Dielectric Constant . . . . .	484
	3.2 Density . . . . .	486
	3.3 Compressive Strength . . . . .	486
	3.4 Scanning Electron Microscope (SEM) Analysis . . . . .	486
4	Conclusion . . . . .	487
	References . . . . .	487
<b>CI Engine Characteristic Investigation by Application of Metal-Based Additives with Biodiesel Blends . . . . .</b>		<b>489</b>
L. Bharath and D. K. Ramesha		
1	Introduction . . . . .	489
2	Experimental Setup . . . . .	490
3	Methodology . . . . .	491
	3.1 Production of Biodiesel from Waste Cooking Oil (WCO) . . . . .	491
	3.2 Determination of Fuel Properties . . . . .	491
	3.3 Preparation of Nanofluids . . . . .	492
4	Results and Discussion . . . . .	492
	4.1 Performance Parameter . . . . .	492
	4.2 Combustion Parameter . . . . .	493
5	Emission Analysis . . . . .	493
	5.1 Oxides of Nitrogen . . . . .	493
	5.2 Carbon Monoxide . . . . .	495
	5.3 Unburnt Hydrocarbon . . . . .	495
	5.4 Smoke Opacity . . . . .	497
6	Conclusion . . . . .	497
	References . . . . .	498



<b>Simulation of Underground Cable Defects with the Detection of Partial Discharge</b> .....	499
Hardikkumar Delvadiya, Dinesh Kumar and Krishna Patel	
1 Introduction .....	499
2 Cable Defects .....	501
2.1 What Is Cable Defects? .....	501
2.2 Cause of Cable Defects .....	501
3 Results and Discussion .....	501
3.1 Void .....	502
3.2 External Cut .....	503
3.3 Termination and Left Out Completely .....	504
4 Conclusion .....	506
References .....	507
<b>Comparison of C.I Engine Performance Parameters and Emissions by Varying Designs of Intake Manifolds</b> .....	509
N. Balaji Ganesh and P. V. Srihari	
1 Introduction .....	509
2 Experimental Set-Up .....	510
2.1 Engine Specifications .....	511
3 Designs of Manifolds .....	511
3.1 Normal Manifold .....	512
3.2 Nozzle Inside the Inlet Manifold .....	512
3.3 Internal Threaded Manifold .....	512
4 Tabular Columns for Experimental Results .....	513
5 Results and Discussions .....	513
6 Conclusions .....	520
References .....	522
<b>Variation of Time Lag, Decrement Factor and Inside Surface Temperature with Solar Optical Properties of Building Envelope in Different Climatic Zones of India</b> .....	523
Debasish Mahapatra and T. P. Ashok Babu	
1 Introduction .....	523
1.1 Time Lag and Decrement Factor .....	524
2 Methodology .....	525
2.1 Sole Air Temperature .....	525
2.2 Climatic Zones of India .....	526
2.3 Time Lag and Decrement Factor Calculation .....	526
3 Results and Discussion .....	527
3.1 Time Lag and Decrement Factor Calculation .....	527
3.2 Electricity Saving .....	530
4 Conclusions .....	531
References .....	532

<b>Study on Tensile and Hardness Properties of Aluminium 7075 Alloy Reinforced with Graphite, Mica and E-Glass</b> . . . . .		533
T. G. Gangadhar, D. P. Girish, A. C. Prapul Chandra, Gangadhar Angadi and K. V. Karthik Raj		
1	Introduction . . . . .	534
2	Materials and Process . . . . .	534
	2.1 Materials . . . . .	534
	2.2 Process . . . . .	535
	2.3 Hardness Test . . . . .	536
	2.4 Tensile Test . . . . .	536
3	Result and Discussion . . . . .	537
	3.1 Tensile Strength and Hardness . . . . .	537
	3.2 Signal-to-Noise Ratio . . . . .	538
	3.3 Analysis of Variance (ANOVA) . . . . .	539
	3.4 Microstructure Studies . . . . .	540
4	Conclusion . . . . .	541
	References . . . . .	541
<b>ANN-Based Fault Classification and Section Identification Technique Using Superimposed Currents for Three-Terminal Transmission Line</b> . . . . .		543
Shivani Vaghela, Nishant Kothari and Dinesh Kumar		
1	Introduction . . . . .	543
2	System Modelling . . . . .	544
3	Feature Selection for Section Identification and Fault Classification . . . . .	546
4	Results and Discussion . . . . .	547
5	Conclusion . . . . .	548
	References . . . . .	552
<b>An Analytical Investigation for Combined Pressure-Driven and Electroosmotic Flow Without the Debye–Huckel Approximation</b> . . . . .		553
Avisankha Dutta and Sudip Simlandi		
1	Introduction . . . . .	553
2	Description of the Physical Problem . . . . .	555
3	Mathematical Formulation . . . . .	555
	3.1 Poisson–Boltzmann Equation . . . . .	556
	3.2 Momentum Equation . . . . .	556
	3.3 Energy Equation . . . . .	556
4	Solution of the Governing Equations . . . . .	557
	4.1 Electric Potential Distribution . . . . .	557
	4.2 Velocity Distribution . . . . .	559
	4.3 Temperature Distribution . . . . .	560
5	Results and Discussion . . . . .	561
6	Conclusion . . . . .	563
	References . . . . .	563

<b>Addressing the Green Tribology Advancement, Future Development, and Challenges</b> .....	565
Surender Kumar and Rabinder Singh Bharj	
1 Introduction .....	565
1.1 Global Sustainable Development .....	567
2 Green Tribology Fields in Engineering .....	567
3 Utility of Green Tribology in Real Life .....	569
4 Green Tribology Development Direction .....	569
5 Current Status of Energy Loss Due to Friction and Wear Worldwide .....	570
6 Results and Discussions .....	570
7 Conclusions .....	572
References .....	573
<b>Effect of Drying Temperature to the Thin Layer Drying Model of Sago Starch</b> .....	575
Maswida Mustafa Kamal, Rubiyah Baini, Lim Soh Fong, Mohd Hasnain Md Hussain and Shahrol Mohamaddan	
1 Introduction .....	575
2 Materials and Methods .....	576
2.1 Sample Preparation .....	576
2.2 Drying Experiment .....	576
2.3 Data Analysis and Mathematical Modeling .....	576
3 Results and Discussions .....	577
3.1 Effect of Drying Temperature to the Drying Curve of Traditionally Processed Sago Starch and Drying Characteristic .....	577
3.2 Effect of Drying Temperature to the Fitting Drying Model of Traditionally Processed Sago Starch .....	579
4 Conclusions .....	579
References .....	582
<b>Evaluating Mechanical Properties of Egg Shell, and Coco Peat Reinforced Epoxy Composite</b> .....	583
Vijay Kumar Girisala, D. Mangeelal and Sunkara Jaya Kishore	
1 Introduction .....	584
2 Methods .....	585
2.1 Preparation of Composite Material .....	585
2.2 Testing of Composite Material .....	587
3 Results and Discussions .....	588
3.1 Tensile Test .....	588
3.2 Compressive Test .....	589
3.3 Hardness Test .....	590
4 Conclusions .....	590
References .....	591

<b>Design Modification of Rear Axle Housing by Fatigue Failure Analysis</b> . . . . .		593
Barada P. Baisakh and Anil K. Prasad		
1	Introduction . . . . .	593
2	CAD and FE Model Description . . . . .	594
3	Axle Housing Material . . . . .	595
4	Loading Condition . . . . .	597
5	Finite Element Analysis of Housing and Results . . . . .	597
6	Theoretical Validation . . . . .	599
7	Design Optimization . . . . .	600
8	Results and Discussion . . . . .	602
9	Conclusions . . . . .	603
	References . . . . .	605
<b>Mixture Design Using Low-Cost Adsorbent Materials for Decolourisation of Biomethanated Distillery Spent Wash in Continuous Packed Bed Column</b> . . . . .		607
Ishwar Chandra, Anima Upadhyay and N. Ramesh		
1	Introduction . . . . .	608
2	Materials and Methods . . . . .	610
	2.1 Collection and Bio-chemical Analysis of BDSW . . . . .	610
	2.2 Preparation and Characterisation of Biosorbent Carrier Materials . . . . .	610
	2.3 Batch Experiments . . . . .	611
	2.4 Continuous Column Flow Studies . . . . .	611
	2.5 Decolourisation Assay . . . . .	613
	2.6 Nutritional Analysis of Spent Modified Soil . . . . .	613
3	Results and Discussion . . . . .	614
	3.1 Characteristics of BDSW . . . . .	614
	3.2 Properties of Biosorbent . . . . .	614
	3.3 Colour Degradation . . . . .	616
	3.4 Nutritional Quality of Spent Modified Soil . . . . .	617
4	Conclusion . . . . .	617
	References . . . . .	620
<b>Prediction of the WPPO Biodiesel-Fuelled HCCI Engine Using Artificial Neural Networks</b> . . . . .		623
Ramavathu Jyothu Naik and Kota Thirupathi Reddy		
1	Introduction . . . . .	623
2	Experimental Setup . . . . .	624
3	Results and Discussion . . . . .	625
	3.1 Modelling with ANN . . . . .	629
4	Conclusion . . . . .	631
	References . . . . .	631

<b>Dimensional Analysis of Form Drilling Parameters by Buckingham Pi Theorem and Optimization of Heat Generation in Form Drilling Process by Taguchi</b> . . . . .	633
Y. Bhargavi and V. Diwakar Reddy	
1 Introduction . . . . .	633
2 Literature Survey . . . . .	634
3 Experimental Setup . . . . .	635
4 Pi Terms Evaluated . . . . .	636
4.1 Process Parameters . . . . .	636
5 Results and Discussion . . . . .	637
5.1 Analysis of Variance for Heat Generation . . . . .	639
5.2 Analysis of Variance for Petal Height . . . . .	639
5.3 Taguchi Analysis for Heat Generation . . . . .	640
5.4 Taguchi Analysis for Petal Height . . . . .	640
6 Conclusion . . . . .	641
References . . . . .	643
<b>Comparison of Ductile, Flexural, Impact and Hardness Attributes of Sisal Fiber-Reinforced Polyester Composites</b> . . . . .	645
S. Sathees Kumar, V. Mugesh Raja, B. Sridhar Babu and K. Tirupathi	
1 Introduction . . . . .	645
1.1 Materials and Methods . . . . .	646
1.2 Fabrication of Specimen . . . . .	647
2 Mechanical Testing . . . . .	649
2.1 Tensile Strength . . . . .	649
2.2 Flexural Strength . . . . .	649
2.3 Impact Strength and Hardness . . . . .	649
3 Scanning Electron Microscope (SEM) . . . . .	649
4 Results and Discussions . . . . .	650
4.1 Ductile Properties . . . . .	650
4.2 Flexural Properties . . . . .	650
4.3 Impact Properties . . . . .	651
4.4 Hardness Properties . . . . .	652
5 Analysis of SEM . . . . .	652
6 Conclusions . . . . .	653
References . . . . .	654
<b>Optimization of EDM Process Parameters Using Standard Deviation and Multi-objective Optimization on the Basis of Simple Ratio Analysis (MOOSRA)</b> . . . . .	655
J. Anitha and Raja Das	
1 Introduction . . . . .	655
2 Experimental Environment . . . . .	656
3 Methodology . . . . .	657
3.1 Optimization Problem . . . . .	657



3.2	Standard Deviation Concept for Weight Calculation .....	657
3.3	MOOSRA Methodology .....	658
4	Results and Discussion .....	659
4.1	Allocation of Weights .....	659
4.2	Result Analysis .....	660
5	Conclusion .....	661
	References .....	662
<b>Modeling and Simulation of Trans Z-Source Inverter with Maximum Constant Boost PWM Control for Solar PV System .....</b>		<b>663</b>
K Chitra		
1	Introduction .....	663
2	T-Source Inverter .....	664
2.1	Equivalent Circuit and Operating States of TSI .....	664
3	Modeling of TSI-Based Solar PV System .....	666
4	Maximum Constant Boost PWM Control (MCB PWM) .....	668
5	Simulation Results and Discussion .....	669
5.1	Simulation Results of TSI for Solar PV System Using MCB PWM Algorithm .....	670
6	Conclusion .....	672
	References .....	673
<b>Driver Drowsiness Monitoring System .....</b>		<b>675</b>
J. V. V. S. N. Raju, P. Rakesh and N. Neelima		
1	Introduction .....	675
2	Literature Survey .....	676
3	Proposed System .....	677
3.1	Eye Blink Detection .....	679
3.2	Yawn Detection .....	681
3.3	Head Location Analysis .....	682
4	Result .....	682
5	Conclusion .....	683
	References .....	683
<b>Detection and Control of Water Leakage in Pipelines and Taps Using Arduino Nano Microcontroller .....</b>		<b>685</b>
M. Pravin Kumar, R. Velmurugan and P. Balakrishnan		
1	Introduction .....	685
2	Methodology .....	686
3	Arduino Nano .....	687
4	Water Flow Sensor .....	688
5	Water Drop Sensor .....	688
6	Liquid Crystal Display .....	689
7	Relay .....	690
8	Solenoid Valve .....	690
9	Experimental Set-up .....	691

10	Conclusions .....	691
	References .....	692
<b>Smart Automated Processes for Bottle-Filling Industry Using PLC-SCADA System .....</b>		
		693
Nikhita Nadgouda, Senthil Arumugam Muthukumaraswamy and S. U. Prabha		
1	Introduction and Background Theory .....	693
2	Proposed Methodology .....	695
	2.1 SCADA Implementation of Bottle-Filling Industry .....	695
	2.2 Warehouse Management Systems .....	696
	2.3 Energy-Efficient Lighting Solutions .....	697
3	Results and Analysis .....	697
	3.1 SCADA Implementation of Bottle-Filling Industry .....	697
	3.2 Warehouse Management Systems .....	698
	3.3 Energy-Efficient Lighting Solutions .....	700
4	Conclusion .....	701
	References .....	702
<b>Effect of Stirring Speed During Casting on Mechanical Properties of Al-Si Based MMCs .....</b>		
		703
Ajit Kumar Senapati, Sasank Shekhar Panda, Bibhash Kumar Dutta and Shubham Mishra		
1	Introduction .....	703
2	Experimental Procedure .....	704
	2.1 Casting .....	704
	2.2 Impact Test .....	705
	2.3 Tensile Strength Test .....	706
	2.4 Compression Strength Test .....	707
	2.5 Hardness Test .....	707
3	Results and Discussion .....	707
4	Conclusion .....	709
	References .....	710
<b>Exploration of Pillars of Industry 4.0 Using Latent Semantic Analysis Technique .....</b>		
		711
Aniruddha Anil Wagire, Ajay Pal Singh Rathore and Rakesh Jain		
1	Introduction .....	711
2	Methodology .....	713
	2.1 Latent Semantic Analysis (LSA) .....	713
3	Results and Discussion .....	713
	3.1 Data Selection and Analysis .....	714
	3.2 Interpretation of Results .....	714
	3.3 Pillars of Industry 4.0 .....	715
4	Conclusions and Implications .....	718
	References .....	718

<b>An Overview of Different Topologies of DC/DC Bidirectional Converter for Different Applications</b> .....	721
S. Sathishkumar, G. Preethi and V. Kamatchi Kannan	
1 Introduction .....	721
2 Overview of Different Topologies .....	722
3 Conclusion .....	730
References .....	730
<b>An Approach to Detect and Classify Defects in Cantilever Beams Using Dynamic Mode Decomposition and Machine Learning</b> .....	731
Kailash Nagarajan, J Ananthu, Vijay Krishna Menon, K. P. Soman, E. A. Gopalakrishnan and Ajith Ramesh	
1 Introduction .....	732
2 Methodology .....	732
2.1 Simulation, Data Acquisition, and Analysis .....	732
2.2 Dynamic Mode Decomposition .....	733
2.3 Support Vector Machines .....	735
3 Results and Discussions .....	735
4 Results and Discussions .....	736
References .....	737
<b>Musculoskeletal Simulation and Analysis of Upper Limb Rehabilitation Device</b> .....	739
Shahrol Mohamaddan, Aliff Rahman, Annisa Jamali, Helmy Hazmi and Michelle Maya Limbai	
1 Introduction .....	739
2 Materials and Methods .....	740
2.1 Upper Limb Rehabilitation Device Selection and Setting .....	740
2.2 Musculoskeletal Analysis using AnyBody Software .....	742
3 Results and Discussion .....	743
4 Conclusion .....	746
References .....	748
<b>Fuzzy Regenerative Braking Strategy</b> .....	749
Pranvat Singh Dang and Rudraksh Raajesh Haran	
1 Introduction .....	749
2 Vehicle Dynamics and Braking .....	750
3 Mathematical Model of Energy Regeneration .....	751
4 Braking Strategy .....	752
5 Design of Fuzzy Logic Controller .....	753
6 Simulation Results and Discussions .....	755
7 Conclusion .....	756
References .....	757

<b>A New Framework for Secure Outsourcing of Medical Data</b> .....	759
J. Hyma, Moulica Sudamalla, Dharma Teja Vanaparathi, Koushik Vinnakota and Vamsi Krishna Choppavarapu	
1 Introduction .....	760
2 Paper Organization .....	760
3 Related Work .....	760
4 Proposed System Architecture .....	761
5 Algorithms .....	762
5.1 Least Significant Bit .....	762
5.2 BlowFish Algorithm .....	763
5.3 SHA-256 .....	764
6 Results .....	764
7 Security Challenges .....	764
8 Conclusion and Future Work .....	766
References .....	766
<b>A Comprehensive View for Providing the Decision on Medicare Data</b> .....	769
P. Naga Jyothi, D. Rajya Lakshmi and K. V. S. N. Rama Rao	
1 Introduction .....	769
2 Literature Survey .....	770
3 Recommended System for Providing the Decision on Medicare Data .....	772
3.1 Sources of Healthcare Claims Data .....	772
3.2 Analysis of Medicare Data .....	772
3.3 Development Phase .....	773
4 Experimental Results .....	775
5 Conclusion and Future Work .....	778
References .....	779
<b>Predicting Cardiac Arrhythmia Using QRS Detection and Multilayer Perceptron</b> .....	781
Harika Gundala, Mayank Sethia, Mehul Sethia, Shreyas Gonjari, Akshay Gugale and Rajeshkannan Regunathan	
1 Introduction .....	781
2 Literature Survey .....	782
3 Prediction System Architecture .....	783
3.1 Data Preprocessing .....	783
3.2 Multilayer Perceptron .....	783
3.3 QRS Detection .....	784
4 Algorithms .....	785
4.1 Pan-Tompkins Algorithm .....	785
4.2 Multilayer Perceptron .....	786
5 Dataset .....	786
6 Implementation .....	786

7	Results . . . . .	788
8	Conclusion . . . . .	788
	References . . . . .	789
<b>Full Length Driver Drowsiness Detection Model—Utilising Driver Specific Judging Parameters . . . . .</b>		
		791
Sree Pradeep Kumar Relangi, Mutyam Nilesh, Kintali Pavan Kumar and Anantapalli Naveen		
1	Introduction . . . . .	791
2	System Architecture . . . . .	792
3	Implementation . . . . .	793
	3.1 Facial Landmarks . . . . .	793
	3.2 Eye Aspect Ratio . . . . .	793
	3.3 Mouth Aspect Ratio . . . . .	795
	3.4 Drowsiness Predication . . . . .	796
4	Experimental Results . . . . .	796
5	Conclusion and Future Work . . . . .	797
	References . . . . .	798
<b>Enterprise Reporting Solution on Integrating Business Intelligence for Operational and Financial Data . . . . .</b>		
		799
Anuraag Mazumdar and Rajeshkannan Regunathan		
1	Introduction . . . . .	799
2	Survey of Existing Models . . . . .	800
3	Architecture of Analytical Reporting Using Business Intelligence . . . . .	801
	3.1 Detailed Design, ER (Entity Relationship) Diagram . . . . .	803
4	Implementation . . . . .	804
5	Conclusion . . . . .	805
	References . . . . .	806
<b>A Survey on Accelerating the Classifier Training Using Various Boosting Schemes Within Cascades of Boosted Ensembles . . . . .</b>		
		809
A. S. Venkata Praneel, T. Srinivasa Rao and M. RamaKrishna Murty		
1	Introduction . . . . .	810
2	Boosting Chain Learning . . . . .	811
	2.1 Booster Cascade . . . . .	812
	2.2 Cascade Training . . . . .	812
	2.3 Tuning the Boosting Cascade . . . . .	813
	2.4 Learning the Naive Booster Chain Framework . . . . .	814
	2.5 Using Bootstrap for Boosting Chain Learning . . . . .	815
3	Optimization of Boosting Chain . . . . .	817
	3.1 Booster Optimization Based on a Linear Model . . . . .	818
	3.2 Adjusting the Classifier . . . . .	819
	3.3 Removal of Redundancy in Boosting . . . . .	820



4	Performance Comparisons of the Three Detectors . . . . .	821
5	Observations of Empirical Outcomes . . . . .	821
6	Conclusion . . . . .	824
	References . . . . .	824
<b>Service Layer Security Architecture for IOT Using Biometric Authentication and Cryptography Technique . . . . . 827</b>		
Santosh Kumar Sharma and Bonomali Khuntia		
1	Introduction . . . . .	827
2	Related Works . . . . .	828
	2.1 System Architecture . . . . .	829
	2.2 Algorithm (Honey Encryption) . . . . .	830
3	AVISPA Code . . . . .	832
4	Result Analysis . . . . .	834
5	Conclusion and Future Work . . . . .	835
	References . . . . .	835
<b>Author Index . . . . .</b>		<b>839</b>

# Effect of Tribo-layer on the Sliding Wear Behavior of Detonation Sprayed Alumina–Titania Coatings



P. Uday Chandra Rao, P. Suresh Babu, D. Srinivasa Rao,  
S. V. Gopala Krishna and K. Venkateswara Rao

**Abstract** Alumina–Titania composite coatings are excellent candidates for providing protection against abrasive and sliding wear. These coatings have their applications in textile manufacturing components, tooling, components for the chemical industry and electrical insulation due to high wear resistance, toughness, good grindability and corrosion resistance.  $\text{Al}_2\text{O}_3$ – $\text{TiO}_2$  composite powders having  $\text{TiO}_2$  from 3 to 40 wt% are deposited on mild steel substrates by advanced detonation spray coating (ADSC) technique. advanced characterization techniques like SEM, FESEM, EDS, XRD, were carried to access the coating characteristics. Tribological behavior of coatings was evaluated under dry sliding wear condition as per ASTM standards, and the results were summarized and correlated with the coating composition.

## 1 Introduction

Coatings are applied on to material to form a layer by which it enhances the surface properties of the material by acting as composite. Alumina–Titania coatings deposited by thermal spray process have been used to enhance the wear, corrosion resistance, electrical and thermal conductivity as well as elevated temperature

P. Uday Chandra Rao (✉) · S. V. Gopala Krishna · K. Venkateswara Rao  
Department of Mechanical Engineering, Sir C.R. Reddy College of Engineering,  
Eluru, Andhra Pradesh 534007, India  
e-mail: udaypattela@gmail.com

S. V. Gopala Krishna  
e-mail: krishnamaidu333@gmail.com

K. Venkateswara Rao  
e-mail: kvrao2222@gmail.com

P. Suresh Babu · D. Srinivasa Rao  
Centre for Engineered Coatings, International Advanced Research Centre for Powder Metallurgy  
and New Materials (ARCI), Balapur (PO) Hyderabad, Telangana 500005, India  
e-mail: pitchuka@arci.res.in

D. Srinivasa Rao  
e-mail: rrao@arci.res.in

© Springer Nature Singapore Pte Ltd. 2020  
A. N. R. Reddy et al. (eds.), *Intelligent Manufacturing and Energy Sustainability*,  
Smart Innovation, Systems and Technologies 169,  
[https://doi.org/10.1007/978-981-15-1616-0\\_28](https://doi.org/10.1007/978-981-15-1616-0_28)

Lecture Notes in Electrical Engineering 655

P. Satish Rama Chowdary  
V. V. S. S. S. Chakravarthy  
Jaume Anguera  
Suresh Chandra Satapathy  
Vikrant Bhateja *Editors*

# • Microelectronics, Electromagnetics and • Telecommunications

Proceedings of the Fifth ICMEET 2019

# Contents

<b>A Robust Architecture Based on Adaptive Recursive Filter for Gigabit Communications</b> .....	1
Kothapalli Roopa, R. V. Siva Krishna Addagattu, and Kuppili Sunil Kumar	
<b>DGS-Based T-Shaped Patch Antenna for 5G Communication Applications</b> .....	11
Akash Kumar Gupta, Anil Kumar Patnaik, S. Suresh, P. Satish Rama Chowdary, and M. Vamshi Krishna	
<b>Cascaded Operation of Hybrid Multilevel Inverter with Optimum Switching Angle Control for Power Quality Enhancement</b> .....	21
Hejeebu Prasad, R. Kameswara Rao, and S. Kranthi Kumar	
<b>Performance Comparison Analysis of GTTPC and AHTPC Technique for WBAN with Mobile Scenario</b> .....	33
M. Raj Kumar Naik and P. Samundiswary	
<b>A Comprehensive Study and Evaluation of Recommender Systems</b> .....	45
A. Vineela, G. Lavanya Devi, Naresh Nelaturi, and G. Dasavatara Yadav	
<b>LBPH-Based Face Recognition System for Attendance Management</b> .....	55
P. Lavanya, G. Lavanya Devi, and K. Srinivasa Rao	
<b>Proposed Pipeline Clocking Scheme for Microarchitecture Data Propagation Delay Minimization</b> .....	63
Wasim Ghder Soliman, P. V. S. Anusha, D. V. Rama Koti Reddy, N. Suresh Kumar, and B. Keerthi Priya	
<b>Design of Metamaterial Loaded Dipole Antenna for GPR</b> .....	71
T. Pavani, A. Naga Jyothi, A. Ushasree, Y. Rajasree Rao, and Ch. Usha Kumari	

<b>Low-Power and High-Speed 2-4 and 4-16 Decoders Using Modified Gate Diffusion Input (M-GDI) Technique</b> .....	79
Anusha Karumuri and Prema Kumar Medapati	
<b>A Sensitivity Based Approach for Optimal Allocation of OUPFC Under Single Line Contingencies</b> .....	93
Srinivasa Rao Veeranki, Srinivasa Rao Rayapudi, and Ravindra Manam	
<b>Impact Analysis of Black Hole, Flooding Attacks and Enhancements in MANET Using SHA-3 Keccak Algorithm</b> .....	105
T. Sairam Vamsi, T. Sudheer Kumar, and M. Vamsi Krishna	
<b>Reconfigurable Rectangular Microstrip Patch Antenna for S-Band Applications</b> .....	115
LalBabu Prasad, B. Ramesh, and K. P. Vinay	
<b>Design and Development of Hindrance Application Using Vocal and Quick Responsible Code for Railway</b> .....	123
Vadamodula Prasad and Kerru Jeevan Vamsi	
<b>Estimation from Censored Sample: Size-Biased Lomax Distribution</b> . . .	131
A. Naga Durgamamba and Kanti Sahu	
<b>Fuzzy Controlled High Gain Nonisolated DC to DC Hybrid Boost Converter</b> .....	141
M. V. Sudarsan, Ch. Sai Babu, and S. Satyanarayana	
<b>Air Gap Coupled Microstrip Antenna for K/Ka Band Wireless Applications</b> .....	153
K. S. Ravi Kumar, Yashpal Singh, and K. P. Vinay	
<b>Electromagnetic Analysis of MEMS-Based Tunable EBG Bandstop Filter Using RF MEMS Switch for Ku-Band Applications</b> .....	163
G. Shanthi, K. Srinivasa Rao, and K. Girija Sravani	
<b>Semi-circular MIMO Patch Antenna Using the Neutralization Line Technique for UWB Applications</b> .....	175
Gorre Naga Jyothi Sree and Suman Nelaturi	
<b>Multi-Beam Generation Using Quasi-Newton method and Teaching Learning Based Optimization algorithm</b> .....	183
R. Krishna Chaitanya, P. Mallikarjuna Rao, and K. V. S. N. Raju	
<b>Type E Fault Performance Improvement of DFIG Using Lookup Table-Based Control Scheme</b> .....	191
D. V. N. Ananth, G. Joga Rao, and S. N. M. Venkatesh Gudela	



<b>Positioning Strategies: Implementation and Applications of Major Source Localization and Positioning Approaches Over Indian Subcontinent</b> .....	201
Ganesh Laveti, D. Eswara Chaitanya, P. Chaya Devi, and T. Vinodh Kumar	
<b>Fast Nonlinear Filter-Based Local Phase Quantization for Texture Classification</b> .....	213
Sonali Dash, Ayyagari Sai Ramya, and B. Priyanka	
<b>Escalation of Energy Performance in Many User-Several Inputs and Several Output System with Spectral Ability Compulsion</b> .....	221
Kommiseti Murthy Raju and Vemu Srinivas Rao	
<b>Nature-Inspired Biogeography-Based Optimization for Estimation of GPS Receiver Position in Low Latitude Regions of the Indian Subcontinent</b> .....	241
N. Ashok Kumar and G. Sasibhushana Rao	
<b>Network-on-Chip Xilinx Implementation of WBCDMA System and Its AWGN Performance Analysis</b> .....	251
S. Rama Devi, T. Vedavyas, and M. Satya Anuradha	
<b>Comparison of Conformal and Planar CPW-Fed Circularly Polarized UWB Square Slot Antennas for WLAN, WiMAX, and 5G Applications</b> .....	259
Sateesh Virothu and M. Satya Anuradha	
<b>Design of a Quad-Band Annular Ring-Loaded Circular Patch Antenna with Meander Line Slot and DGS for Wireless Applications</b> .....	269
Mahesh Babu Kota, T. V. Rama Krishna, Ketavath Kumar Naik, E. Eswar Sai Yaswanth, G. Hanimi Reddy, and K. Gowtam Chowdary	
<b>CPW Fed Hexa-to-Hexa Fractal Antenna for Multiband Applications</b> .....	277
K. Yogaprasad and V. R. Anitha	
<b>GA Tuned Kalman Filter for Precise Positioning</b> .....	285
Nalineekumari Arasavali, G. Sasibhushana Rao, and N. Ashok Kumar	
<b>An Optimized Path Loss Model for Urban Wireless Channels</b> .....	293
Sreevardhan Cheerla, D. Venkata Ratnam, and J. R. K. Kumar Dabbakuti	
<b>A Comprehensive Review on Effect of Band Selection on the Recital of Hyper-spectral Image Classification</b> .....	303
Kalidindi Kishore Raju, G. P. Saradhi Varma, and Davuluri Rajyalakshmi	

<b>Study of Changes in Land Use and Land Covers Using Temporal Landsat-8 Images</b> .....	321
Parminder Kaur Birdi and Varsha Ajith	
<b>Maintenance Scheduling of Heavy Machinery Using IoT for Wide Range of Real-Time Applications</b> .....	331
Jasti Lavanya, P. Kusuma Vani, and N. Srinivas Gupta	
<b>A Tapered Microstrip-Fed Steering-Shaped Super-Wideband Printed Monopole Antenna</b> .....	341
Srinivasarao Alluri and Nakkeeran Rangaswamy	
<b>High-Throughput VLSI Architectures for VLSI Signal Processing</b> .....	349
R. Ashok Chaitanya Varma, M. Venkata Subbarao, D. Ramesh Varma, and G. R. L. V. N. S. Raju	
<b>Reform Initiatives for Electrical Distribution Utilities in Jharkhand, India</b> .....	359
Palacherla Srinivas, Rajagopal Peesapati, Muddana Harsha Vardhan, and Katchala Appala Naidu	
<b>FPGA Performance Evaluation of Present Cipher Using LCC Key Generation for IoT Sensor Nodes</b> .....	371
Srikanth Parikibandla and Alluri Sreenivas	
<b>Estimation of FSO Link Availability for Visakhapatnam Coastal Region</b> .....	381
Mogadala Vinod Kumar, G. Sasibhushana Rao, D. Amani, and Ch. Babji Prasad	
<b>CPW-Fed Monopole Antenna for RCS Reduction in X-Band Applications</b> .....	391
V. Suryanarayana, N. Uzawa, V. Sateesh, M. Satya Anuradha, and S. Paul Douglas	
<b>Performance Improvement of Solar PV Maximum Power Point Tracking Using Sliding Mode Control Algorithm</b> .....	403
M. Ravi Kumar, S. Satyanarayana, and V. Ganesh	
<b>Surfactant Effect on Bandgap and Crystallite Size of ZnO-TiO<sub>2</sub>-CeO<sub>2</sub> Nanocomposites</b> .....	411
H. Srinivasa Varaprasad, P. V. Sridevi, and M. Satya Anuradha	
<b>TEC Variation Analysis During Near Peak Solar Year Activity Over Indian Subcontinent</b> .....	423
Bharati Bidikar, Rajkumar Goswami, G. Sasibhushana Rao, and Ch. Babji Prasad	

<b>A Review on Schemes for Interconnecting Microgrids of Urban Buildings</b> .....	431
S. N. V. Bramareswara Rao and Kottala Padma	
<b>Performance Analysis of Multiwalled Carbon Nanotube, Composite Multiwalled Carbon Nanotube, and Copper-Based Antenna in X-Band Applications</b> .....	439
V. Suryanarayana, M. Satya Anuradha, and S. Paul Douglas	
<b>Wideband Printed Antenna Design Techniques: A Comprehensive Study</b> .....	449
Gundapaneni Sri Latha and G. S. N. Raju	
<b>Comparison of Various Algorithms for Side Lobe Level Reduction in 5G Antenna Arrays</b> .....	457
Y. Laxmi Lavanya and G. Sasibhushana Rao	
<b>Analysis of Electromagnetic Shielding Effectiveness Properties of Al6061 Metal Matrix Composites at X-Band for Aerospace Applications</b> .....	467
Srinu Budumuru and M. Satya Anuradha	
<b>Design, Simulation and Experimental Validation of Patch Antenna in S-Band Satellite Communication</b> .....	477
Karedla Chitambara Rao, P. Mallikarjuna Rao, B. Sadasiva Rao, and Pavada Santosh	
<b>Performance Efficient Floating-Point Multiplication Using Unified Adder-Subtractor-Based Karatsuba Algorithm</b> .....	491
K. V. Gowreesrinivas and P. Samundiswary	
<b>Implementation of Program Page, Read Page and Block Erase Operations in NAND Flash Memory Controller</b> .....	499
Ch. Harini, B. Keerthi Priya, and D. V. Rama Koti Reddy	
<b>Design of Low Standby Power 10T SRAM Cell with Improved Write Margin</b> .....	507
R. Manoj Kumar and P. V. Sridevi	
<b>Design and Analysis of Symmetric and Asymmetric Staircase Patch Antenna</b> .....	515
Bammidi Deepa, P. Chaya Devi, and M. Syamala	
<b>Performance Analysis of Multilevel Converter with Reduced Number of Active Switches</b> .....	525
Sudheer Vinnakoti and Venkata Lakshmi Vasamsetti	
<b>Reliability Assessment of a Hybrid PV/Battery Converter</b> .....	539
Shaik Daryabi, Allamsetty Hema Chander, B. G. Madhuri, and V. Pramadha Rani	

<b>Speech Enhancement Using Beamforming and Kalman Filter for In-Car Noisy Environment</b> . . . . .	549
G. Ramesh Babu and G. V. Sridhar	
<b>Performance Evaluation of UWB Waveforms in High-Resolution Radar</b> . . . . .	559
Ch. Srinivasu, D. Monica Satyavathi, and N. Markandeya Gupta	
<b>Single-Stage AC-DC Integrated Double Buck-Boost LED Driver</b> . . . . .	567
Thanikonda Yedukondalu, Mopidevi SubbaRao, S. Satyanarayana, and M. V. Sudarsan	
<b>Comparison of Incremental Conductance with Fuzzy Controller for a PLL-Less Scheme for Grid-Interfaced PV System</b> . . . . .	579
Alluvada Bala Raja Ram, T. Srinivas Sirish, M. V. Suresh Kumar, and A. Sai Sita Ram Murthy	
<b>A Real-Time Audio Transmission and Reception Over Wireless Channel Using PXI System</b> . . . . .	591
M. Padmaja, K. Prasuna, and K. Murali	
<b>A Safe and Cost-Effective Algorithm for Automation of LPG Cylinder Booking Using ESP8266</b> . . . . .	601
Srinivasa Naidu Nalla and K. V. Gowreesrinivas	
<b>Intelligent Traffic Signal Control System Using Machine Learning Techniques</b> . . . . .	611
Mohammad Ali, G. Lavanya Devi, and Ramesh Neelapu	
<b>An Analytical Review on Log Periodic Dipole Antennas with Different Shapes of Dipole Elements</b> . . . . .	621
Swetha Velicheti and P. Mallikarjuna Rao	
<b>Adaptive Level Cross Sampling for Next-Generation Data-Driven Applications</b> . . . . .	633
Viswanadham Ravuri, Sudheer Kumar Terlapu, and S. S. Nayak	
<b>Image Fusion of X-ray Mammography Using Weighted Averaging GA-Based SWT Technique</b> . . . . .	641
M. Prema Kumar, V. Veer Raju, and P. Rajesh Kumar	
<b>Comparison on Radar Echo Cancellation Techniques for SAR Jamming</b> . . . . .	651
Ch. Anoosha and B. T. Krishna	
<b>Design of Nanoscale Square Ring Resonator Band-Pass Filter Using Metal-Insulator-Metal</b> . . . . .	659
Surendra Kumar Bitra and M. Sridhar	

<b>Comparative Analysis of Sentiment Analysis Between All Bigrams and Selective Adverb/Adjective Bigrams</b> .....	665
Mounicasri Valavala and Hemalatha Indukuri	
<b>Compact Quad Band Radiator for Wireless Applications</b> .....	673
V. Saritha, C. Chandrasekhar, and K. Murali	
<b>Synthesis of Non-uniformly Spaced Linear Antenna Array Using Firefly Algorithm</b> .....	685
Nagavalli Vegesna, G. Yamuna, and T. Sudheer Kumar	
<b>Timeout-Aware Inter-Queuing for QoS Provisioning of Real-Time Secondary Users in Cognitive Radio Networks</b> .....	693
K. Annapurna and B. Seetha Ramanjaneyulu	
<b>Inter-user Interference Mitigation Scheme for IEEE 802.15.4</b> .....	701
C. K. Meghalatha, K. S. Sravan, K. Krishna Chaitanya, and B. Seetha Ramanjaneyulu	
<b>Analysis of CPW-Fed Modified Z-Shaped Reconfigurable Antenna for Automotive Communications</b> .....	709
T. Anilkumar, B. T. P. Madhav, R. Venkata Abhiram, K. Nikhil Sai Radhesh, J. Harish, and M. Venkateswara Rao	
<b>Performance of Error Correction Codes for 5G Communications</b> .....	719
B. Surendra babu, Idrish shaik, and N. Venkateswar Rao	
<b>Pattern Recognition of Time-Varying Signals Using Ensemble Classifiers</b> .....	725
M. Venkata Subbarao, Sudheer Kumar Terlapu, V. V. S. S. S. Chakravarthy, and Suresh Chandra Satapaty	
<b>Design and Analysis of Koch Fractal Slots for Ultra-Wideband Applications</b> .....	735
Sudheer Kumar Terlapu, M. Venkata Subba Rao, P. Satish Rama Chowdary, and Suresh Chandra Satapaty	
<b>Pattern Recovery in Linear Arrays Using Grasshopper Optimization Algorithm</b> .....	745
V. V. S. S. S. Chakravarthy, P. Satish Rama Chowdary, Jaime Anguera, Divya Mokara, and Suresh Chandra Satapaty	
<b>Exponential Fourier Moment-Based CBIR System: A Comparative Study</b> .....	757
J. Surendranadh and Ch. Srinivasa Rao	



<b>Quaternion Polar Complex Exponential Transform and Local Binary Pattern-Based Fusion Features for Content-Based Image Retrieval . . . .</b>	<b>769</b>
D. Kishore and Ch. Srinivasa Rao	
<b>FLM-Based Optimization Scheme for Ocular Artifacts Removal in EEG Signals . . . . .</b>	<b>777</b>
Shyam Prasad Devulapalli, Ch. Srinivasa Rao, and K. Satya Prasad	



**Microelectronics, Electromagnetics and Telecommunications** pp 431–438

[Home](#) > [Microelectronics, Electromagnetics and Telecommunications](#) > [Conference paper](#)

## A Review on Schemes for Interconnecting Microgrids of Urban Buildings

[S. N. V. Bramareswara Rao](#)  & [Kottala Padma](#)

Conference paper | [First Online: 24 June 2020](#)

**687** Accesses | **2** Citations

Part of the [Lecture Notes in Electrical Engineering](#) book series (LNEE, volume 655)

### Abstract

Interconnected operation of microgrids is one of the prominent solutions to meet the increased demand of electricity by large consumer such as urban buildings. Besides, the present-day urbanization motivations further enhance the power crisis problem. So, this creates major burden on the utility grid and consequently leading to grid failures. So, these buildings can be integrated to share their generation and load appropriately.

Lecture Notes in Electrical Engineering 626

H. S. Saini

T. Srinivas

D. M. Vinod Kumar

K. S. Chandragupta Mauryan *Editors*

# Innovations in Electrical and Electronics Engineering

Proceedings of the 4th ICIEEE 2019

 Springer

**Search**

# Contents

## Power Electronics

<b>Power System Security Analysis Using FACTS Devices by Means of Intelligent and Hybrid Techniques Under Different Loading Conditions</b> .....	3
S. Venkata Padmavathi, A. Jayalaxmi and Sarat Kumar Sahu	
<b>Implementation of Three-Phase Shunt Active Filter Using Instantaneous Real Power Calculation and Triangular Carrier Current Control</b> .....	13
Athira Ajith, P. V. Manitha and K. Ilango	
<b>A Small DC-Link Capacitor Inverter Fed by Front-End Three-Phase Diode Rectifiers Used to Control Induction Motor</b> .....	27
Ashwini V. Potdar and Ch. Mallareddy	
<b>Different Topologies of Inverter: A Literature Survey</b> .....	35
Kalagotla Chenchireddy, V. Jegathesan and L. Ashok Kumar	
<b>Analysis and Design of Extended Range Zero Voltage Switching (ZVS) Active-Clamping Current-Fed Push-Pull Converter</b> .....	45
Koyelia Khatun and Akshay Kumar Rathore	
<b>Switched Reluctance Motor Converter Topologies: A Review</b> .....	55
Velakurthi Mahesh Kumar, K. Vinoth Kumar and R. Saravanakumar	
<b>Design of Five-Level Cascaded H-Bridge Multilevel Inverter</b> .....	65
S. Swathy, N. Niveditha and K. S. Chandragupta Mauryan	
<b>Performance Analysis of Asymmetrical Cascaded H-Bridge Multilevel Inverter Using Multicarrier Pulse-Width Modulation Techniques</b> .....	81
D. Naveen Kumar and P. V. Kishore	
<b>Interoperable Wireless Charging for Electric Vehicles</b> .....	91
A. Maideen Abdhulkader Jeylani, J. Kanakaraj and A. Mahaboob Subhani	

<b>Power Quality Enhancement Using DSTATCOM with Reduced Switch-Based Multilevel Converter</b> .....	103
Sudheer Vinnakoti, Anusha Paliseti and Venkata Reddy Kota	
<b>Dual-Input Multioutput Using Non-Cloistered DC-DC Boost Converter</b> .....	117
K. Sakthidhasan and K. Mohana Sundaram	
<b>Application of Nonlinear and Optimal Control Techniques to High Gain DC-DC Converter</b> .....	129
Nibedita Swain	
<b>An Innovative Multi-input Boost Chopper for HEV</b> .....	145
A. Ranganadh and M. Chiranjeevi	
<b>Performance Evaluation of Transistor Clamped H-Bridge (TCHB)-Based Five-Level Inverter</b> .....	161
V. Kiranmayee and A. Sharath Kumar	
<b>Enhancement of Power Quality by the Combination of D-STATCOM and UPQC in Grid Connected to Wind Turbine System</b> .....	173
M. Sumithra and B. C. Sujatha	
<b>Transient Steadiness and Dynamic Response in Transmission Lines by SVC with TID and MPPT Controller</b> .....	181
Ajay Kumar and T. S. Prasanna	
<b>Three-Level DCMLI-Based Grid-Connected DSTATCOM</b> .....	195
D. Suresh and R. Chander	
<b>Reducing Number of Switches in Multilevel Inverter Using Diode Clamped and H-Bridge Inverters</b> .....	203
Karanam Deepak, M. Rama Prasad Reddy, K. Jaya Sree and P. Partha Saradhi Reddy	
<b>Harmonic and Reactive Power Compensation with IRP Controlled DSTATCOM</b> .....	215
Haresh Nanda and Srinivas Reddy Chalamalla	
<b>Performance of Static VAR Compensator for Changes in Voltage Due to Sag and Swell</b> .....	225
M. S. Priyadarshini and M. Sushama	
<b>A New Efficient Z-H Boost Converter for DC Microgrids</b> .....	235
Ch. Sajjan, T. Praveen Kumar and P. Balakishan	
<b>A Hybrid Power Conversion System Using Three-Phase Single-Stage DC-AC Converter</b> .....	243
Shaik Rafi, Simhadri Lakshmi Sirisha and Ravipati Srikanth	



<b>Enhanced Optimal Control Scheme for Attaining Improved Efficiency and Dynamic Response of WECS Using SVC</b> .....	255
C. Veeramani, A. N. Malleswa Rao, K. V. G. Aravind, M. Likhitha Reddy, M. Vipin Krishna and K. Maheswari	
<b>Design and Modelling of L-type Bi-directional Roller Conveyers for Glass Hauling</b> .....	269
S. Madhankumar, T. Vignesh, P. Anand Raj, Anirudh Varadarajan, T. Arul Praveen and S. Rajesh	
<b>Gyro-stabilized Platform in Ambulance</b> .....	281
T. Vignesh, S. Madhankumar, P. Anand Raj, Anirudh Varadarajan and T. Arul Praveen	
<b>Power Systems</b>	
<b>Performance and Comparison of Harmonics Using Active Power Filters and DVR in Low-Voltage Distributed Networks</b> .....	291
P. V. Kishore and D. Naveen Kumar	
<b>Overview of Restructured Power System</b> .....	305
Prakash Vodapalli and Ramaiah Veerlapati	
<b>Single-Phase PV System with Continuous H-Bridge Inverter</b> .....	311
Vodapalli Prakash, Mucherla Narasimha Rao and Chillappagiri Pavan Kumar	
<b>Comparison of Renewable Energy Generation in an Electrical Network with Energy Storage System</b> .....	321
N. Loganathan, A. Arvin Tony, T. Malini and S. Gobhinath	
<b>Performance Analysis of Single-Phase Shunt Active Filter using Conventional PI Control Technique</b> .....	331
Rameshkumar Kanagavel and V. Indragandhi	
<b>Calculation of VFTO and VFTC in the 550 kV GIS with Mitigation Techniques</b> .....	339
M. Naga Jyothi, C. V. K. Bhanu and CH. Ramya	
<b>Energy Efficiency and Conservation Schemes Proposed for an Educational Building in Oman</b> .....	349
Ch. Ramya, Ch. Venkateswara Rao, Nurul Hasan Shaikh, Mohammed Kashoob, Syed Aqeel Ashraf and C. H. V. Suryanarayana	
<b>Design and Analysis of PV-Based DSTATCOM with LCL Filter for Localized Distribution System</b> .....	357
Pratap Ranjan Mohanty and C. V. Harshavardhan Reddy	

<b>Optimal Scheme and Power Controlling aspects in Shipboard System</b> .....	367
Vijay Raviprabhakaran and Teja Sree Mummadi	
<b>Global Optimization Algorithm to Solve Economic Load Dispatch Problem Considering Equality and Inequality Constraints</b> .....	381
Prakash Arumugam and Anand Rajendran	
<b>Implementation of Conventional Controllers in HVDC Links for Improvement of the Power System Stability</b> .....	395
G. Ranga Purushotham, S. Satyanarayana and Ch. Saibabu	
<b>Low Voltage Ride Through (LVRT) Capability Enhancement of Axial Flux Induction Generator-Based Wind Energy Conversion System</b> ....	405
V. Ramesh Babu and A. Ganapathi	
<b>The Application of Genetic Algorithm with Multi-parent Crossover to Optimal Power Flow Problem</b> .....	417
T. Srihari, Madhu Boppa, S. Anil Kumar and Harish Pulluri	
<b>Genetic Algorithm with Multi-Parent Crossover Solution for Economic Dispatch with Valve Point Loading Effects</b> .....	429
Harish Pulluri, M. Vyshnavi, Patange Shraddha, B. Sai Priya, T. Sri Hari and Preeti	
<b>Teaching Distance Relay Protection and Circuit Breaker Co-ordination of an IEEE 9 Bus System Using MATLAB/SIMULINK</b> .....	439
Cholleti Sriram and Muppalla N. R. Kishore	
<b>Necessity of Power System State Estimation: A Generalized Linear State Estimation Solution with Application of PMU Measurements</b> ....	449
M. Ravindra, R. Srinivasa Rao, V. Srinivasa Rao, N. Praneeth and Vasimalla Ashok	
<b>Sensorless Operation of PMSM Motor Drive Using Neural Network Controller</b> .....	463
Poonam M. Yadav and S. Y. Gadgune	
<b>Comparative Performance Analysis of Active- and Resistive-Type SFCL in Reducing the Fault Current.</b> .....	473
G. Ganesh, Ravilla Madhusudan, L. Vamsi Narasimha and B. Sambasiva Rao	
<b>Squirrel Search Optimizer for Solving Economic Load Dispatch Problem</b> .....	485
V. P. Sakthivel, M. Suman and P. D. Sathya	

<b>Voltage Sag Mitigation for PMSG System Using DVR Based Hybrid Fuzzy Logic Controller</b> .....	503
Basagonda Chandrika and B. C. Sujatha	
<b>Different Types of Energy Storage Systems: A Literature Survey</b> .....	515
Rama Rao Bomma, J. Jayakumar and T. Bogaraj	
<b>Renewable Energy</b>	
<b>Design and Implementation of Efficient Energy Management System in Electric Vehicles</b> .....	543
R. Gauthami, Vineeth V. Nair, Aswin Sathish, K. Vishnu Soureesh, K. Ilango, R. S. Sreelekshmi, S. A. Ilangovan and S. Sujatha	
<b>A Cost-Effective PV-Based Single-Stage Conversion System for Power Backup</b> .....	561
B. Kavya Santhoshi and K. Mohana Sundaram	
<b>Solar Tracking System Using IoT</b> .....	569
Krishna Chaitanya Diggavi, Manidhar Thula and B. Pakkiraiah	
<b>Demand Management System for OFF-Grid PV System</b> .....	579
Mrutyunjay Das, Kuldip Singh and Ch. Laxmi	
<b>PV-Wind-Integrated Hybrid Grid with P&amp;O Optimization Technique</b> .....	587
R. Rekha, B. Srikanth Goud, Ch. Rami Reddy and B. Nagi Reddy	
<b>A Practical Approach in Design and Fabrication of Solar-Powered Four-Wheeled Electric Vehicle</b> .....	601
S. Gobhinath, S. Boobalan, R. Ashwin, Jan Meshach and K. Rajkumar	
<b>Survey on Security Aspects in Smart Grid: Performance and Parametric Analysis</b> .....	609
V. V. Vineeth, S. Sophia and S. Jayanthi	
<b>A Literature Survey on Renewable Energy Sources in India</b> .....	617
Praveen Mannam and R. P. Singh	
<b>Designing of Solar Hybrid Electric Vehicle from Source to Load</b> .....	625
P. Ajay Sai Kiran and B. Loveswara Rao	
<b>Design and Development of Solar Photovoltaic System Using Single-Phase MLI</b> .....	639
J. Prakash, K. Gunalan and K. Mohana Sundaram	
<b>A Novel Technique to Observe the Performance of Virtual Solar PV Module System</b> .....	653
G. Suresh Babu and N. R. Sai Varun	

<b>Power Quality Analysis for Brushless DC Motor Drive Fed by a Photovoltaic System Using SRF Theory</b> .....	661
S. R. Rajasree, V. Ravikumar Pandi and K. Ilango	
<b>Energy Management Scheme for Green Homes Using Artificial Neural Network</b> .....	673
A. Naresh Kumar, P. Shiva Kumar and Thati Mahesh	
<b>Control Systems</b>	
<b>Comparative Analysis Between Conventional and Neuro-Fuzzy Control Schemes for Speed Control of Induction Motor Drive</b> .....	683
Shubhangi Kangale, B. Sampathkumar and N. Raut Mrunmayi	
<b>Estimation of Nonlinear Hybrid Systems Using Second-Order Q-Adaptive Self-switched Derivative-Free Estimators</b> .....	693
Sayanti Chatterjee	
<b>Control Quality Enhancement of Inverted Pendulum Using Fractional Controller</b> .....	705
K. Muralidhar Goud and C. Srisailam	
<b>A Review on Interference Management in Millimeter-Wave MIMO Systems for Future 5G Networks</b> .....	715
E. Udayakumar and V. Krishnaveni	
<b>Preventing the Vehicle Accidents on Highways and Implementing Safety and Automation</b> .....	723
P. Parthasaradhy and K. Manjunathachari	
<b>MRI-Based Medical Image Enhancement Technique Using Particle Swarm Optimization</b> .....	729
S. Sakthivel, V. Prabhu and R. Punidha	
<b>Health Monitoring System Using IoT</b> .....	739
A. Selvanayakam, A. C. Varishnee, M. Kalaivani and G. Ranjithkumar	
<b>Measurement of Fuel Level in Tank Using IR Sensors and Reporting Over IoT</b> .....	751
M. L. S. N. S. Lakshmi and Chandrasekhar Reddy	
<b>Miscellaneous</b>	
<b>Image Denoising Using Spatial and Frequency Domain Filters: A Tool for Image Quality Enhancement</b> .....	759
Santhi Krishnamoorthi, Nirmala Madian and Dhanasekaran Rajagopal	
<b>Comparative Study and Analysis of Human Knee Angle Measurement System</b> .....	769
S. Boobalan, K. Lakshmi and K. N. Thirukkuralakani	

<b>Voice and Image BER Analysis of the OFDM System with MECCT and MLNST Companding Techniques Over Mobile Radio Channels</b> .....	777
B. Sarala, M. Zaheer Ahamed, S. Sree Hari and V. Bhagya sree	
<b>Enhancement of Performance and PAPR Reduction Using Combination of PTS and SLM Scheme with Opposition-Based GWO in MIMO-OFDM</b> .....	787
K. Aruna Kumari and K. Sri Rama Krishna	
<b>Women Safety Device with GPS Tracking and Alerts</b> .....	797
A. Ranganadh	
<b>A Smart Machine for Fitness Care Scrutinizing Technique—A Review</b> .....	807
N. Pooranam, M. Diwakaran, A. Archana, S. Agalya, A. Anindhitha and E. GokulaPriya	
<b>Configuring MPLS Cloud Providers with Virtual Private Network</b> ....	817
M. L. S. N. S. Lakshmi and Naga Venkata Sai Sudheer Bandaru	
<b>A Prototype Development of Digirail-Ticket Verification and Seat Allocation</b> .....	827
S. Gobhinath, S. Karthikeyan, A. Guru Prakash, B. Balamurugan and N. Gokul	
<b>Performance Analysis of Thyroid Tumor Detection and Segmentation Using PCA-Based Random Classification Method</b> .....	833
B. Shankarlal and P. D. Sathya	
<b>Factors Influencing the Success of Recommendations in E-Commerce</b> .....	843
K. Srihari, K. Moorthi and S. Karthik	
<b>Implementation of Alexa-Based Intelligent Voice Response System for Smart Campus</b> .....	849
K. Srihari, V. Sakthivel, G. Venkata Koti Reddy, S. Subhasree, P. Sankavi and E. Udayakumar	
<b>Synthesis of Visual Attention-Based Robotic System and Its Present Utilization in Engineering</b> .....	857
Sridhar Prattipati, Vasimalla Ashok and N. Praneeth	
<b>Author Index</b> .....	863





**Innovations in Electrical and Electronics Engineering** pp 473–484

[Home](#) > [Innovations in Electrical and Electronics Engineering](#) > [Conference paper](#)

## Comparative Performance Analysis of Active- and Resistive-Type SFCL in Reducing the Fault Current

[G. Ganesh](#), [Ravilla Madhusudan](#), [L. Vamsi Narasimha](#) & [B. Sambasiva Rao](#)

Conference paper | [First Online: 24 March 2020](#)

**864** Accesses

Part of the [Lecture Notes in Electrical Engineering](#) book series (LNEE, volume 626)

### Abstract

Nowadays, an efficient alternative to expensive enhancement of protective equipment is superconducting fault current limiters (SFCLs), which provide economic remedies to intercept the existing protective devices in the power system from being severely affected by excessive currents. In this paper, resistive- and active-type SFCLs are applied separately to reduce the fault current. The

Lecture Notes in Electrical Engineering 626

H. S. Saini


T. Srinivas

D. M. Vinod Kumar

K. S. Chandragupta Mauryan *Editors*

# Innovations in Electrical and Electronics Engineering

Proceedings of the 4th ICIEEE 2019

 Springer

**Search**

# Contents

## Power Electronics

<b>Power System Security Analysis Using FACTS Devices by Means of Intelligent and Hybrid Techniques Under Different Loading Conditions</b> .....	3
S. Venkata Padmavathi, A. Jayalaxmi and Sarat Kumar Sahu	
<b>Implementation of Three-Phase Shunt Active Filter Using Instantaneous Real Power Calculation and Triangular Carrier Current Control</b> .....	13
Athira Ajith, P. V. Manitha and K. Ilango	
<b>A Small DC-Link Capacitor Inverter Fed by Front-End Three-Phase Diode Rectifiers Used to Control Induction Motor</b> .....	27
Ashwini V. Potdar and Ch. Mallareddy	
<b>Different Topologies of Inverter: A Literature Survey</b> .....	35
Kalagotla Chenchireddy, V. Jegathesan and L. Ashok Kumar	
<b>Analysis and Design of Extended Range Zero Voltage Switching (ZVS) Active-Clamping Current-Fed Push-Pull Converter</b> .....	45
Koyelia Khatun and Akshay Kumar Rathore	
<b>Switched Reluctance Motor Converter Topologies: A Review</b> .....	55
Velakurthi Mahesh Kumar, K. Vinoth Kumar and R. Saravanakumar	
<b>Design of Five-Level Cascaded H-Bridge Multilevel Inverter</b> .....	65
S. Swathy, N. Niveditha and K. S. Chandragupta Mauryan	
<b>Performance Analysis of Asymmetrical Cascaded H-Bridge Multilevel Inverter Using Multicarrier Pulse-Width Modulation Techniques</b> .....	81
D. Naveen Kumar and P. V. Kishore	
<b>Interoperable Wireless Charging for Electric Vehicles</b> .....	91
A. Maideen Abdhulkader Jeylani, J. Kanakaraj and A. Mahaboob Subhani	

<b>Power Quality Enhancement Using DSTATCOM with Reduced Switch-Based Multilevel Converter</b> .....	103
Sudheer Vinnakoti, Anusha Paliseti and Venkata Reddy Kota	
<b>Dual-Input Multioutput Using Non-Cloistered DC-DC Boost Converter</b> .....	117
K. Sakthidhasan and K. Mohana Sundaram	
<b>Application of Nonlinear and Optimal Control Techniques to High Gain DC-DC Converter</b> .....	129
Nibedita Swain	
<b>An Innovative Multi-input Boost Chopper for HEV</b> .....	145
A. Ranganadh and M. Chiranjeevi	
<b>Performance Evaluation of Transistor Clamped H-Bridge (TCHB)-Based Five-Level Inverter</b> .....	161
V. Kiranmayee and A. Sharath Kumar	
<b>Enhancement of Power Quality by the Combination of D-STATCOM and UPQC in Grid Connected to Wind Turbine System</b> .....	173
M. Sumithra and B. C. Sujatha	
<b>Transient Steadiness and Dynamic Response in Transmission Lines by SVC with TID and MPPT Controller</b> .....	181
Ajay Kumar and T. S. Prasanna	
<b>Three-Level DCMLI-Based Grid-Connected DSTATCOM</b> .....	195
D. Suresh and R. Chander	
<b>Reducing Number of Switches in Multilevel Inverter Using Diode Clamped and H-Bridge Inverters</b> .....	203
Karanam Deepak, M. Rama Prasad Reddy, K. Jaya Sree and P. Partha Saradhi Reddy	
<b>Harmonic and Reactive Power Compensation with IRP Controlled DSTATCOM</b> .....	215
Haresh Nanda and Srinivas Reddy Chalamalla	
<b>Performance of Static VAR Compensator for Changes in Voltage Due to Sag and Swell</b> .....	225
M. S. Priyadarshini and M. Sushama	
<b>A New Efficient Z-H Boost Converter for DC Microgrids</b> .....	235
Ch. Sajjan, T. Praveen Kumar and P. Balakishan	
<b>A Hybrid Power Conversion System Using Three-Phase Single-Stage DC-AC Converter</b> .....	243
Shaik Rafi, Simhadri Lakshmi Sirisha and Ravipati Srikanth	

<b>Enhanced Optimal Control Scheme for Attaining Improved Efficiency and Dynamic Response of WECS Using SVC</b> .....	255
C. Veeramani, A. N. Malleswa Rao, K. V. G. Aravind, M. Likhitha Reddy, M. Vipin Krishna and K. Maheswari	
<b>Design and Modelling of L-type Bi-directional Roller Conveyers for Glass Hauling</b> .....	269
S. Madhankumar, T. Vignesh, P. Anand Raj, Anirudh Varadarajan, T. Arul Praveen and S. Rajesh	
<b>Gyro-stabilized Platform in Ambulance</b> .....	281
T. Vignesh, S. Madhankumar, P. Anand Raj, Anirudh Varadarajan and T. Arul Praveen	
<b>Power Systems</b>	
<b>Performance and Comparison of Harmonics Using Active Power Filters and DVR in Low-Voltage Distributed Networks</b> .....	291
P. V. Kishore and D. Naveen Kumar	
<b>Overview of Restructured Power System</b> .....	305
Prakash Vodapalli and Ramaiah Veerlapati	
<b>Single-Phase PV System with Continuous H-Bridge Inverter</b> .....	311
Vodapalli Prakash, Mucherla Narasimha Rao and Chillappagiri Pavan Kumar	
<b>Comparison of Renewable Energy Generation in an Electrical Network with Energy Storage System</b> .....	321
N. Loganathan, A. Arvin Tony, T. Malini and S. Gobhinath	
<b>Performance Analysis of Single-Phase Shunt Active Filter using Conventional PI Control Technique</b> .....	331
Rameshkumar Kanagavel and V. Indragandhi	
<b>Calculation of VFTO and VFTC in the 550 kV GIS with Mitigation Techniques</b> .....	339
M. Naga Jyothi, C. V. K. Bhanu and CH. Ramya	
<b>Energy Efficiency and Conservation Schemes Proposed for an Educational Building in Oman</b> .....	349
Ch. Ramya, Ch. Venkateswara Rao, Nurul Hasan Shaikh, Mohammed Kashoob, Syed Aqeel Ashraf and C. H. V. Suryanarayana	
<b>Design and Analysis of PV-Based DSTATCOM with LCL Filter for Localized Distribution System</b> .....	357
Pratap Ranjan Mohanty and C. V. Harshavardhan Reddy	



<b>Optimal Scheme and Power Controlling aspects in Shipboard System</b> .....	367
Vijay Raviprabhakaran and Teja Sree Mummadi	
<b>Global Optimization Algorithm to Solve Economic Load Dispatch Problem Considering Equality and Inequality Constraints</b> .....	381
Prakash Arumugam and Anand Rajendran	
<b>Implementation of Conventional Controllers in HVDC Links for Improvement of the Power System Stability</b> .....	395
G. Ranga Purushotham, S. Satyanarayana and Ch. Saibabu	
<b>Low Voltage Ride Through (LVRT) Capability Enhancement of Axial Flux Induction Generator-Based Wind Energy Conversion System</b> ....	405
V. Ramesh Babu and A. Ganapathi	
<b>The Application of Genetic Algorithm with Multi-parent Crossover to Optimal Power Flow Problem</b> .....	417
T. Srihari, Madhu Boppa, S. Anil Kumar and Harish Pulluri	
<b>Genetic Algorithm with Multi-Parent Crossover Solution for Economic Dispatch with Valve Point Loading Effects</b> .....	429
Harish Pulluri, M. Vyshnavi, Patange Shraddha, B. Sai Priya, T. Sri Hari and Preeti	
<b>Teaching Distance Relay Protection and Circuit Breaker Co-ordination of an IEEE 9 Bus System Using MATLAB/SIMULINK</b> .....	439
Cholleti Sriram and Muppalla N. R. Kishore	
<b>Necessity of Power System State Estimation: A Generalized Linear State Estimation Solution with Application of PMU Measurements</b> ....	449
M. Ravindra, R. Srinivasa Rao, V. Srinivasa Rao, N. Praneeth and Vasimalla Ashok	
<b>Sensorless Operation of PMBLDC Motor Drive Using Neural Network Controller</b> .....	463
Poonam M. Yadav and S. Y. Gadgune	
<b>Comparative Performance Analysis of Active- and Resistive-Type SFCL in Reducing the Fault Current.</b> .....	473
G. Ganesh, Ravilla Madhusudan, L. Vamsi Narasimha and B. Sambasiva Rao	
<b>Squirrel Search Optimizer for Solving Economic Load Dispatch Problem</b> .....	485
V. P. Sakthivel, M. Suman and P. D. Sathya	

<b>Voltage Sag Mitigation for PMSG System Using DVR Based Hybrid Fuzzy Logic Controller</b> .....	503
Basagonda Chandrika and B. C. Sujatha	
<b>Different Types of Energy Storage Systems: A Literature Survey</b> .....	515
Rama Rao Bomma, J. Jayakumar and T. Bogaraj	
<b>Renewable Energy</b>	
<b>Design and Implementation of Efficient Energy Management System in Electric Vehicles</b> .....	543
R. Gauthami, Vineeth V. Nair, Aswin Sathish, K. Vishnu Soureesh, K. Ilango, R. S. Sreelekshmi, S. A. Ilangovan and S. Sujatha	
<b>A Cost-Effective PV-Based Single-Stage Conversion System for Power Backup</b> .....	561
B. Kavya Santhoshi and K. Mohana Sundaram	
<b>Solar Tracking System Using IoT</b> .....	569
Krishna Chaitanya Diggavi, Manidhar Thula and B. Pakkiraiah	
<b>Demand Management System for OFF-Grid PV System</b> .....	579
Mrutyunjay Das, Kuldip Singh and Ch. Laxmi	
<b>PV-Wind-Integrated Hybrid Grid with P&amp;O Optimization Technique</b> .....	587
R. Rekha, B. Srikanth Goud, Ch. Rami Reddy and B. Nagi Reddy	
<b>A Practical Approach in Design and Fabrication of Solar-Powered Four-Wheeled Electric Vehicle</b> .....	601
S. Gobhinath, S. Boobalan, R. Ashwin, Jan Meshach and K. Rajkumar	
<b>Survey on Security Aspects in Smart Grid: Performance and Parametric Analysis</b> .....	609
V. V. Vineeth, S. Sophia and S. Jayanthi	
<b>A Literature Survey on Renewable Energy Sources in India</b> .....	617
Praveen Mannam and R. P. Singh	
<b>Designing of Solar Hybrid Electric Vehicle from Source to Load</b> .....	625
P. Ajay Sai Kiran and B. Loveswara Rao	
<b>Design and Development of Solar Photovoltaic System Using Single-Phase MLI</b> .....	639
J. Prakash, K. Gunalan and K. Mohana Sundaram	
<b>A Novel Technique to Observe the Performance of Virtual Solar PV Module System</b> .....	653
G. Suresh Babu and N. R. Sai Varun	

<b>Power Quality Analysis for Brushless DC Motor Drive Fed by a Photovoltaic System Using SRF Theory</b> .....	661
S. R. Rajasree, V. Ravikumar Pandi and K. Ilango	
<b>Energy Management Scheme for Green Homes Using Artificial Neural Network</b> .....	673
A. Naresh Kumar, P. Shiva Kumar and Thati Mahesh	
<b>Control Systems</b>	
<b>Comparative Analysis Between Conventional and Neuro-Fuzzy Control Schemes for Speed Control of Induction Motor Drive</b> .....	683
Shubhangi Kangale, B. Sampathkumar and N. Raut Mrunmayi	
<b>Estimation of Nonlinear Hybrid Systems Using Second-Order Q-Adaptive Self-switched Derivative-Free Estimators</b> .....	693
Sayanti Chatterjee	
<b>Control Quality Enhancement of Inverted Pendulum Using Fractional Controller</b> .....	705
K. Muralidhar Goud and C. Srisailam	
<b>A Review on Interference Management in Millimeter-Wave MIMO Systems for Future 5G Networks</b> .....	715
E. Udayakumar and V. Krishnaveni	
<b>Preventing the Vehicle Accidents on Highways and Implementing Safety and Automation</b> .....	723
P. Parthasaradhy and K. Manjunathachari	
<b>MRI-Based Medical Image Enhancement Technique Using Particle Swarm Optimization</b> .....	729
S. Sakthivel, V. Prabhu and R. Punidha	
<b>Health Monitoring System Using IoT</b> .....	739
A. Selvanayakam, A. C. Varishnee, M. Kalaivani and G. Ranjithkumar	
<b>Measurement of Fuel Level in Tank Using IR Sensors and Reporting Over IoT</b> .....	751
M. L. S. N. S. Lakshmi and Chandrasekhar Reddy	
<b>Miscellaneous</b>	
<b>Image Denoising Using Spatial and Frequency Domain Filters: A Tool for Image Quality Enhancement</b> .....	759
Santhi Krishnamoorthi, Nirmala Madian and Dhanasekaran Rajagopal	
<b>Comparative Study and Analysis of Human Knee Angle Measurement System</b> .....	769
S. Boobalan, K. Lakshmi and K. N. Thirukkuralkani	

<b>Voice and Image BER Analysis of the OFDM System with MECCT and MLNST Companding Techniques Over Mobile Radio Channels</b> .....	777
B. Sarala, M. Zaheer Ahamed, S. Sree Hari and V. Bhagya sree	
<b>Enhancement of Performance and PAPR Reduction Using Combination of PTS and SLM Scheme with Opposition-Based GWO in MIMO-OFDM</b> .....	787
K. Aruna Kumari and K. Sri Rama Krishna	
<b>Women Safety Device with GPS Tracking and Alerts</b> .....	797
A. Ranganadh	
<b>A Smart Machine for Fitness Care Scrutinizing Technique—A Review</b> .....	807
N. Pooranam, M. Diwakaran, A. Archana, S. Agalya, A. Anindhitha and E. GokulaPriya	
<b>Configuring MPLS Cloud Providers with Virtual Private Network</b> ....	817
M. L. S. N. S. Lakshmi and Naga Venkata Sai Sudheer Bandaru	
<b>A Prototype Development of Digirail-Ticket Verification and Seat Allocation</b> .....	827
S. Gobhinath, S. Karthikeyan, A. Guru Prakash, B. Balamurugan and N. Gokul	
<b>Performance Analysis of Thyroid Tumor Detection and Segmentation Using PCA-Based Random Classification Method</b> .....	833
B. Shankarlal and P. D. Sathya	
<b>Factors Influencing the Success of Recommendations in E-Commerce</b> .....	843
K. Srihari, K. Moorthi and S. Karthik	
<b>Implementation of Alexa-Based Intelligent Voice Response System for Smart Campus</b> .....	849
K. Srihari, V. Sakthivel, G. Venkata Koti Reddy, S. Subhasree, P. Sankavi and E. Udayakumar	
<b>Synthesis of Visual Attention-Based Robotic System and Its Present Utilization in Engineering</b> .....	857
Sridhar Prattipati, Vasimalla Ashok and N. Praneeth	
<b>Author Index</b> .....	863



**Innovations in Electrical and Electronics Engineering** pp 473–484

[Home](#) > [Innovations in Electrical and Electronics Engineering](#) > [Conference paper](#)

## Comparative Performance Analysis of Active- and Resistive-Type SFCL in Reducing the Fault Current

[G. Ganesh](#), [Ravilla Madhusudan](#), [L. Vamsi Narasimha](#) & [B. Sambasiva Rao](#)

Conference paper | [First Online: 24 March 2020](#)

**864** Accesses

Part of the [Lecture Notes in Electrical Engineering](#) book series (LNEE, volume 626)

### Abstract

Nowadays, an efficient alternative to expensive enhancement of protective equipment is superconducting fault current limiters (SFCLs), which provide economic remedies to intercept the existing protective devices in the power system from being severely affected by excessive currents. In this paper, resistive- and active-type SFCLs are applied separately to reduce the fault current. The



Lecture Notes in Electrical Engineering 626

H. S. Saini


T. Srinivas

D. M. Vinod Kumar

K. S. Chandragupta Mauryan *Editors*

# Innovations in Electrical and Electronics Engineering

Proceedings of the 4th ICIEEE 2019

 Springer

**Search**

# Contents

## Power Electronics

<b>Power System Security Analysis Using FACTS Devices by Means of Intelligent and Hybrid Techniques Under Different Loading Conditions</b> .....	3
S. Venkata Padmavathi, A. Jayalaxmi and Sarat Kumar Sahu	
<b>Implementation of Three-Phase Shunt Active Filter Using Instantaneous Real Power Calculation and Triangular Carrier Current Control</b> .....	13
Athira Ajith, P. V. Manitha and K. Ilango	
<b>A Small DC-Link Capacitor Inverter Fed by Front-End Three-Phase Diode Rectifiers Used to Control Induction Motor</b> .....	27
Ashwini V. Potdar and Ch. Mallareddy	
<b>Different Topologies of Inverter: A Literature Survey</b> .....	35
Kalagotla Chenchireddy, V. Jegathesan and L. Ashok Kumar	
<b>Analysis and Design of Extended Range Zero Voltage Switching (ZVS) Active-Clamping Current-Fed Push-Pull Converter</b> .....	45
Koyelia Khatun and Akshay Kumar Rathore	
<b>Switched Reluctance Motor Converter Topologies: A Review</b> .....	55
Velakurthi Mahesh Kumar, K. Vinoth Kumar and R. Saravanakumar	
<b>Design of Five-Level Cascaded H-Bridge Multilevel Inverter</b> .....	65
S. Swathy, N. Niveditha and K. S. Chandragupta Mauryan	
<b>Performance Analysis of Asymmetrical Cascaded H-Bridge Multilevel Inverter Using Multicarrier Pulse-Width Modulation Techniques</b> .....	81
D. Naveen Kumar and P. V. Kishore	
<b>Interoperable Wireless Charging for Electric Vehicles</b> .....	91
A. Maideen Abdhulkader Jeylani, J. Kanakaraj and A. Mahaboob Subhani	

<b>Power Quality Enhancement Using DSTATCOM with Reduced Switch-Based Multilevel Converter</b> .....	103
Sudheer Vinnakoti, Anusha Paliseti and Venkata Reddy Kota	
<b>Dual-Input Multioutput Using Non-Cloistered DC-DC Boost Converter</b> .....	117
K. Sakthidhasan and K. Mohana Sundaram	
<b>Application of Nonlinear and Optimal Control Techniques to High Gain DC-DC Converter</b> .....	129
Nibedita Swain	
<b>An Innovative Multi-input Boost Chopper for HEV</b> .....	145
A. Ranganadh and M. Chiranjeevi	
<b>Performance Evaluation of Transistor Clamped H-Bridge (TCHB)-Based Five-Level Inverter</b> .....	161
V. Kiranmayee and A. Sharath Kumar	
<b>Enhancement of Power Quality by the Combination of D-STATCOM and UPQC in Grid Connected to Wind Turbine System</b> .....	173
M. Sumithra and B. C. Sujatha	
<b>Transient Steadiness and Dynamic Response in Transmission Lines by SVC with TID and MPPT Controller</b> .....	181
Ajay Kumar and T. S. Prasanna	
<b>Three-Level DCMLI-Based Grid-Connected DSTATCOM</b> .....	195
D. Suresh and R. Chander	
<b>Reducing Number of Switches in Multilevel Inverter Using Diode Clamped and H-Bridge Inverters</b> .....	203
Karanam Deepak, M. Rama Prasad Reddy, K. Jaya Sree and P. Partha Saradhi Reddy	
<b>Harmonic and Reactive Power Compensation with IRP Controlled DSTATCOM</b> .....	215
Haresh Nanda and Srinivas Reddy Chalamalla	
<b>Performance of Static VAR Compensator for Changes in Voltage Due to Sag and Swell</b> .....	225
M. S. Priyadarshini and M. Sushama	
<b>A New Efficient Z-H Boost Converter for DC Microgrids</b> .....	235
Ch. Sajan, T. Praveen Kumar and P. Balakishan	
<b>A Hybrid Power Conversion System Using Three-Phase Single-Stage DC-AC Converter</b> .....	243
Shaik Rafi, Simhadri Lakshmi Sirisha and Ravipati Srikanth	

<b>Enhanced Optimal Control Scheme for Attaining Improved Efficiency and Dynamic Response of WECS Using SVC</b> .....	255
C. Veeramani, A. N. Malleswa Rao, K. V. G. Aravind, M. Likhitha Reddy, M. Vipin Krishna and K. Maheswari	
<b>Design and Modelling of L-type Bi-directional Roller Conveyers for Glass Hauling</b> .....	269
S. Madhankumar, T. Vignesh, P. Anand Raj, Anirudh Varadarajan, T. Arul Praveen and S. Rajesh	
<b>Gyro-stabilized Platform in Ambulance</b> .....	281
T. Vignesh, S. Madhankumar, P. Anand Raj, Anirudh Varadarajan and T. Arul Praveen	
<b>Power Systems</b>	
<b>Performance and Comparison of Harmonics Using Active Power Filters and DVR in Low-Voltage Distributed Networks</b> .....	291
P. V. Kishore and D. Naveen Kumar	
<b>Overview of Restructured Power System</b> .....	305
Prakash Vodapalli and Ramaiah Veerlapati	
<b>Single-Phase PV System with Continuous H-Bridge Inverter</b> .....	311
Vodapalli Prakash, Mucherla Narasimha Rao and Chillappagiri Pavan Kumar	
<b>Comparison of Renewable Energy Generation in an Electrical Network with Energy Storage System</b> .....	321
N. Loganathan, A. Arvin Tony, T. Malini and S. Gobhinath	
<b>Performance Analysis of Single-Phase Shunt Active Filter using Conventional PI Control Technique</b> .....	331
Rameshkumar Kanagavel and V. Indragandhi	
<b>Calculation of VFTO and VFTC in the 550 kV GIS with Mitigation Techniques</b> .....	339
M. Naga Jyothi, C. V. K. Bhanu and CH. Ramya	
<b>Energy Efficiency and Conservation Schemes Proposed for an Educational Building in Oman</b> .....	349
Ch. Ramya, Ch. Venkateswara Rao, Nurul Hasan Shaikh, Mohammed Kashoob, Syed Aqeel Ashraf and C. H. V. Suryanarayana	
<b>Design and Analysis of PV-Based DSTATCOM with LCL Filter for Localized Distribution System</b> .....	357
Pratap Ranjan Mohanty and C. V. Harshavardhan Reddy	

<b>Optimal Scheme and Power Controlling aspects in Shipboard System</b> .....	367
Vijay Raviprabhakaran and Teja Sree Mummadi	
<b>Global Optimization Algorithm to Solve Economic Load Dispatch Problem Considering Equality and Inequality Constraints</b> .....	381
Prakash Arumugam and Anand Rajendran	
<b>Implementation of Conventional Controllers in HVDC Links for Improvement of the Power System Stability</b> .....	395
G. Ranga Purushotham, S. Satyanarayana and Ch. Saibabu	
<b>Low Voltage Ride Through (LVRT) Capability Enhancement of Axial Flux Induction Generator-Based Wind Energy Conversion System</b> ....	405
V. Ramesh Babu and A. Ganapathi	
<b>The Application of Genetic Algorithm with Multi-parent Crossover to Optimal Power Flow Problem</b> .....	417
T. Srihari, Madhu Boppa, S. Anil Kumar and Harish Pulluri	
<b>Genetic Algorithm with Multi-Parent Crossover Solution for Economic Dispatch with Valve Point Loading Effects</b> .....	429
Harish Pulluri, M. Vyshnavi, Patange Shraddha, B. Sai Priya, T. Sri Hari and Preeti	
<b>Teaching Distance Relay Protection and Circuit Breaker Co-ordination of an IEEE 9 Bus System Using MATLAB/SIMULINK</b> .....	439
Cholleti Sriram and Muppalla N. R. Kishore	
<b>Necessity of Power System State Estimation: A Generalized Linear State Estimation Solution with Application of PMU Measurements</b> ....	449
M. Ravindra, R. Srinivasa Rao, V. Srinivasa Rao, N. Praneeth and Vasimalla Ashok	
<b>Sensorless Operation of PMBLDC Motor Drive Using Neural Network Controller</b> .....	463
Poonam M. Yadav and S. Y. Gadgune	
<b>Comparative Performance Analysis of Active- and Resistive-Type SFCL in Reducing the Fault Current.</b> .....	473
G. Ganesh, Ravilla Madhusudan, L. Vamsi Narasimha and B. Sambasiva Rao	
<b>Squirrel Search Optimizer for Solving Economic Load Dispatch Problem</b> .....	485
V. P. Sakthivel, M. Suman and P. D. Sathya	



<b>Voltage Sag Mitigation for PMSG System Using DVR Based Hybrid Fuzzy Logic Controller</b> .....	503
Basagonda Chandrika and B. C. Sujatha	
<b>Different Types of Energy Storage Systems: A Literature Survey</b> .....	515
Rama Rao Bomma, J. Jayakumar and T. Bogaraj	
<b>Renewable Energy</b>	
<b>Design and Implementation of Efficient Energy Management System in Electric Vehicles</b> .....	543
R. Gauthami, Vineeth V. Nair, Aswin Sathish, K. Vishnu Soureesh, K. Ilango, R. S. Sreelekshmi, S. A. Ilangovan and S. Sujatha	
<b>A Cost-Effective PV-Based Single-Stage Conversion System for Power Backup</b> .....	561
B. Kavya Santhoshi and K. Mohana Sundaram	
<b>Solar Tracking System Using IoT</b> .....	569
Krishna Chaitanya Diggavi, Manidhar Thula and B. Pakkiraiah	
<b>Demand Management System for OFF-Grid PV System</b> .....	579
Mrutyunjay Das, Kuldip Singh and Ch. Laxmi	
<b>PV-Wind-Integrated Hybrid Grid with P&amp;O Optimization Technique</b> .....	587
R. Rekha, B. Srikanth Goud, Ch. Rami Reddy and B. Nagi Reddy	
<b>A Practical Approach in Design and Fabrication of Solar-Powered Four-Wheeled Electric Vehicle</b> .....	601
S. Gobhinath, S. Boobalan, R. Ashwin, Jan Meshach and K. Rajkumar	
<b>Survey on Security Aspects in Smart Grid: Performance and Parametric Analysis</b> .....	609
V. V. Vineeth, S. Sophia and S. Jayanthi	
<b>A Literature Survey on Renewable Energy Sources in India</b> .....	617
Praveen Mannam and R. P. Singh	
<b>Designing of Solar Hybrid Electric Vehicle from Source to Load</b> .....	625
P. Ajay Sai Kiran and B. Loveswara Rao	
<b>Design and Development of Solar Photovoltaic System Using Single-Phase MLI</b> .....	639
J. Prakash, K. Gunalan and K. Mohana Sundaram	
<b>A Novel Technique to Observe the Performance of Virtual Solar PV Module System</b> .....	653
G. Suresh Babu and N. R. Sai Varun	

<b>Power Quality Analysis for Brushless DC Motor Drive Fed by a Photovoltaic System Using SRF Theory</b> .....	661
S. R. Rajasree, V. Ravikumar Pandi and K. Ilango	
<b>Energy Management Scheme for Green Homes Using Artificial Neural Network</b> .....	673
A. Naresh Kumar, P. Shiva Kumar and Thati Mahesh	
<b>Control Systems</b>	
<b>Comparative Analysis Between Conventional and Neuro-Fuzzy Control Schemes for Speed Control of Induction Motor Drive</b> .....	683
Shubhangi Kangale, B. Sampathkumar and N. Raut Mrunmayi	
<b>Estimation of Nonlinear Hybrid Systems Using Second-Order Q-Adaptive Self-switched Derivative-Free Estimators</b> .....	693
Sayanti Chatterjee	
<b>Control Quality Enhancement of Inverted Pendulum Using Fractional Controller</b> .....	705
K. Muralidhar Goud and C. Srisailam	
<b>A Review on Interference Management in Millimeter-Wave MIMO Systems for Future 5G Networks</b> .....	715
E. Udayakumar and V. Krishnaveni	
<b>Preventing the Vehicle Accidents on Highways and Implementing Safety and Automation</b> .....	723
P. Parthasaradhy and K. Manjunathachari	
<b>MRI-Based Medical Image Enhancement Technique Using Particle Swarm Optimization</b> .....	729
S. Sakthivel, V. Prabhu and R. Punidha	
<b>Health Monitoring System Using IoT</b> .....	739
A. Selvanayakam, A. C. Varishnee, M. Kalaivani and G. Ranjithkumar	
<b>Measurement of Fuel Level in Tank Using IR Sensors and Reporting Over IoT</b> .....	751
M. L. S. N. S. Lakshmi and Chandrasekhar Reddy	
<b>Miscellaneous</b>	
<b>Image Denoising Using Spatial and Frequency Domain Filters: A Tool for Image Quality Enhancement</b> .....	759
Santhi Krishnamoorthi, Nirmala Madian and Dhanasekaran Rajagopal	
<b>Comparative Study and Analysis of Human Knee Angle Measurement System</b> .....	769
S. Boobalan, K. Lakshmi and K. N. Thirukkuralakani	

<b>Voice and Image BER Analysis of the OFDM System with MECCT and MLNST Companding Techniques Over Mobile Radio Channels</b> . . . . .	777
B. Sarala, M. Zaheer Ahamed, S. Sree Hari and V. Bhagya sree	
<b>Enhancement of Performance and PAPR Reduction Using Combination of PTS and SLM Scheme with Opposition-Based GWO in MIMO-OFDM</b> . . . . .	787
K. Aruna Kumari and K. Sri Rama Krishna	
<b>Women Safety Device with GPS Tracking and Alerts</b> . . . . .	797
A. Ranganadh	
<b>A Smart Machine for Fitness Care Scrutinizing Technique—A Review</b> . . . . .	807
N. Pooranam, M. Diwakaran, A. Archana, S. Agalya, A. Anindhitha and E. GokulaPriya	
<b>Configuring MPLS Cloud Providers with Virtual Private Network</b> . . . .	817
M. L. S. N. S. Lakshmi and Naga Venkata Sai Sudheer Bandaru	
<b>A Prototype Development of Digirail-Ticket Verification and Seat Allocation</b> . . . . .	827
S. Gobhinath, S. Karthikeyan, A. Guru Prakash, B. Balamurugan and N. Gokul	
<b>Performance Analysis of Thyroid Tumor Detection and Segmentation Using PCA-Based Random Classification Method</b> . . . . .	833
B. Shankarlal and P. D. Sathya	
<b>Factors Influencing the Success of Recommendations in E-Commerce</b> . . . . .	843
K. Srihari, K. Moorthi and S. Karthik	
<b>Implementation of Alexa-Based Intelligent Voice Response System for Smart Campus</b> . . . . .	849
K. Srihari, V. Sakthivel, G. Venkata Koti Reddy, S. Subhasree, P. Sankavi and E. Udayakumar	
<b>Synthesis of Visual Attention-Based Robotic System and Its Present Utilization in Engineering</b> . . . . .	857
Sridhar Prattipati, Vasimalla Ashok and N. Praneeth	
<b>Author Index</b> . . . . .	863



**Innovations in Electrical and Electronics Engineering** pp 473–484

[Home](#) > [Innovations in Electrical and Electronics Engineering](#) > [Conference paper](#)

## Comparative Performance Analysis of Active- and Resistive-Type SFCL in Reducing the Fault Current

[G. Ganesh](#), [Ravilla Madhusudan](#), [L. Vamsi Narasimha](#) & [B. Sambasiva Rao](#)

Conference paper | [First Online: 24 March 2020](#)

**864** Accesses

Part of the [Lecture Notes in Electrical Engineering](#) book series (LNEE, volume 626)

### Abstract

Nowadays, an efficient alternative to expensive enhancement of protective equipment is superconducting fault current limiters (SFCLs), which provide economic remedies to intercept the existing protective devices in the power system from being severely affected by excessive currents. In this paper, resistive- and active-type SFCLs are applied separately to reduce the fault current. The

Lecture Notes in Electrical Engineering 626

H. S. Saini

T. Srinivas

D. M. Vinod Kumar

K. S. Chandragupta Mauryan *Editors*

# Innovations in Electrical and Electronics Engineering

Proceedings of the 4th ICIEEE 2019

 Springer

**Search**



# Contents

## Power Electronics

<b>Power System Security Analysis Using FACTS Devices by Means of Intelligent and Hybrid Techniques Under Different Loading Conditions</b> .....	3
S. Venkata Padmavathi, A. Jayalaxmi and Sarat Kumar Sahu	
<b>Implementation of Three-Phase Shunt Active Filter Using Instantaneous Real Power Calculation and Triangular Carrier Current Control</b> .....	13
Athira Ajith, P. V. Manitha and K. Ilango	
<b>A Small DC-Link Capacitor Inverter Fed by Front-End Three-Phase Diode Rectifiers Used to Control Induction Motor</b> .....	27
Ashwini V. Potdar and Ch. Mallareddy	
<b>Different Topologies of Inverter: A Literature Survey</b> .....	35
Kalagotla Chenchireddy, V. Jegathesan and L. Ashok Kumar	
<b>Analysis and Design of Extended Range Zero Voltage Switching (ZVS) Active-Clamping Current-Fed Push-Pull Converter</b> .....	45
Koyelia Khatun and Akshay Kumar Rathore	
<b>Switched Reluctance Motor Converter Topologies: A Review</b> .....	55
Velakurthi Mahesh Kumar, K. Vinoth Kumar and R. Saravanakumar	
<b>Design of Five-Level Cascaded H-Bridge Multilevel Inverter</b> .....	65
S. Swathy, N. Niveditha and K. S. Chandragupta Mauryan	
<b>Performance Analysis of Asymmetrical Cascaded H-Bridge Multilevel Inverter Using Multicarrier Pulse-Width Modulation Techniques</b> .....	81
D. Naveen Kumar and P. V. Kishore	
<b>Interoperable Wireless Charging for Electric Vehicles</b> .....	91
A. Maideen Abdhulkader Jeylani, J. Kanakaraj and A. Mahaboob Subhani	

<b>Power Quality Enhancement Using DSTATCOM with Reduced Switch-Based Multilevel Converter</b> .....	103
Sudheer Vinnakoti, Anusha Paliseti and Venkata Reddy Kota	
<b>Dual-Input Multioutput Using Non-Cloistered DC-DC Boost Converter</b> .....	117
K. Sakthidhasan and K. Mohana Sundaram	
<b>Application of Nonlinear and Optimal Control Techniques to High Gain DC-DC Converter</b> .....	129
Nibedita Swain	
<b>An Innovative Multi-input Boost Chopper for HEV</b> .....	145
A. Ranganadh and M. Chiranjeevi	
<b>Performance Evaluation of Transistor Clamped H-Bridge (TCHB)-Based Five-Level Inverter</b> .....	161
V. Kiranmayee and A. Sharath Kumar	
<b>Enhancement of Power Quality by the Combination of D-STATCOM and UPQC in Grid Connected to Wind Turbine System</b> .....	173
M. Sumithra and B. C. Sujatha	
<b>Transient Steadiness and Dynamic Response in Transmission Lines by SVC with TID and MPPT Controller</b> .....	181
Ajay Kumar and T. S. Prasanna	
<b>Three-Level DCMLI-Based Grid-Connected DSTATCOM</b> .....	195
D. Suresh and R. Chander	
<b>Reducing Number of Switches in Multilevel Inverter Using Diode Clamped and H-Bridge Inverters</b> .....	203
Karanam Deepak, M. Rama Prasad Reddy, K. Jaya Sree and P. Partha Saradhi Reddy	
<b>Harmonic and Reactive Power Compensation with IRP Controlled DSTATCOM</b> .....	215
Haresh Nanda and Srinivas Reddy Chalamalla	
<b>Performance of Static VAR Compensator for Changes in Voltage Due to Sag and Swell</b> .....	225
M. S. Priyadarshini and M. Sushama	
<b>A New Efficient Z-H Boost Converter for DC Microgrids</b> .....	235
Ch. Sajan, T. Praveen Kumar and P. Balakishan	
<b>A Hybrid Power Conversion System Using Three-Phase Single-Stage DC-AC Converter</b> .....	243
Shaik Rafi, Simhadri Lakshmi Sirisha and Ravipati Srikanth	

<b>Enhanced Optimal Control Scheme for Attaining Improved Efficiency and Dynamic Response of WECS Using SVC</b> .....	255
C. Veeramani, A. N. Malleswa Rao, K. V. G. Aravind, M. Likhitha Reddy, M. Vipin Krishna and K. Maheswari	
<b>Design and Modelling of L-type Bi-directional Roller Conveyers for Glass Hauling</b> .....	269
S. Madhankumar, T. Vignesh, P. Anand Raj, Anirudh Varadarajan, T. Arul Praveen and S. Rajesh	
<b>Gyro-stabilized Platform in Ambulance</b> .....	281
T. Vignesh, S. Madhankumar, P. Anand Raj, Anirudh Varadarajan and T. Arul Praveen	
<b>Power Systems</b>	
<b>Performance and Comparison of Harmonics Using Active Power Filters and DVR in Low-Voltage Distributed Networks</b> .....	291
P. V. Kishore and D. Naveen Kumar	
<b>Overview of Restructured Power System</b> .....	305
Prakash Vodapalli and Ramaiah Veerlapati	
<b>Single-Phase PV System with Continuous H-Bridge Inverter</b> .....	311
Vodapalli Prakash, Mucherla Narasimha Rao and Chillappagiri Pavan Kumar	
<b>Comparison of Renewable Energy Generation in an Electrical Network with Energy Storage System</b> .....	321
N. Loganathan, A. Arvin Tony, T. Malini and S. Gobhinath	
<b>Performance Analysis of Single-Phase Shunt Active Filter using Conventional PI Control Technique</b> .....	331
Rameshkumar Kanagavel and V. Indragandhi	
<b>Calculation of VFTO and VFTC in the 550 kV GIS with Mitigation Techniques</b> .....	339
M. Naga Jyothi, C. V. K. Bhanu and CH. Ramya	
<b>Energy Efficiency and Conservation Schemes Proposed for an Educational Building in Oman</b> .....	349
Ch. Ramya, Ch. Venkateswara Rao, Nurul Hasan Shaikh, Mohammed Kashoob, Syed Aqeel Ashraf and C. H. V. Suryanarayana	
<b>Design and Analysis of PV-Based DSTATCOM with LCL Filter for Localized Distribution System</b> .....	357
Pratap Ranjan Mohanty and C. V. Harshavardhan Reddy	

<b>Optimal Scheme and Power Controlling aspects in Shipboard System</b> .....	367
Vijay Raviprabhakaran and Teja Sree Mummadi	
<b>Global Optimization Algorithm to Solve Economic Load Dispatch Problem Considering Equality and Inequality Constraints</b> .....	381
Prakash Arumugam and Anand Rajendran	
<b>Implementation of Conventional Controllers in HVDC Links for Improvement of the Power System Stability</b> .....	395
G. Ranga Purushotham, S. Satyanarayana and Ch. Saibabu	
<b>Low Voltage Ride Through (LVRT) Capability Enhancement of Axial Flux Induction Generator-Based Wind Energy Conversion System</b> ....	405
V. Ramesh Babu and A. Ganapathi	
<b>The Application of Genetic Algorithm with Multi-parent Crossover to Optimal Power Flow Problem</b> .....	417
T. Srihari, Madhu Boppa, S. Anil Kumar and Harish Pulluri	
<b>Genetic Algorithm with Multi-Parent Crossover Solution for Economic Dispatch with Valve Point Loading Effects</b> .....	429
Harish Pulluri, M. Vyshnavi, Patange Shraddha, B. Sai Priya, T. Sri Hari and Preeti	
<b>Teaching Distance Relay Protection and Circuit Breaker Co-ordination of an IEEE 9 Bus System Using MATLAB/SIMULINK</b> .....	439
Cholleti Sriram and Muppalla N. R. Kishore	
<b>Necessity of Power System State Estimation: A Generalized Linear State Estimation Solution with Application of PMU Measurements</b> ....	449
M. Ravindra, R. Srinivasa Rao, V. Srinivasa Rao, N. Praneeth and Vasimalla Ashok	
<b>Sensorless Operation of PMBLDC Motor Drive Using Neural Network Controller</b> .....	463
Poonam M. Yadav and S. Y. Gadgune	
<b>Comparative Performance Analysis of Active- and Resistive-Type SFCL in Reducing the Fault Current.</b> .....	473
G. Ganesh, Ravilla Madhusudan, L. Vamsi Narasimha and B. Sambasiva Rao	
<b>Squirrel Search Optimizer for Solving Economic Load Dispatch Problem</b> .....	485
V. P. Sakthivel, M. Suman and P. D. Sathya	

<b>Voltage Sag Mitigation for PMSG System Using DVR Based Hybrid Fuzzy Logic Controller</b> .....	503
Basagonda Chandrika and B. C. Sujatha	
<b>Different Types of Energy Storage Systems: A Literature Survey</b> .....	515
Rama Rao Bomma, J. Jayakumar and T. Bogaraj	
<b>Renewable Energy</b>	
<b>Design and Implementation of Efficient Energy Management System in Electric Vehicles</b> .....	543
R. Gauthami, Vineeth V. Nair, Aswin Sathish, K. Vishnu Soureesh, K. Ilango, R. S. Sreelekshmi, S. A. Ilangovan and S. Sujatha	
<b>A Cost-Effective PV-Based Single-Stage Conversion System for Power Backup</b> .....	561
B. Kavya Santhoshi and K. Mohana Sundaram	
<b>Solar Tracking System Using IoT</b> .....	569
Krishna Chaitanya Diggavi, Manidhar Thula and B. Pakkiraiah	
<b>Demand Management System for OFF-Grid PV System</b> .....	579
Mrutyunjay Das, Kuldip Singh and Ch. Laxmi	
<b>PV-Wind-Integrated Hybrid Grid with P&amp;O Optimization Technique</b> .....	587
R. Rekha, B. Srikanth Goud, Ch. Rami Reddy and B. Nagi Reddy	
<b>A Practical Approach in Design and Fabrication of Solar-Powered Four-Wheeled Electric Vehicle</b> .....	601
S. Gobhinath, S. Boobalan, R. Ashwin, Jan Meshach and K. Rajkumar	
<b>Survey on Security Aspects in Smart Grid: Performance and Parametric Analysis</b> .....	609
V. V. Vineeth, S. Sophia and S. Jayanthi	
<b>A Literature Survey on Renewable Energy Sources in India</b> .....	617
Praveen Mannam and R. P. Singh	
<b>Designing of Solar Hybrid Electric Vehicle from Source to Load</b> .....	625
P. Ajay Sai Kiran and B. Loveswara Rao	
<b>Design and Development of Solar Photovoltaic System Using Single-Phase MLI</b> .....	639
J. Prakash, K. Gunalan and K. Mohana Sundaram	
<b>A Novel Technique to Observe the Performance of Virtual Solar PV Module System</b> .....	653
G. Suresh Babu and N. R. Sai Varun	



<b>Power Quality Analysis for Brushless DC Motor Drive Fed by a Photovoltaic System Using SRF Theory</b> .....	661
S. R. Rajasree, V. Ravikumar Pandi and K. Ilango	
<b>Energy Management Scheme for Green Homes Using Artificial Neural Network</b> .....	673
A. Naresh Kumar, P. Shiva Kumar and Thati Mahesh	
<b>Control Systems</b>	
<b>Comparative Analysis Between Conventional and Neuro-Fuzzy Control Schemes for Speed Control of Induction Motor Drive</b> .....	683
Shubhangi Kangale, B. Sampathkumar and N. Raut Mrunmayi	
<b>Estimation of Nonlinear Hybrid Systems Using Second-Order Q-Adaptive Self-switched Derivative-Free Estimators</b> .....	693
Sayanti Chatterjee	
<b>Control Quality Enhancement of Inverted Pendulum Using Fractional Controller</b> .....	705
K. Muralidhar Goud and C. Srisailam	
<b>A Review on Interference Management in Millimeter-Wave MIMO Systems for Future 5G Networks</b> .....	715
E. Udayakumar and V. Krishnaveni	
<b>Preventing the Vehicle Accidents on Highways and Implementing Safety and Automation</b> .....	723
P. Parthasaradhy and K. Manjunathachari	
<b>MRI-Based Medical Image Enhancement Technique Using Particle Swarm Optimization</b> .....	729
S. Sakthivel, V. Prabhu and R. Punidha	
<b>Health Monitoring System Using IoT</b> .....	739
A. Selvanayakam, A. C. Varishnee, M. Kalaivani and G. Ranjithkumar	
<b>Measurement of Fuel Level in Tank Using IR Sensors and Reporting Over IoT</b> .....	751
M. L. S. N. S. Lakshmi and Chandrasekhar Reddy	
<b>Miscellaneous</b>	
<b>Image Denoising Using Spatial and Frequency Domain Filters: A Tool for Image Quality Enhancement</b> .....	759
Santhi Krishnamoorthi, Nirmala Madian and Dhanasekaran Rajagopal	
<b>Comparative Study and Analysis of Human Knee Angle Measurement System</b> .....	769
S. Boobalan, K. Lakshmi and K. N. Thirukkuralkani	

<b>Voice and Image BER Analysis of the OFDM System with MECCT and MLNST Companding Techniques Over Mobile Radio Channels</b> .....	777
B. Sarala, M. Zaheer Ahamed, S. Sree Hari and V. Bhagya sree	
<b>Enhancement of Performance and PAPR Reduction Using Combination of PTS and SLM Scheme with Opposition-Based GWO in MIMO-OFDM</b> .....	787
K. Aruna Kumari and K. Sri Rama Krishna	
<b>Women Safety Device with GPS Tracking and Alerts</b> .....	797
A. Ranganadh	
<b>A Smart Machine for Fitness Care Scrutinizing Technique—A Review</b> .....	807
N. Pooranam, M. Diwakaran, A. Archana, S. Agalya, A. Anindhitha and E. GokulaPriya	
<b>Configuring MPLS Cloud Providers with Virtual Private Network</b> ....	817
M. L. S. N. S. Lakshmi and Naga Venkata Sai Sudheer Bandaru	
<b>A Prototype Development of Digirail-Ticket Verification and Seat Allocation</b> .....	827
S. Gobhinath, S. Karthikeyan, A. Guru Prakash, B. Balamurugan and N. Gokul	
<b>Performance Analysis of Thyroid Tumor Detection and Segmentation Using PCA-Based Random Classification Method</b> .....	833
B. Shankarlal and P. D. Sathya	
<b>Factors Influencing the Success of Recommendations in E-Commerce</b> .....	843
K. Srihari, K. Moorthi and S. Karthik	
<b>Implementation of Alexa-Based Intelligent Voice Response System for Smart Campus</b> .....	849
K. Srihari, V. Sakthivel, G. Venkata Koti Reddy, S. Subhasree, P. Sankavi and E. Udayakumar	
<b>Synthesis of Visual Attention-Based Robotic System and Its Present Utilization in Engineering</b> .....	857
Sridhar Prattipati, Vasimalla Ashok and N. Praneeth	
<b>Author Index</b> .....	863

[Home](#) > [Innovations in Electrical and Electronics Engineering](#) > [Conference paper](#)

# Comparative Performance Analysis of Active- and Resistive-Type SFCL in Reducing the Fault Current


| Conference paper | First Online: 24 March 2020


| pp 473–484 | [Cite this conference paper](#)



## Innovations in Electrical and Electronics Engineering

**G. Ganesh, Ravilla Madhusudan, L. Vamsi Narasimha & B. Sambasiva Rao**

 **Part of the book series: Lecture Notes in Electrical Engineering ((LNEE, volume 626))**

 873 Accesses

## Abstract

Nowadays, an efficient alternative to expensive enhancement of protective equipment is superconducting fault current limiters (SFCLs), which provide economic remedies to intercept the existing protective devices in the power system from being severely affected by excessive currents. In this paper, resistive- and active-type SFCLs are applied separately to reduce the fault current. The active SFCL is a combination of a transformer which is lossless (superconducting) and a voltage-controlled PWM converter. The converter equivalent impedance is controlled for current suppression, whereas the resistive-type SFCL will compare the fault current with the reference value and introduces some resistance based on the increase in temperature. Both resistive- and active-type SFCLs are designed in MATLAB and added into

Lecture Notes in Electrical Engineering 655

P. Satish Rama Chowdary  
V. V. S. S. S. Chakravarthy  
Jaume Anguera  
Suresh Chandra Satapathy  
Vikrant Bhateja *Editors*

# • Microelectronics, Electromagnetics and • Telecommunications

Proceedings of the Fifth ICMEET 2019

# Contents

<b>A Robust Architecture Based on Adaptive Recursive Filter for Gigabit Communications</b> .....	1
Kothapalli Roopa, R. V. Siva Krishna Addagattu, and Kuppili Sunil Kumar	
<b>DGS-Based T-Shaped Patch Antenna for 5G Communication Applications</b> .....	11
Akash Kumar Gupta, Anil Kumar Patnaik, S. Suresh, P. Satish Rama Chowdary, and M. Vamshi Krishna	
<b>Cascaded Operation of Hybrid Multilevel Inverter with Optimum Switching Angle Control for Power Quality Enhancement</b> .....	21
Hejeebu Prasad, R. Kameswara Rao, and S. Kranthi Kumar	
<b>Performance Comparison Analysis of GTTPC and AHTPC Technique for WBAN with Mobile Scenario</b> .....	33
M. Raj Kumar Naik and P. Samundiswary	
<b>A Comprehensive Study and Evaluation of Recommender Systems</b> .....	45
A. Vineela, G. Lavanya Devi, Naresh Nelaturi, and G. Dasavatara Yadav	
<b>LBPH-Based Face Recognition System for Attendance Management</b> .....	55
P. Lavanya, G. Lavanya Devi, and K. Srinivasa Rao	
<b>Proposed Pipeline Clocking Scheme for Microarchitecture Data Propagation Delay Minimization</b> .....	63
Wasim Ghder Soliman, P. V. S. Anusha, D. V. Rama Koti Reddy, N. Suresh Kumar, and B. Keerthi Priya	
<b>Design of Metamaterial Loaded Dipole Antenna for GPR</b> .....	71
T. Pavani, A. Naga Jyothi, A. Ushasree, Y. Rajasree Rao, and Ch. Usha Kumari	



<b>Low-Power and High-Speed 2-4 and 4-16 Decoders Using Modified Gate Diffusion Input (M-GDI) Technique</b> .....	79
Anusha Karumuri and Prema Kumar Medapati	
<b>A Sensitivity Based Approach for Optimal Allocation of OUPFC Under Single Line Contingencies</b> .....	93
Srinivasa Rao Veeranki, Srinivasa Rao Rayapudi, and Ravindra Manam	
<b>Impact Analysis of Black Hole, Flooding Attacks and Enhancements in MANET Using SHA-3 Keccak Algorithm</b> .....	105
T. Sairam Vamsi, T. Sudheer Kumar, and M. Vamsi Krishna	
<b>Reconfigurable Rectangular Microstrip Patch Antenna for S-Band Applications</b> .....	115
LalBabu Prasad, B. Ramesh, and K. P. Vinay	
<b>Design and Development of Hindrance Application Using Vocal and Quick Responsible Code for Railway</b> .....	123
Vadamodula Prasad and Kerru Jeevan Vamsi	
<b>Estimation from Censored Sample: Size-Biased Lomax Distribution</b> . . .	131
A. Naga Durgamamba and Kanti Sahu	
<b>Fuzzy Controlled High Gain Nonisolated DC to DC Hybrid Boost Converter</b> .....	141
M. V. Sudarsan, Ch. Sai Babu, and S. Satyanarayana	
<b>Air Gap Coupled Microstrip Antenna for K/Ka Band Wireless Applications</b> .....	153
K. S. Ravi Kumar, Yashpal Singh, and K. P. Vinay	
<b>Electromagnetic Analysis of MEMS-Based Tunable EBG Bandstop Filter Using RF MEMS Switch for Ku-Band Applications</b> .....	163
G. Shanthi, K. Srinivasa Rao, and K. Girija Sravani	
<b>Semi-circular MIMO Patch Antenna Using the Neutralization Line Technique for UWB Applications</b> .....	175
Gorre Naga Jyothi Sree and Suman Nelaturi	
<b>Multi-Beam Generation Using Quasi-Newton method and Teaching Learning Based Optimization algorithm</b> .....	183
R. Krishna Chaitanya, P. Mallikarjuna Rao, and K. V. S. N. Raju	
<b>Type E Fault Performance Improvement of DFIG Using Lookup Table-Based Control Scheme</b> .....	191
D. V. N. Ananth, G. Joga Rao, and S. N. M. Venkatesh Gudela	

<b>Positioning Strategies: Implementation and Applications of Major Source Localization and Positioning Approaches Over Indian Subcontinent</b> .....	201
Ganesh Laveti, D. Eswara Chaitanya, P. Chaya Devi, and T. Vinodh Kumar	
<b>Fast Nonlinear Filter-Based Local Phase Quantization for Texture Classification</b> .....	213
Sonali Dash, Ayyagari Sai Ramya, and B. Priyanka	
<b>Escalation of Energy Performance in Many User-Several Inputs and Several Output System with Spectral Ability Compulsion</b> .....	221
Kommiseti Murthy Raju and Vemu Srinivas Rao	
<b>Nature-Inspired Biogeography-Based Optimization for Estimation of GPS Receiver Position in Low Latitude Regions of the Indian Subcontinent</b> .....	241
N. Ashok Kumar and G. Sasibhushana Rao	
<b>Network-on-Chip Xilinx Implementation of WBCDMA System and Its AWGN Performance Analysis</b> .....	251
S. Rama Devi, T. Vedavyas, and M. Satya Anuradha	
<b>Comparison of Conformal and Planar CPW-Fed Circularly Polarized UWB Square Slot Antennas for WLAN, WiMAX, and 5G Applications</b> .....	259
Sateesh Virothu and M. Satya Anuradha	
<b>Design of a Quad-Band Annular Ring-Loaded Circular Patch Antenna with Meander Line Slot and DGS for Wireless Applications</b> .....	269
Mahesh Babu Kota, T. V. Rama Krishna, Ketavath Kumar Naik, E. Eswar Sai Yaswanth, G. Hanimi Reddy, and K. Gowtam Chowdary	
<b>CPW Fed Hexa-to-Hexa Fractal Antenna for Multiband Applications</b> .....	277
K. Yogaprasad and V. R. Anitha	
<b>GA Tuned Kalman Filter for Precise Positioning</b> .....	285
Nalineekumari Arasavali, G. Sasibhushana Rao, and N. Ashok Kumar	
<b>An Optimized Path Loss Model for Urban Wireless Channels</b> .....	293
Sreevardhan Cheerla, D. Venkata Ratnam, and J. R. K. Kumar Dabbakuti	
<b>A Comprehensive Review on Effect of Band Selection on the Recital of Hyper-spectral Image Classification</b> .....	303
Kalidindi Kishore Raju, G. P. Saradhi Varma, and Davuluri Rajyalakshmi	

<b>Study of Changes in Land Use and Land Covers Using Temporal Landsat-8 Images</b> .....	321
Parminder Kaur Birdi and Varsha Ajith	
<b>Maintenance Scheduling of Heavy Machinery Using IoT for Wide Range of Real-Time Applications</b> .....	331
Jasti Lavanya, P. Kusuma Vani, and N. Srinivas Gupta	
<b>A Tapered Microstrip-Fed Steering-Shaped Super-Wideband Printed Monopole Antenna</b> .....	341
Srinivasarao Alluri and Nakkeeran Rangaswamy	
<b>High-Throughput VLSI Architectures for VLSI Signal Processing</b> .....	349
R. Ashok Chaitanya Varma, M. Venkata Subbarao, D. Ramesh Varma, and G. R. L. V. N. S. Raju	
<b>Reform Initiatives for Electrical Distribution Utilities in Jharkhand, India</b> .....	359
Palacherla Srinivas, Rajagopal Peesapati, Muddana Harsha Vardhan, and Katchala Appala Naidu	
<b>FPGA Performance Evaluation of Present Cipher Using LCC Key Generation for IoT Sensor Nodes</b> .....	371
Srikanth Parikibandla and Alluri Sreenivas	
<b>Estimation of FSO Link Availability for Visakhapatnam Coastal Region</b> .....	381
Mogadala Vinod Kumar, G. Sasibhushana Rao, D. Amani, and Ch. Babji Prasad	
<b>CPW-Fed Monopole Antenna for RCS Reduction in X-Band Applications</b> .....	391
V. Suryanarayana, N. Uzawa, V. Sateesh, M. Satya Anuradha, and S. Paul Douglas	
<b>Performance Improvement of Solar PV Maximum Power Point Tracking Using Sliding Mode Control Algorithm</b> .....	403
M. Ravi Kumar, S. Satyanarayana, and V. Ganesh	
<b>Surfactant Effect on Bandgap and Crystallite Size of ZnO-TiO<sub>2</sub>-CeO<sub>2</sub> Nanocomposites</b> .....	411
H. Srinivasa Varaprasad, P. V. Sridevi, and M. Satya Anuradha	
<b>TEC Variation Analysis During Near Peak Solar Year Activity Over Indian Subcontinent</b> .....	423
Bharati Bidikar, Rajkumar Goswami, G. Sasibhushana Rao, and Ch. Babji Prasad	

<b>A Review on Schemes for Interconnecting Microgrids of Urban Buildings</b> .....	431
S. N. V. Bramareswara Rao and Kottala Padma	
<b>Performance Analysis of Multiwalled Carbon Nanotube, Composite Multiwalled Carbon Nanotube, and Copper-Based Antenna in X-Band Applications</b> .....	439
V. Suryanarayana, M. Satya Anuradha, and S. Paul Douglas	
<b>Wideband Printed Antenna Design Techniques: A Comprehensive Study</b> .....	449
Gundapaneni Sri Latha and G. S. N. Raju	
<b>Comparison of Various Algorithms for Side Lobe Level Reduction in 5G Antenna Arrays</b> .....	457
Y. Laxmi Lavanya and G. Sasibhushana Rao	
<b>Analysis of Electromagnetic Shielding Effectiveness Properties of Al6061 Metal Matrix Composites at X-Band for Aerospace Applications</b> .....	467
Srinu Budumuru and M. Satya Anuradha	
<b>Design, Simulation and Experimental Validation of Patch Antenna in S-Band Satellite Communication</b> .....	477
Karedla Chitambara Rao, P. Mallikarjuna Rao, B. Sadasiva Rao, and Pavada Santosh	
<b>Performance Efficient Floating-Point Multiplication Using Unified Adder-Subtractor-Based Karatsuba Algorithm</b> .....	491
K. V. Gowreesrinivas and P. Samundiswary	
<b>Implementation of Program Page, Read Page and Block Erase Operations in NAND Flash Memory Controller</b> .....	499
Ch. Harini, B. Keerthi Priya, and D. V. Rama Koti Reddy	
<b>Design of Low Standby Power 10T SRAM Cell with Improved Write Margin</b> .....	507
R. Manoj Kumar and P. V. Sridevi	
<b>Design and Analysis of Symmetric and Asymmetric Staircase Patch Antenna</b> .....	515
Bammidi Deepa, P. Chaya Devi, and M. Syamala	
<b>Performance Analysis of Multilevel Converter with Reduced Number of Active Switches</b> .....	525
Sudheer Vinnakoti and Venkata Lakshmi Vasamsetti	
<b>Reliability Assessment of a Hybrid PV/Battery Converter</b> .....	539
Shaik Daryabi, Allamsetty Hema Chander, B. G. Madhuri, and V. Pramadha Rani	

<b>Speech Enhancement Using Beamforming and Kalman Filter for In-Car Noisy Environment</b> .....	549
G. Ramesh Babu and G. V. Sridhar	
<b>Performance Evaluation of UWB Waveforms in High-Resolution Radar</b> .....	559
Ch. Srinivasu, D. Monica Satyavathi, and N. Markandeya Gupta	
<b>Single-Stage AC-DC Integrated Double Buck-Boost LED Driver</b> .....	567
Thanikonda Yedukondalu, Mopidevi SubbaRao, S. Satyanarayana, and M. V. Sudarsan	
<b>Comparison of Incremental Conductance with Fuzzy Controller for a PLL-Less Scheme for Grid-Interfaced PV System</b> .....	579
Alluvada Bala Raja Ram, T. Srinivas Sirish, M. V. Suresh Kumar, and A. Sai Sita Ram Murthy	
<b>A Real-Time Audio Transmission and Reception Over Wireless Channel Using PXI System</b> .....	591
M. Padmaja, K. Prasuna, and K. Murali	
<b>A Safe and Cost-Effective Algorithm for Automation of LPG Cylinder Booking Using ESP8266</b> .....	601
Srinivasa Naidu Nalla and K. V. Gowreesrinivas	
<b>Intelligent Traffic Signal Control System Using Machine Learning Techniques</b> .....	611
Mohammad Ali, G. Lavanya Devi, and Ramesh Neelapu	
<b>An Analytical Review on Log Periodic Dipole Antennas with Different Shapes of Dipole Elements</b> .....	621
Swetha Velicheti and P. Mallikarjuna Rao	
<b>Adaptive Level Cross Sampling for Next-Generation Data-Driven Applications</b> .....	633
Viswanadham Ravuri, Sudheer Kumar Terlapu, and S. S. Nayak	
<b>Image Fusion of X-ray Mammography Using Weighted Averaging GA-Based SWT Technique</b> .....	641
M. Prema Kumar, V. Veer Raju, and P. Rajesh Kumar	
<b>Comparison on Radar Echo Cancellation Techniques for SAR Jamming</b> .....	651
Ch. Anoosha and B. T. Krishna	
<b>Design of Nanoscale Square Ring Resonator Band-Pass Filter Using Metal-Insulator-Metal</b> .....	659
Surendra Kumar Bitra and M. Sridhar	



<b>Comparative Analysis of Sentiment Analysis Between All Bigrams and Selective Adverb/Adjective Bigrams</b> .....	665
Mounicasri Valavala and Hemalatha Indukuri	
<b>Compact Quad Band Radiator for Wireless Applications</b> .....	673
V. Saritha, C. Chandrasekhar, and K. Murali	
<b>Synthesis of Non-uniformly Spaced Linear Antenna Array Using Firefly Algorithm</b> .....	685
Nagavalli Vegesna, G. Yamuna, and T. Sudheer Kumar	
<b>Timeout-Aware Inter-Queuing for QoS Provisioning of Real-Time Secondary Users in Cognitive Radio Networks</b> .....	693
K. Annapurna and B. Seetha Ramanjaneyulu	
<b>Inter-user Interference Mitigation Scheme for IEEE 802.15.4</b> .....	701
C. K. Meghalatha, K. S. Sravan, K. Krishna Chaitanya, and B. Seetha Ramanjaneyulu	
<b>Analysis of CPW-Fed Modified Z-Shaped Reconfigurable Antenna for Automotive Communications</b> .....	709
T. Anilkumar, B. T. P. Madhav, R. Venkata Abhiram, K. Nikhil Sai Radhesh, J. Harish, and M. Venkateswara Rao	
<b>Performance of Error Correction Codes for 5G Communications</b> .....	719
B. Surendra babu, Idrish shaik, and N. Venkateswar Rao	
<b>Pattern Recognition of Time-Varying Signals Using Ensemble Classifiers</b> .....	725
M. Venkata Subbarao, Sudheer Kumar Terlapu, V. V. S. S. S. Chakravarthy, and Suresh Chandra Satapaty	
<b>Design and Analysis of Koch Fractal Slots for Ultra-Wideband Applications</b> .....	735
Sudheer Kumar Terlapu, M. Venkata Subba Rao, P. Satish Rama Chowdary, and Suresh Chandra Satapaty	
<b>Pattern Recovery in Linear Arrays Using Grasshopper Optimization Algorithm</b> .....	745
V. V. S. S. S. Chakravarthy, P. Satish Rama Chowdary, Jaime Anguera, Divya Mokara, and Suresh Chandra Satapaty	
<b>Exponential Fourier Moment-Based CBIR System: A Comparative Study</b> .....	757
J. Surendranadh and Ch. Srinivasa Rao	


<b>Quaternion Polar Complex Exponential Transform and Local Binary Pattern-Based Fusion Features for Content-Based Image Retrieval . . . .</b>	<b>769</b>
D. Kishore and Ch. Srinivasa Rao	
<b>FLM-Based Optimization Scheme for Ocular Artifacts Removal in EEG Signals . . . . .</b>	<b>777</b>
Shyam Prasad Devulapalli, Ch. Srinivasa Rao, and K. Satya Prasad	



**Microelectronics, Electromagnetics and Telecommunications** pp 641–650

[Home](#) > [Microelectronics, Electromagnetics and Telecommunications](#) > [Conference paper](#)

## Image Fusion of X-ray Mammography Using Weighted Averaging GA-Based SWT Technique

[M. Prema Kumar](#) , [V. Veer Raju](#) & [P. Rajesh Kumar](#)

Conference paper | [First Online: 24 June 2020](#)

**630** Accesses | **1** Citations

Part of the [Lecture Notes in Electrical Engineering](#) book series (LNEE, volume 655)

### Abstract

Nowadays, image fusion of medical images plays a crucial role and enables the radiologists to diagnosis the diseases. X-ray mammogram has become a universal practice for the identification of cancer cells in the breast. Sometimes, a single X-ray mammography is not alone sufficient to express full details about breast cancer to the radiologist. To overcome this problem, equalization of the histogram is chosen to improve the superiority of



Estd. 1989

## SIR C. R. REDDY COLLEGE OF ENGINEERING

ELURU-534007, Eluru Dist., A.P., INDIA

ACCREDITED BY NBA, APPROVED BY ALL INDIA COUNCIL FOR TECHNICAL EDUCATION, NEW DELHI,

PERMANENTLY AFFILIATED TO JNTUK, KAKINADA

[www.sircrrengg.ac.in](http://www.sircrrengg.ac.in)

### 3.3.2 Number of books and chapters in edited volumes / books published, and papers published in national/international conference-proceedings per teacher during last five years

Name of the teacher	Title of the Book/ Chapters Published	Title of the Paper	Title of the proceedings of the conference	Year of publication	ISBN/ ISSN number of the proceeding	Whether at the time of publication Affiliating InstitutionW as same Yes/NO	Name of the publisher	Link to website/ doi of the Conference Paper
2019								
Dr. ASrinivasa Reddy	Advances in Intelligent Systems and Computing	Shuffled Differential Evolution Algorithm Based Combined Heat and Power Emission Dispatch	Computational Intelligence in Pattern Recognition	2019	978-981-13-9041-8	Yes	Springer	<a href="https://doi.org/10.1007/978-981-13-9042-5_36">https://doi.org/10.1007/978-981-13-9042-5_36</a>
M Veeranjanyulu	A Textbook of Engineering Physics; Sixth Edition	N/A	N/A	2019	97881937594-1-7	Yes	VGS Publishers	<a href="https://archive.org/details/ATextBookOfEngineeringPhysicsByDr.D.ThirupathiNaiduM.Veeranjanyulu_201701/Front%20pages-2/">https://archive.org/details/ATextBookOfEngineeringPhysicsByDr.D.ThirupathiNaiduM.Veeranjanyulu_201701/Front%20pages-2/</a>

J.S.V. Gopala Krishna	N/A	Quick Certification Cellular phone IP Contrasted to Ranked Cellular phone IP	International conference on computer vision and machine learning	2019	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012022">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012022</a>
T. Rama Krishna	Lecture Notes in Mechanical Engineering	Effects of Post-weld Heat Treatment on Microstructure and Mechanical Behavior of Friction Stir Welded Thick Section Al-Zn-Mg-Cu Alloy	Advances in Engineering Design	2019	978-981-13-6469-3	Yes	Springer	<a href="https://link.springer.com/chapter/10.1007/978-981-13-6469-3_3#:~:text=The%20post%2Dweld%20heat%20treatment,distribution%20across%20the%20">https://link.springer.com/chapter/10.1007/978-981-13-6469-3_3#:~:text=The%20post%2Dweld%20heat%20treatment,distribution%20across%20the%20</a>
Vahiduddin Shariff	N/A	New distributed routing algorithm in wireless network models	International conference on computer vision and machine learning	2019	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012027">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012027</a>
Sri Ch. Pavan Kumar	N/A	Experimental Study on Laser Welding of AISI 304 Steel with Design of Experiments Approach	Materials Science and Engineering 577 (2019) 012117	2019	Volume 653,	yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1757-899X/577/1/012117/pdf">https://iopscience.iop.org/article/10.1088/1757-899X/577/1/012117/pdf</a>
M. MadhavaRao	N/A	Quick Certification Cellular phone IP Contrasted to Ranked Cellular phone IP	International conference on computer vision and machine learning	2019	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012022">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012022</a>



Sri S.V. Gopala Krishna	N/A	Mechanical characteristics of Al-Al <sub>2</sub> O <sub>3</sub> -SiC metal matrix composites made by stir casting technique	Materials Science and Engineering 653 (2019)	2019	Volume 653,	yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1757-899X/653/1/012005/pdf#:~:text=Aluminium%20metal%20matrix%20composites%20(AMMCs%20prepare%20by">https://iopscience.iop.org/article/10.1088/1757-899X/653/1/012005/pdf#:~:text=Aluminium%20metal%20matrix%20composites%20(AMMCs%20prepare%20by</a>
D. Srinivasa Rao	N/A	Providing An Adaptive Setup For Media-Content Sources.	International conference on computer vision and machine learning	2019	1228 012030	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012030/pdf">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012030/pdf</a>
Dr N Deepak	N/A	A Novel Approach To Compress DNA Repetative Sequences In Bioinformatics	International conference on computer vision and machine learning	2019	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012026">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012026</a>
Samparathi V S Kumar	N/A	A Novel Approach To Compress DNA Repetative Sequences In Bio-Informatics	International conference on computer vision and machine learning	2019	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012026">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012026</a>
M. Narendra kumar	N/A	Azolla Cultivation Through IOT by Using Arm Cortex-M0	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A


V. Veerraju	N/A	Mitigate the Travelling Time in WSN using Cluster-Data Based Tour Planning Algorithm	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
K. J. Silva Lorraine	N/A	Smart Antenna Beam forming using LCMV&MVDR algorithms	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
VenkateswaraRao, Tumati	N/A	Analysis on Mutual Coupling Effects of Linear Patch Antenna Array Using HFSS for Phased Array Radar Applications	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
P H S T Murthy	N/A	Implementation of Car Parking System through FPGA	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
.CH.Ravi Kumar	N/A	Linear Block Codes Reduced Subpacketization with Caching Schemes	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A

M N Venkatesh Babu	N/A	Mutual Coupling Reduction Between Microstrip Patch Antennas Using Slotted-Complementary Split-Ring Resonators	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
Greeshma	N/A	High Speed and Low Power Comparator for High Speed ADCs	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
M Lavanya	N/A	High Speed and Low Power Comparator for High Speed ADCs	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
K Radha	N/A	High Speed and Low Power Comparator for High Speed ADCs	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
N Swathi	N/A	Hybrid Smart Home Control System	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A

H. Sudhakar	N/A	An Efficient and Dynamic Query Compressive Wireless Sensing Networks.	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
P.Sowmithri	N/A	Design of Ternary Logic Arithmetic Circuits Using CNTFET	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
K.Lakshmi narayana	N/A	AoD-Adaptive Subspace Codebook for Channel Feedback in FDD Massive MIMO Systems	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
Dr.P.H.S.Tejo Murthy	N/A	Home Automation Through Field Programmable Gate Array	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
M VamsiKrishna Allu	N/A	Low Power Full Addres By Exploring New EX-OR AND OR NORORS Gates	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A

Dr.VenkateswaraRao Tumati	N/A	Four Element MIMO antenna for K band and Ka Band Applications	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
I.Hemalatha	N/A	Estimation of Different Parameters In Cellular Mobile Communication	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
Miranji Katta	N/A	Audio and Text Transmission Using LI-FI Technology	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
Lavanya nadella	N/A	CBIR Based On SURF With Color Histogram	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
R.Trinadh	N/A	Design of Power Efficient Approximate Multipliers	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A



V.Swathi	N/A	 Fault Detection Method In NoC Routers	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
H.Sudhakar	N/A	Monitoring and Controlling of Mushroom Cultivation Through IOT	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
V.Surendra Babu	N/A	Opc Based Scada System in Visakhapatnam Steel Plant	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
N. Suneetha	N/A	An Efficient Programmable Logic BIST Module	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
K.Lavanya	N/A	Design and Analysis of Low Power SRAM cells	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A

K.Radha	N/A	Design and Analysis of Low Power SRAM cells	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
CH Jayaprakash	N/A	Implementation of Hamming Code Using Verilog	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
R.Satish	N/A	Face Recognition Using CRF Model	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
Ch.RaviKumar	N/A	Optimization of 2G/3G Networks for Improvement of Handover	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
P.Hareesh	N/A	Arduino Based Gesture To Speech Conversion For The Mute Community	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A

Ch.Madhava Rao	N/A	Smart Irrigation System Using Raspberry PI	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
G.Venkat Rao	N/A	Brain Tumor Detection Method Using MET and Fuzzy C-Means Clustering Algorithm	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
V.Vamsi Sudheera	N/A	Improved BSC and Systematic polar code channel estimation in wireless 5G	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
Hemalatha Inteti	N/A	Real Time Imaging and Signal Analysis Using Radar Sensor	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
V. Ranjith Kumar	N/A	Heart Stroke Forecasting and Health Parameters Analysis Using Python	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A

V.Vamsi Sudheera	N/A	3 Detection of Targets up to maximum unambiguous range using FMCW RADAR	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
K.J.Silva Lorraine	N/A	Mitigation of Near-Far Effect in Pseudolite Based On Beamforming	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
Dr PHS Tejo Murthy	N/A	A Soft Error Tolerance Technique For Combinational Circuit Using D FlipFlop Based on Selectie Transistor Redundancy	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
CH Jayaprakash	N/A	A Soft Error Tolerance Technique For Combinational Circuit Using D FlipFlop Based on Selectie Transistor Redundancy	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A
VenkateswaraRao Tumati	N/A	Enhancement 2x2 Compact Extended MIMO-Antenna	International Conference on Advanced Communication Technologies	2019	978-93-87360-32-7	Yes	PJAZYM Publisher	N/A

  
IQAC


  
PRINCIPAL  
Principal  
Sir C R Reddy College of Engineering  
ELURU - 534 007

Advances in Intelligent Systems and Computing 999

Asit Kumar Das  
Janmenjoy Nayak  
Bighnaraj Naik  
Soumen Kumar Pati  
Danilo Pelusi *Editors*

# Computational Intelligence in Pattern Recognition

Proceedings of CIPR 2019

 Springer



# **Advances in Intelligent Systems and Computing**

Volume 999

## **Series Editor**

Janusz Kacprzyk, Systems Research Institute, Polish Academy of Sciences,  
Warsaw, Poland

## **Advisory Editors**

Nikhil R. Pal, Indian Statistical Institute, Kolkata, India  
Rafael Bello Perez, Faculty of Mathematics, Physics and Computing,  
Universidad Central de Las Villas, Santa Clara, Cuba  
Emilio S. Corchado, University of Salamanca, Salamanca, Spain  
Hani Hagrass, School of Computer Science and Electronic Engineering,  
University of Essex, Colchester, UK  
László T. Kóczy, Department of Automation, Széchenyi István University,  
Gyor, Hungary  
Vladik Kreinovich, Department of Computer Science, University of Texas  
at El Paso, El Paso, TX, USA  
Chin-Teng Lin, Department of Electrical Engineering, National Chiao  
Tung University, Hsinchu, Taiwan  
Jie Lu, Faculty of Engineering and Information Technology,  
University of Technology Sydney, Sydney, NSW, Australia  
Patricia Melin, Graduate Program of Computer Science, Tijuana Institute  
of Technology, Tijuana, Mexico  
Nadia Nedjah, Department of Electronics Engineering, University of Rio de Janeiro,  
Rio de Janeiro, Brazil  
Ngoc Thanh Nguyen, Faculty of Computer Science and Management,  
Wrocław University of Technology, Wrocław, Poland  
Jun Wang, Department of Mechanical and Automation Engineering,  
The Chinese University of Hong Kong, Shatin, Hong Kong

# Contents

<b>On the Synthesis of Unate Symmetric Function Using Memristor-Based Nano-Crossbar Circuit</b> . . . . .	1
Subhashree Basu and Malay Kule	
<b>A Novel Enhancement and Segmentation of Color Retinal Image Based on Fuzzy Measure and Fuzzy Integral</b> . . . . .	9
Swarup Kr Ghosh, Biswajit Biswas and Anupam Ghosh	
<b>On the Cryptanalysis of S-DES Using Binary Cuckoo Search Algorithm</b> . . . . .	23
Ritwiz Kamal, Moynak Bag and Malay Kule	
<b>Feature Selection Using NSGA-II for Event Extraction on Genetic and Molecular Mechanisms Involved in Plant Seed Development</b> . . . . .	33
Amit Majumder, Asif Ekbal and Sudip Kumar Naskar	
<b>Detection and Identification of Parasite Eggs from Microscopic Images of Fecal Samples</b> . . . . .	45
Kaushik Ray, Sukhen Shil, Sarat Saharia, Nityananda Sarma and Nagappa S. Karabasanavar	
<b>Identification of Some Transposable Elements of DNA Using “BP Suche” Algorithm</b> . . . . .	57
Rachita Ghoshhajra, Sanghamitra Chatterjee and Soma Barman (Mandal)	
<b>An Approach for Sentiment Analysis of GST Tweets Using Words Popularity Versus Polarity Generation</b> . . . . .	69
Sourav Das, Dipankar Das and Anup Kumar Kolya	
<b>Smart Health Monitoring System for Temperature, Blood Oxygen Saturation, and Heart Rate Sensing with Embedded Processing and Transmission Using IoT Platform</b> . . . . .	81
Samik Basu, Sinjoy Saha, Soumya Pandit and Soma Barman (Mandal)	

<b>Design of a Health Monitoring System for Heart Rate and Body Temperature Sensing Including Embedded Processing Using ARM Cortex M3</b> .....	93
Mahasweta Ghosh, Samik Basu, Soumya Pandit and Soma Barman (Mandal)	
<b>A Robust Multi-label Fruit Classification Based on Deep Convolution Neural Network</b> .....	105
Biswajit Biswas, Swarup Kr. Ghosh and Anupam Ghosh	
<b>Classification of Speech and Song Using Co-occurrence-Based Approach</b> .....	117
Arijit Ghosal, Suchibrota Dutta and Debanjan Banerjee	
<b>Intelligent Analysis for Personality Detection on Various Indicators by Clinical Reliable Psychological TTH and Stress Surveys</b> .....	127
Rohit Rastogi, D. K. Chaturvedi, Santosh Satya, Navneet Arora, Piyush Trivedi, Akshay Kr. Singh, Amit Kr. Sharma and Ambuj Singh	
<b>Automatic Multilingual System from Speech</b> .....	145
Suchit Agarwal, Akshay Chatterjee and Ghazaala Yasmin	
<b>An Improved Data Hiding Scheme Through Image Interpolation</b> ....	157
Manasi Jana and Biswapati Jana	
<b>Generalization of Multi-bit Encoding Function Based Data Hiding Scheme</b> .....	171
Piyali Sanyal, Sharmistha Jana and Biswapati Jana	
<b>A Machine Learning Approach to Comment Toxicity Classification</b> .....	183
Navoneel Chakrabarty	
<b>A Minutia Detection Approach from Direct Gray-Scale Fingerprint Image Using Hit-or-Miss Transformation</b> .....	195
Debashis Das	
<b>Face Identification via Strategic Combination of Local Features</b> .....	207
Rinku Datta Rakshit and Dakshina Ranjan Kisku	
<b>A Study on Reversible Image Watermarking Using Xilinx System Generator</b> .....	219
Subhajit Das and Arun Kumar Sunaniya	
<b>SVM and MLP Based Segmentation and Recognition of Text from Scene Images Through an Effective Binarization Scheme</b> .....	237
Ranjit Ghoshal and Ayan Banerjee	
<b>User Identification and Authentication Through Voice Samples</b> .....	247
Soubhik Rakshit	

<b>Template Matching for Kinship Verification in the Wild</b> .....	255
Aarti Goyal and T. Meenpal	
<b>Attack Prevention Scheme for Privacy Preservation (APSP) Using K Anonymity in Location Based Services for IoT</b> .....	267
Ayan Kumar Das, Ayesha Tabassum, Sayema Sadaf and Ditipriya Sinha	
<b>Statistical Analysis of the UNSW-NB15 Dataset for Intrusion Detection</b> .....	279
Vikash Kumar, Ayan Kumar Das and Ditipriya Sinha	
<b>Singer Identification Using MFCC and CRP Features with Support Vector Machines</b> .....	295
Rajesh Sangeetha and N. J. Nalini	
<b>Object Proposals Based on Variance Measure</b> .....	307
Amit Verma, T. Meenpal and Bibhudendra Acharya	
<b>Deep Learning Approach in Predicting Personal Traits Based on the Way User Type on Touchscreen</b> .....	321
Soumen Roy, Utpal Roy and D. D. Sinha	
<b>Robust Non-blind Video Watermarking Using DWT and QR Decomposition</b> .....	333
Chinmay Maiti and Bibhas Chandra Dhara	
<b>Detection and Classification of Earthquake Images from Online Social Media</b> .....	345
Ashish Kumar Layek, Amreeta Chatterjee, Debanjan Chatterjee and Samit Biswas	
<b>Blood Vessel Extraction from Retinal Images Using Modified Gaussian Filter and Bottom-Hat Transformation</b> .....	357
Amiya Halder and Sneha Ghose	
<b>A Fast Approach for Text Region Detection from Images on Online Social Media</b> .....	365
Ashish Kumar Layek, Sekhar Mandal and Saptarshi Ghosh	
<b>Numerical Integration Based Contrast Enhancement Using Simpson's Method</b> .....	379
Amiya Halder, Pritam Bhattacharya and Nikita Shah	
<b>Crime Feature Selection Constructing Weighted Spanning Tree</b> .....	387
Priyanka Das and Asit Kumar Das	
<b>Empirical Analysis of Proximity Measures in Machine Learning</b> .....	399
Nazrul Hoque, Hasin A. Ahmed and Dhruba Kumar Bhattacharyya	

<b>Memorizing and Retrieving of Text Using Recurrent Neural Network—A Case Study on Gitanjali Dataset</b> .....	413
Rajat Subhra Bhowmick and Jaya Sil	
<b>Shuffled Differential Evolution Algorithm Based Combined Heat and Power Emission Dispatch</b> .....	423
S. Nagaraju, A. Srinivasreddy and K. Vaisakh	
<b>Classification of Ball Mill Acoustic for Predictive Grinding Using PCA</b> .....	433
Sonali Sen, Arup Kumar Bhaumik and Jaya Sil	
<b>Particle Swarm-Based Approach for Storage Efficiency Optimization of Supercapacitors</b> .....	445
Rudrendu Mahindar, Sahana Mukherjee, Sankhadeep Dutta, Tanusree Dutta and Rabindranath Ghosh	
<b>Top-k Influential Nodes Identification Based on Activity Behaviors in Egocentric Online Social Networks</b> .....	463
Soumyadeep Debnath, Dhruvasish Sarkar and Premananda Jana	
<b>Music Tagging and Similarity Analysis for Recommendation System</b> .....	477
Laxman Kumar, Anirban Mitra, Mamta Mittal, Vatsal Sanghvi, Sudipta Roy and Sanjit Kumar Setua	
<b>Elastic Window for Multiple Face Detection and Tracking from Video</b> .....	487
Aniruddha Dey, Satadal Chakraborty, Debaditya Kunduand and Manas Ghosh	
<b>Assessment of Reading Material with Flow of Eyegaze Using Low-Cost Eye Tracker</b> .....	497
Aniruddha Sinha, Sanjoy Kumar Saha and Anupam Basu	
<b>NCBI: A Novel Correlation Based Imputing Technique Using Biclustering</b> .....	509
Hussain A. Chowdhury, Hasin A. Ahmed, Dhruva Kumar Bhattacharyya and Jugal K. Kalita	
<b>ACO Based Optimization of DC Micro Grid Under Island Mode</b> ....	521
B. Sateesh Babu, J. Vijaychandra, B. Sesha Sai, P. Jagannadh, Ch. Jaganmohana Rao and N. Naga Srinivas	
<b>Non-invasively Grading of Brain Tumor Through Noise Robust Textural and Intensity Based Features</b> .....	531
Prasun Chandra Tripathi and Soumen Bag	



<b>Line Encoding Based Method to Analyze Performance of Indian States in Road Safety</b> .....	541
Samya Muhuri, Susanta Chakraborty and Debasree Das	
<b>Efficient Energy Management in Microgrids Using Flower Pollination Algorithm</b> .....	553
Meenakshi De, Gourab Das and K. K. Mandal	
<b>Applications of Computational Intelligence Techniques for Automatic Generation Control Problem—A Short Review from 2010 to 2018</b> .....	563
Tulasichandra Sekhar Gorripotu, Simma Gopi, Halini Samalla, A. V. L. Prasanna and B. Samira	
<b>How Effective is the Salp Swarm Algorithm in Data Classification</b> .....	579
Nibedan Panda and Santosh Kumar Majhi	
<b>Feature Selection Using Graph-Based Clustering for Rice Disease Prediction</b> .....	589
Ankur Das, Ratnaprava Dutta, Sunanda Das and Shampa Sengupta	
<b>Shifted Peterson Network: A New Network for Network-on-Chip</b> .....	599
M. M. Hafizur Rahman, M. N. M. Ali, Osinusi A. Olamide and D. K. Behera	
<b>Gathering Identification Using Image Metrics for Intelligent Situation Awareness System in Real Time Scenarios</b> .....	611
Nandita Gautam, Debdoot Das, Sunirmal Khatua and Banani Saha	
<b>Secure: An Effective Smartphone Safety Solution</b> .....	621
Sampreet Kalita and Dhruba Kumar Bhattacharyya	
<b>A Gamma-Levy Hybrid MetaHeuristic for HyperParameter Tuning of Deep Q Network</b> .....	635
Abhijit Banerjee, Dipendranath Ghosh and Suvrojit Das	
<b>Dewarping of Single-Folded Camera Captured <i>Bangla</i> Document Images</b> .....	647
Arpan Garai and Samit Biswas	
<b>Deep Learning Techniques—R-CNN to Mask R-CNN: A Survey</b> .....	657
Puja Bharati and Ankita Pramanik	
<b>Comparison of Four Nature Inspired Clustering Algorithms: PSO, GSA, BH and IWD</b> .....	669
Shankho Subhra Pal, Rupkatha Hira and Somnath Pal	

<b>Detection of Diseases in Potato Leaves Using Transfer Learning</b> . . . . .	675
Soumik Ranjan Dasgupta, Somnath Rakshit, Dhiman Mondal and Dipak Kumar Kole	
<b>Self Driving Car</b> . . . . .	685
Ankit Kumar, Mayukh Mukherjee and Preetam Mukhopadhyay	
<b>A Local-to-Global Approach for Document Image Binarization</b> . . . . .	693
Deepika Gupta and Soumen Bag	
<b>Feature Extraction and Matching of River Dam Images in Odisha Using a Novel Feature Detector</b> . . . . .	703
Anchal Kumawat and Sucheta Panda	
<b>Multimodal Segmentation of Brain Tumours in Volumetric MRI Scans of the Brain Using Time-Distributed U-Net</b> . . . . .	715
Jeet Dutta, Debajyoti Chakraborty and Debanjan Mondal	
<b>A Cooperative Co-evolutionary Genetic Algorithm for Multi-Robot Path Planning Having Multiple Targets</b> . . . . .	727
Ritam Sarkar, Debaditya Barman and Nirmalya Chowdhury	
<b>A Shape Retrieval Technique Using Isothetic Cover of Digital Objects</b> . . . . .	741
Abdul Aziz Al Aman, Apurba Sarkar and Arindam Biswas	
<b>Complete Statistical Analysis to Weather Forecasting</b> . . . . .	751
Anisha Datta, Shukrity Si and Sanket Biswas	
<b>An Improved Non-local Means Denoising Technique for Brain MRI</b> . . . . .	765
Saumyadipta Sarkar, Prasun Chandra Tripathi and Soumen Bag	
<b>A Combined Approach for <math>k</math>-Seed Selection Using Modified Independent Cascade Model</b> . . . . .	775
Debasis Mohapatra, Ashutosh Panda, Debasish Gouda and Sumit Sourav Sahu	
<b>Fast Adaptive Decision-Based Mean Filter for Removing Salt-and-Pepper Noise in Images</b> . . . . .	783
Amiya Halder, Supravo Sengupta, Pritam Bhattacharya and Apurba Sarkar	
<b>An Appearance Model and Feature Selection in Kernelized Correlation Filter Based Visual Object Tracking</b> . . . . .	795
Vijay K. Sharma, Bibhudendra Acharya and K. K. Mahapatra	
<b>Role of Soft Computing Techniques in Software Effort Estimation: An Analytical Study</b> . . . . .	807
P. Suresh Kumar and H. S. Behera	

<b>A Nonlinear Telegraph Equation for Edge-Preserving Image Restoration . . . . .</b>	833
Subit K. Jain, Jyoti Yadav, Manisha Rao, Monika Sharma and Rajendra K. Ray	
<b>A Q-Learning Approach for Sales Prediction in Heterogeneous Information Networks . . . . .</b>	843
Sadhana Kodali, Madhavi Dabbiru and B. Thirumala Rao	
<b>WNN-EDAS: A Wavelet Neural Network Based Multi-criteria Decision-Making Approach for Cloud Service Selection . . . . .</b>	853
O. Gireesha, Nivethitha Somu, M. R. Gauthama Raman, Mandi Sushmanth Reddy, Kannan Kirthivasan and V. Shankar Sriram	
<b>An Improved Feedforward Neural Network Using Salp Swarm Optimization Technique for the Design of Intrusion Detection System for Computer Network . . . . .</b>	867
N. Neha, M. R. Gauthama Raman, Nivethitha Somu, R. Senthilnathan and V. Shankar Sriram	
<b>An Efficient Intrusion Detection Approach Using Enhanced Random Forest and Moth-Flame Optimization Technique . . . . .</b>	877
P. S. Chaithanya, M. R. Gauthama Raman, S. Nivethitha, K. S. Seshan and V. Shankar Sriram	
<b>Unidentified Input Observer: Comparative Study Through Block Pulse Function and Hybrid Function . . . . .</b>	885
Anindita Ganguly, Tathagata Roy Chowdhury, Suman Kumar Ghosh, Aishik Panigrahi, Nilotpal Chakraborty, Anirudhha Ghosh and Neelakshi Ganguly	
<b>Data Hiding with Digital Authentication in Spatial Domain Image Steganography . . . . .</b>	897
Ayan Chatterjee and Soumen Kumar Pati	
<b>Implementation of WOA-Based 2DOF-FOPID Controller for AGC of Interconnected Power System . . . . .</b>	909
Debashis Sitikantha, Binod Kumar Sahu and Pradeep Kumar Mohanty	
<b>Decision-Making Process of Farmers: A Conceptual Framework . . . . .</b>	921
Partha Mukhopadhyay, Madhabendra Sinha and Partha Pratim Sengupta	
<b>An Efficient Approach to Optimize the Learning Rate of Radial Basis Function Neural Network for Prediction of Metastatic Carcinoma . . . . .</b>	935
Prachi Vijayeeta, M. N. Das and B. S. P. Mishra	
<b>Voice-Based Gender Identification Using Co-occurrence-Based Features . . . . .</b>	947
Arijit Ghosal, Chanda Pathak, Pinki Singh and Suchibrota Dutta	

<b>Fuzzy Posture Matching for Pain Recovery Using Yoga</b> .....	957
Ahona Ghosh, Sriparna Saha and Amit Konar	
<b>Application of SCA-Based Two Degrees of Freedom PID Controller for AGC Study</b> .....	969
Nimai Charan Patel, Binod Kumar Sahu and Manoj Kumar Debnath	
<b>Classifications of High-Resolution SAR and Optical Images Using Supervised Algorithms</b> .....	981
Battula Balnarsaiah, T. S. Prasad, Laxminarayana Parayitam, Balakrishna Penta and Chandrasekhar Patibandla	
<b>An Approach for Video Summarization Using Graph-Based Clustering Algorithm</b> .....	991
Ghazaala Yasmin, Aditya Chaterjee and Asit Kumar Das	
<b>Parameter Tuning in MSER for Text Localization in Multi-lingual Camera-Captured Scene Text Images</b> .....	999
Souvik Panda, Swayak Ash, Neelotpal Chakraborty, Ayatullah Faruk Mollah, Subhadip Basu and Ram Sarkar	
<b>Applications and Advancements of Firefly Algorithm in Classification: An Analytical Perspective</b> .....	1011
Janmenjoy Nayak, Kanithi Vakula, Paidi Dinesh and Bighnaraj Naik	
<b>A Multi-step-Ahead Fuzzy Time Series Forecasting by Using Hybrid Chemical Reaction Optimization with Pi-Sigma Higher-Order Neural Network</b> .....	1029
Radha Mohan Pattanayak, H. S. Behera and Sibarama Panigrahi	
<b>Author Index</b> .....	1043



**Computational Intelligence in Pattern Recognition** pp 423–431

Home > [Computational Intelligence in Pattern Recognition](#) > Conference paper

## Shuffled Differential Evolution Algorithm Based Combined Heat and Power Emission Dispatch

S. Nagaraju , [A. Srinivasreddy](#) & [K. Vaisakh](#)

Conference paper | [First Online: 18 August 2019](#)

**1891** Accesses

Part of the [Advances in Intelligent Systems and Computing](#) book series (AISC, volume 999)

Abstract



In this paper, a metaheuristic algorithm known as "Shuffled Differential Evolution (SDE)" had been applied to resolve the Combined heat and power emission dispatch (CHPEmD) issue. This SDE algorithm combines features of both the Differential evolution algorithm, shuffled frog-leaping algorithm by incorporating splitting into the partitions and shuffling. To verify the efficacy of this SDE algorithm and also to determine the exemplary solution for the CHPEmD problem, two caliber test systems are considered. The outcomes realized by this SDE algorithm are confronted with the optimization algorithms available in the previous literary works. The contrast of the results shows that SDE technique exhibits impressive performance in delivering the optimal results in terms of convergence and solutions.

Keywords

**Differential evolution**    **Shuffled frog-leaping algorithm**

**Shuffled differential evolution and combined heat and power emission dispatch (CHPEmD)**

---

This is a preview of subscription content, [log in via an institution](#).

---



## ABOUT THE AUTHORS



**Dr. D. Thirupathi Naidu**, Professor of Physics at Chalapati Institute of Engineering & Technology, Guntur. Formerly he worked as Professor of Physics & Principal in Gayatri Institute of Engineering & Technology, West Godavari District and RNEC, Ongole. He received his Master Degree in Science and Doctoral Degree in Physics on Spectroscopic Investigations of certain lanthanide ions doped mixed alkali borate glasses from S.V. University, Tirupati.

He has sixteen years of teaching & research experience and published more than 20 research papers in various reputed International Journals and attended number of conferences at national & international level and presented technical papers. He acted as a research supervisor and guided many students in getting their M.Phil and Ph.D Degrees. Apart from teaching, he discharged duties at various capacities and served the students. He has a passion for physics and flair for teaching physics to the students of technology for many years and received laurels from all students.



**M. Veeranjanyulu**, working in Sir C.R. Reddy College of Engineering, Eluru. Formerly he worked as an Associate professor in physics in Rao & Naidu Engineering College, Ongole, received his M.Sc., B.Ed., Degrees from Nagarjuna University and M.Phil Degree from Andhra University. For the past twenty seven years, he has been rendering his services in enlightening the concepts of Physics to the technical students in the strata of Engineering Physics and to the students at degree level. He has shown his brilliance in Physics at various platforms by presenting papers and by attending various conferences. His conceptual clarity motivates students and inspires them to go for research. He stands as an icon among the teachers of Physics.

## ABOUT THE TEXTBOOK


This book is written specifically to address the course curriculum in Engineering Physics for the 1<sup>st</sup> year B.Tech students of all branches. The book follows the sequence of topics as prescribed in the course syllabus of engineering colleges of Kakinada. Lucid presentation and simple language with logical flow of topics along with relevant concepts helps students to acquire a good command on the basics of the subject.

### Salient Features

- ✦ Provides a perfect link between fundamental concepts and their relevant applications.
- ✦ Comprehensive coverage of important topics.
- ✦ Rich pool of pedagogy includes both objective and subjective type questions and Model Examination papers.

# A Textbook of ENGINEERING PHYSICS

A Textbook of  
**Engineering  
PHYSICS**  
for the Students of B.E., B.Tech., B.Arch



978-81-9331504-3-7



# 5-6-55/3, Second Floor, Tammana Krishna Street,  
Behind Sairam Theatre, VIJAYAWADA-520 001.  
Ph: 2510202, 2512222, Fax: 0866-2515555.  
email: vgsbooklinks@gmail.com  
web @ : www.vgsbooklinks.com

Dr. D. THIRUPATHI NAIDU  
M. VEERANJANYULU

Dr. D. THIRUPATHI NAIDU  
M. VEERANJANYULU



A Textbook of

# Engineering Physics

---

For the students of B.E., B.Tech., B.Arch

---

**Dr. D. Thirupathi Naidu**, M.Sc., Ph.D.

Professor of Physics

Chalapathi Institute of Engineering & Technology,

LAM GUNTUR - 522034

**M. Veeranjanyulu**, M.Sc., M.Phil., B.Ed.

Department of Physics

Sir. C.R. Reddy College of Engineering,

ELURU-534007.

## V.G.S. BOOK LINKS

# 5-6-59/3, Second Floor, Tammina Krishna Street, Behind Sankar  
Vijayawada - 520 001. Ph : 2510202, 2512222, Fax : 0866-2515555

B.O. : # 3-1-399, Nimboliadda, Kachiguda, Hyderabad-500 029  
Ph : 040-24650717. email : vgsublishers.hyd@gmail.com



**A TEXTBOOK OF  
ENGINEERING PHYSICS**

Sixth Edition : August 2019

Copyrights reserved by publishers

**₹ 360/-**

Copies can be had from :

**V.G.S. BOOK LINKS**

5-6-59/3, Second Floor,  
Tammina Krishna Street,  
Behind Sairam Theatre,  
VIJAYAWADA - 520 001.

Ph : 0866 - 2510202, 2512222.

Fax : 0866 - 2515555.

email: vgsbooklinks@gmail.com

**B.O : V.G.S. BOOK LINKS**

# 3-1-399, Nimboliadda,  
Kachiguda, Hyderabad-500027.

email: vgsublishers.hyd@gmail.com

Ph. 040-24650717

&

**SHREE RAJESWARI BOOK STALL**

15-1-66 Siddiamber Bazaar,

HYDERABAD - 500 012

Ph : 24742570, 24731972.

Fax.: 040 - 24607264.

This book or parts thereof shall not be reproduced in any form without permission of the Authors and the Publishers.

We have taken many efforts to present this book without errors. But, some errors might have crept in. We don't take any legal responsibility for such errors and omissions. If you bring them to our notice, we will correct them in our next edition.

All disputes are subject to AMALAPURAM Jurisdiction only.



# Contents

CHAPTER - 1 INTERFERENCE	1.1 - 1.56
1.1 Introduction	1.3
1.2 Superposition Principle	1.4
1.3 Interference	1.7
1.4 Types of interference	1.7
1.5 Coherence	1.8
1.6 Young's Double Slit Experiment	1.9
1.6.1 Explanation	1.9
1.6.2 Theory of interference fringes	1.10
1.7 Interference in Thin Films by Reflection	1.12
1.7.1 Interference in plane parallel films due to the reflected light	1.12
1.7.2 Interference by a film with two non-parallel reflecting surfaces (or) interference in wedge shaped film	1.15
1.7.3 Colours of thin films	1.17
1.8 Newton's Rings	1.18
1.8.1 Experimental arrangement	1.18
1.8.2 Theory (Newton's rings by reflected light)	1.19
1.8.3 Determination of wavelength ( $\lambda$ ) of given source of light	1.21
1.8.4 Determination of refractive index of a liquid	1.21
1.9 Newton's rings in white light	1.22
1.10 Interferometers	1.22
1.10.1 Michelson interferometer	1.22
1.10.2 Types of fringes	1.24
1.10.3 Fringes in white light	1.26
1.10.4 Visibility of fringes	1.26
1.10.5 Applications of michelson interferometer	1.26
1.11 Multiple Beam Interferometry	1.28
1.11.1 Fabry-Perot interferometer	1.29
1.11.2 Applications of Fabry-Perot interferometer	1.31
1.11.3 The Lummer-Gehrcke Interferometer (or) Lummer-Gehrcke plate	1.33
1.12 Applications of Interference	1.34
• Solved Problems	1.34
• Objective Questions	1.34
• Review Questions	1.48
• Exercise Problems	1.53
	1.55

CHAPTER - 2 DIFFRACTION	2.1 - 2.52
2.1 Introduction	2.3
2.2 Phenomenon of Diffraction	2.4
2.3 Fresnel and Fraunhofer Diffraction	2.4
2.3.1 Differences between fresnel and fraunhofer diffraction	2.6
2.4 Differences Between Interference and Diffraction	2.6
2.5 Fraunhofer Diffraction at a Single Slit	2.7
2.6 Fraunhofer Diffraction Due to Double Slit	2.11
2.7 Fraunhofer Diffraction at a Circular Aperture	2.14
2.8 Diffraction Grating	2.17
2.8.1 Fraunhofer Diffraction due to N Slits (Plane Diffraction Grating)	2.18
2.8.2 Grating equation	2.23
2.8.3 Grating spectrum	2.23
2.8.4 Possible orders with a grating	2.24
2.8.5 Determination of wavelength of light	2.25
2.8.6 Dispersive power of grating	2.25
2.9 Resolving Power	2.26
2.9.1 Rayleigh's criterion of resolution	2.26
2.9.2 Resolving power of grating	2.27
2.9.3 Resolving Power of a telescope	2.29
2.9.4 Resolving power of a microscope	2.31
2.10 Applications of diffraction	2.34
• Solved Problems	2.34
• Objective Questions	2.43
• Review Questions	2.49
• Exercise Problems	2.51

CHAPTER - 3 POLARIZATION	3.1 - 3.38
3.1 Introduction	3.3
3.2 Polarization	3.4
3.2.1 Types of polarized light and their representation	3.5
3.2.2 Plane of vibration and plane of polarization	3.6
3.3 Polarization by Reflection (Brewster's Law)	3.7
3.4 Malus Law	3.8



3.5	Polarization by Double Refraction	3.9
3.5.1	Properties of ordinary rays and extraordinary rays	3.10
3.5.2	Optic axis and principle section	3.10
3.6	Polarization by Selective Absorption (Dichroism)	3.11
3.6.1	Polaroid	3.11
3.7	Polarization by Scattering	3.12
3.8	Nicol Prism	3.12
3.9	Quarter Wave Plate and Half Wave Plates	3.14
3.10	Optical Activity	3.15
3.11	Specific Rotation	3.16
3.12	Polarimeter	3.17
3.12.1	Laurent's half-shade polarimeter	3.17
3.12.2	Bi-quartz polarimeter	3.19
3.13	Applications of Polarized Light	3.21
-	Solved Problems	3.22
-	Objective Questions	3.30
-	Review Questions	3.35
-	Exercise Problems	3.37

#### CHAPTER - 4 LASERS

4.1 - 4.32

4.1	Introduction	4.3
4.2	Characteristics of Lasers	4.4
4.3	Basic Principles of Lasers	4.5
4.3.1	Absorption	4.5
4.3.2	Spontaneous emission of radiation	4.5
4.3.3	Stimulated emission of radiation	4.6
4.3.4	Differences between spontaneous emission of radiation and stimulated emission of radiation	4.7
4.3.5	Principle of lasing action	4.8
4.3.6	Population inversion	4.9
4.3.7	Pumping	4.10
4.3.8	Life time	4.11
4.3.9	Metastable state	4.11
4.3.10	Pumping schemes	4.11
4.4	Einstein's Coefficients (or) Einstein's Theory of Lasers	4.13
4.5	Components of Laser System	4.15

4.6	Types of Lasers	4.16
4.6.1	Ruby laser	4.16
4.6.2	He-Ne laser	4.18
4.6.3	Semiconductor laser	4.20
4.6.4	Differences between homojunction and heterojunction semiconductor lasers	4.22
4.7	Applications of Lasers	4.22
-	Solved Problems	4.25
-	Objective Questions	4.27
-	Review Questions	4.31
-	Exercise Problems	4.32

#### CHAPTER - 5 FIBER OPTICS

5.1 - 5.32

5.1	Introduction	5.3
5.2	Advantages of Optical Fibers	5.4
5.3	Principle of an Optical Fiber (Total Internal Reflection)	5.4
5.4	Structure of an Optical Fiber	5.5
5.5	Acceptance Angle and Acceptance Cone	5.6
5.6	Numerical Aperture (NA)	5.8
5.7	Normalized Frequency Parameter (V) of an Optical Fiber	5.8
5.8	Types of Optical Fibers	5.9
5.8.1	Step Index Optical Fiber	5.9
5.8.2	Graded Index Optical Fiber	5.10
5.8.3	Differences between Step Index and Graded Index Optical Fibers	5.12
5.9	Attenuation in Optical Fibers (or) Losses in Optical Fibers	5.12
5.10	Applications of Optical Fibers	5.16
5.11	Optical Fiber Communication System	5.17
5.11.1	Advantages of Optical Fiber Communication System	5.19
5.11.2	Disadvantages of Optical Fiber Communication System	5.20
-	Solved Problems	5.20
-	Objective Questions	5.27
-	Review Questions	5.31
-	Exercise Problems	5.32

#### CHAPTER - 6 CRYSTAL STRUCTURE

6.1 - 6.32

6.1	Introduction	6.3
6.2	Crystalline Solids	6.4

PAPER • OPEN ACCESS

# Quick certification cellular phone ip contrasted to ranked cellular phone ip

M Madhava Rao<sup>1</sup> and J S V Gopala Krishna<sup>2</sup>

Published under licence by IOP Publishing Ltd

Journal of Physics: Conference Series, Volume 1228, International conference on computer vision and machine learning 27–28 December 2018, Andhra Pradesh, India

**Citation** M Madhava Rao and J S V Gopala Krishna 2019 *J. Phys.: Conf. Ser.* **1228** 012022

**DOI** 10.1088/1742-6596/1228/1/012022

madhavaomaganti@gmail.com

<sup>1</sup> Asst Professor, Sir C R Reddy College of Engineering, Eluru

<sup>2</sup> Associate Professor, Sir C R Reddy College of Engineering, Eluru

Buy this article in print

 Journal RSS

Sign up for new issue notifications

PDF

Help

Abstract

Cellular phone IP represents the essential Transportability administration protocol to badging the Transportability in IP-based machines. Although, Cellular phone IP isn't capable for quarantine sensitive Applications. The Quick Certification Cellular phone IP protocol (QICA) is usually recommended to dodge the problems of Cellular phone IP and to contest the necessities of time period Applications. So, QICA doesn't want hierarchic specification as is that the container with best mini Transportability administration protocols, e.g. Rank Cellular phone IP (RCIP). A study show that QICA accomplish kind of like RCIP though the Cellular Nodule (CN) shift inside a site reside of 2 hierarchic slabs solely and surpass RCIP Rather. During the one paper we have a tendency to evolve a close exemplary to examine QICA and distinction it to RCIP. Our subject targets a distinction of the signal price of the 2 protocols. Our study displays that QICA plainly surpass RCIP with honor to the bundle cargo value. What is more, the region amend value though increasing QICA is commensurate to the region amend price exploitation RCIP. Therefore QICA is bigger productive than RCIP with honor to the entire signal price.

Export citation and abstract

BibTeX

RIS

◀ **Previous** article in issue

**Next** article in issue ▶



Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

PDF

Help

---

## You may also like

### JOURNAL ARTICLES

Dynamical quantum phase transition in periodic quantum Ising chains

Lecture Notes in Mechanical Engineering

Anamika Prasad  
Shakti S. Gupta  
R. K. Tyagi *Editors*

# Advances in Engineering Design

Select Proceedings of FLAME 2018



Springer

# **Lecture Notes in Mechanical Engineering**



# Contents

<b>Static Analysis of Functionally Graded Plate Using Nonlinear Classical Plate Theory with von Karman Strains: A Complex Solution Analysis</b> .....	1
Simran Jeet Singh and Suraj Prakash Harsha	
<b>Modelling, Fabrication and Characterization of Kevlar Reinforced Composite</b> .....	21
Abhishek Rajpoot, Vinay Pratap Singh and Samar Bahadur Yadaw	
<b>Effects of Post-weld Heat Treatment on Microstructure and Mechanical Behavior of Friction Stir Welded Thick Section Al-Zn-Mg-Cu Alloy</b> .....	31
T. Ramakrishna, S. Srinivasa Rao and G. Swami Naidu	
<b>Temperature and Traverse Force Analysis During Underwater Friction Stir Welding</b> .....	41
Mohd Atif Wahid, Nidhi Sharma, Pankul Goel, Zahid A. Khan and Arshad N. Siddiquee	
<b>Design and Analysis of a Novel Cloverleaf Combustor for Scramjet Engine</b> .....	51
K. Naveen, Mukesh Kapoor, M. S. Prasad and S. Arunvinthan	
<b>Continuum Damage Mechanics Based Simulation of Ductile Fracture of Cylindrical Tubes</b> .....	65
Dipankar Bora, Manoj Kumar and Sachin S. Gautam	
<b>Modelling and Analysis of Magneto-Rheological Damper for Maximizing the Damping Force</b> .....	73
Ashwani Kumar and Rajat Joshi	
<b>Multiscale Analysis of Bulk Metallic Glasses for Cardiovascular Applications</b> .....	83
Vachhani Savan, Mehta Vatsal, Motru Suneel and M. H. Sachidananda	

<b>Experimental Study on the Steady-State Performance of Closed-Circuit Hydrostatic Transmission Drives for the Rotary Head of Blast Hole Drill Machine Using Different Capacities Bent Axis Hydro-Motor</b> .....	93
Alok Vardhan, K. Dasgupta and Mohit Bhola	
<b>Design and Analysis of Solar Cabinet Dryer for Drying of Potatoes</b> .....	105
Trinakshee Sarmah and S. K. Dhiman	
<b>Graphene/MoS<sub>2</sub>-Based Fix-Fix-Type RF-NEMS Switches—A Simulation Study</b> .....	117
Aakif Anjum, Vishram B. Sawant and Suhas S. Mohite	
<b>Optimization of Process Parameters for Erosion Wear in Slurry Pipeline</b> .....	131
Kaushal Kumar, Ajay Kumar and Vinay Singh	
<b>Vibration Response of Human Subject Using FEM</b> .....	141
Rajender Kumar, Sahil Savara, Sachin Kalsi and Ishbir Singh	
<b>Experimental Investigations of Multiple Faults in Ball Bearing</b> .....	151
S. P. Mogal and S. N. Palhe	
<b>Improvement in Tribological Behaviour of Brake Pad Material with CNT-Ni-P Composite Coating and Compare with Al<sub>2</sub>O<sub>3</sub>-Ni-P Composite Coating</b> .....	163
Atul Kumar Harmukh, Santosh Kumar and Sushma Bharti	
<b>Estimation of Load Carrying Capacity for Pin-Mounted Hydraulic Cylinders</b> .....	173
Prakash Jatin, Nagargoje Aniket, P. K. Kankar, V. K. Gupta, P. K. Jain, Tamhankar Ravindra, Nyamgoudar Vinayak and Mulani Ismail	
<b>Kinematic Analysis of Bionic Vibratory Tillage Subsoiler</b> .....	187
N. R. N. V. Gowripathi Rao, Himanshu Chaudhary and Ajay Kumar Sharma	
<b>Investigating Inlet Pipe Configuration of Muffler to Study the Performance Using CAE Modeling and Simulation</b> .....	197
Eldhose James and Shubham Sharma	
<b>Performance Enhancement of an All-Terrain Vehicle by Optimizing Steering, Powertrain and Brakes</b> .....	207
Anubhav Kumar Sinha, Ayush Sengupta, Himank Gandhi, Piyush Bansal, Krishna Mohan Agarwal, Sanjeev Kumar Sharma, Rakesh Chandmal Sharma and Sunil Kumar Sharma	

<b>Mechanical and Tribological Behaviour of Al-ZrO<sub>2</sub> Composites: A Review</b> .....	217
Aasiya Parveen, Nathi Ram Chauhan and Mohd Suhaib	
<b>Design and Finite Element Simulation of a Trailing Arm Suspension System</b> .....	231
Praveen Kumar, Suman Emmanuel and N. Rajesh Mathivanan	
<b>Graphene: An Effective Lubricant for Tribological Applications</b> .....	239
Pranav Dev Srivyas and M. S. Charoo	
<b>Experimental, Computational, and Chemical Kinetic Analysis to Compare the Flame Structure of Methane-Air with Biogas-H<sub>2</sub>-Air</b> .....	259
Vinod Kumar Yadav, A. R. Khan, Shriyansh Srivastava and Vinay Yadav	
<b>A Comparative Study for Transmission Efficiency of ABS, POM, and HDPE Spur Gears</b> .....	269
Akant Kumar Singh, Siddhartha, Sanjay Yadav and Prashant Kumar Singh	
<b>Energy Saving Analysis Using Pilot Operated Counter Balance Valve</b> .....	279
R. Sreeharsha, Mohit Bhola, N. Kumar and Alok Vardhan	
<b>Enhancing Learning of Kinematics and Fatigue Failure Theories Using CAD Modeler</b> .....	289
Prathivadi Ravikumar, Blair McDonald, Il-Seop Shin, Khaled Zbeeb and N. Puneeth	
<b>Performance Analysis of Special Design Single Basin Passive Solar Distillation Systems: A Comprehensive Review</b> .....	301
D. B. Singh, Ashok Kumar Singh, Kumar Navneet, V. K. Dwivedi, J. K. Yadav and Gajendra Singh	
<b>The Advancement of United Acceleration-Brake Pedal: A Review</b> .....	311
Rahul Garjola, Rohit Yadav, Ravi Yadav and Dinesh Chawla	
<b>Additive Manufacturing and 3D Printing: A Perspective</b> .....	321
Kunal Govil, Vinay Kumar, Divya P. Pandey, R. Praneeth and Ajay Sharma	
<b>Design Issues in Multi-finger Robotic Hands: An Overview</b> .....	335
Eram Neha, Mohd Suhaib and Sudipto Mukherjee	
<b>Structural Analysis of Pechora Missile System's Launcher Beam</b> .....	345
Daamini Visaalaakshi, Gouresh Sood, Vishakha Baghel and Anupam Tiwari	

<b>Design of Microfluidic Paper-Based Device for the Detection of Nitrogen Dioxide in Atmosphere</b> .....	357
Surya Tiwary, Yameen Hassan and Rajeev Kumar Singh	
<b>Free In-Plane Vibration of a Cracked Curved Beam with Fixed Ends</b> .....	363
Soumajit Talukdar and Sankar Kumar Roy	
<b>Planar Vehicle Dynamics Using Bicycle Model</b> .....	377
Akshay Mistri	
<b>Evaluation of Tensile Properties of Hot Rolled Carbon Steel Using Finite Element Analysis</b> .....	395
Joginder Singh, M. R. Tyagi, Abdul Ahad, Abhinav Chawla, Dinesh Kashyap and Vinay Prabhakar	
<b>Serviceability Analysis of a Footbridge Subjected to Pedestrian Walking</b> .....	405
Prakash Kumar, Anoop Kumar Godara and Anil Kumar	
<b>Development of AHP Framework of Sustainable Product Design and Manufacturing of Electric Vehicle</b> .....	415
Zareef Askary, Abhishek Singh, Sumit Gupta, R. K. Shukla and Piyush Jaiswal	
<b>Design and Analysis of Steering Knuckle Joint</b> .....	423
Mohd Shuaib, Abid Haleem, Lalit Kumar, Rohan and Divyam Sharma	
<b>Assembly of Mechanical Parts in Virtual Environment</b> .....	433
Anuj Kumar Sehgal, Vineet Kumar, Nitesh Kumar and Aman Gupta	
<b>Comparative Model Analysis of Brake Rotors</b> .....	441
Mohit Bhardwaj, Shivam Mittal, Vikas Kumar, Rohit Sharma and Jaspreet Heera	
<b>Research on Braking Performance Using Scaling Methodology on Disc Pad in Disc Brake System</b> .....	451
Pankaj Kumar, Pritish Shubham and Akshaykumar Vijayendernath	
<b>Design of EGR Cooler for Improving the Effectiveness to Constraint NOx Emission</b> .....	459
Akshay Kumar Vijayendernath, Rahul Ajitkumar and Ram Tyagi	
<b>Erosion Analysis of Aramid Fiber-Epoxy Composite</b> .....	469
Chinmaya Sharma and Shiv Ranjan Kumar	
<b>A Fatigue Crack Growth Life Prediction Model for Discontinuous Reinforced Metal-Matrix Composite: Influence of Microstructure</b> .....	475
Abhishek Tevatia	

<b>Augmented Reality-Based Simulation of Spring–Mass System</b> . . . . .	485
Rohit Singla, Saurabh Kumar Yadav and Jaspreet Hira	
<b>Comprehensive Review on Hybrid Vehicle Powertrain</b> . . . . .	493
Shivam Mahajan, Jai Prakash Sharma, K. Aditya, Himanshu Gupta and Kunal Singh	
<b>Kinematic Synthesis of a Crossed Four-Bar Steering Linkage for Automobiles</b> . . . . .	503
Santiranjana Pramanik and Sukrut Shrikant Thipse	
<b>Designing a Biomimetic Flapping-Wing Air Vehicle Capable of Controlled and Sustained Flight</b> . . . . .	509
Burela Ramesh Gupta, Kartikaye Uniyal and Anunay Kausteya	
<b>Electrical Discharge Diamond Grinding (EDDG): A Review</b> . . . . .	523
Rajat Sharma, Ayush Gupta, Umesh Kumar Vates and Gyanendra Kumar Singh	
<b>Stress Analysis of Infinite Plate with Elliptical Hole</b> . . . . .	535
Sandeep Soni and Udaykumar Saindane	
<b>Formation of Hole Flanges Through Incremental Forming: A Review</b> . . . . .	547
Yogesh Dewang, Nitin Tenguria, Vipin Sharma and Maneesh Kumar Dubey	
<b>Prediction of Ride Comfort of Two-Wheeler Riders Exposed to Whole-Body Vibration</b> . . . . .	563
Mohd Parvez and Abid Ali Khan	
<b>Design and Analysis of Reciprocating Screw for Injection Moulding Machine</b> . . . . .	573
Vipul Parmar and Mitesh Panchal	
<b>A Neural Network Classification of sEMG Signals for Estimation of Force While Gripping</b> . . . . .	585
Salman Mohd Khan, Abid Ali Khan and Omar Farooq	
<b>Estimation of Plastic Zone at Crack Tip Under Fatigue Loading of AA6061-T6 Aluminum Alloy by Finite Element Analysis Using ANSYS</b> . . . . .	595
Yatika Gori and Rajesh P. Verma	
<b>Detection of Crack and Unbalancing in a Rotor System Using Artificial Neural Network</b> . . . . .	607
Ram Babu Gupta and Sachin Kumar Singh	



<b>Characterization of ABS Material in Hybrid Composites: A Review</b> .....	619
Nitin Kumar Gupta, Pankaj Pandey, Samarth Mehta, Shilpi Swati, Shubham Kumar Mishra and Kevin Jose Tom	
<b>Experimental Investigation of Mechanical Strength and Temperature of Friction Stir Welded Joint</b> .....	631
Jitender Kundu, Siddhartha Kosti, Mandeep Kumar, Nav Rattan, Gyander Ghangas and Satish Kumar Sharma	
<b>Effect of Front Slant Angle on Aerodynamics of a Car</b> .....	641
Vishal Dhiman, Tanuj Joshi and Gurminder Singh	
<b>An Isogeometric-Based Study of Mortar Contact Algorithm for Frictionless Sliding</b> .....	655
Vishal Agrawal and Sachin S. Gautam	
<b>Optimization Design for Aerodynamic Elements of Indian Locomotive of Passenger Train</b> .....	663
Bhargav Goswami, Anmol Rathi, Sharf Sayeed, Pulakesh Das, Rakesh Chandmal Sharma and Sunil Kumar Sharma	
<b>A Comparative Study of Five Explicit Time Integration Algorithms for Non-linear Dynamic Systems</b> .....	675
Amandeep Sahu, Rishiraj K. Thakur, Vishal Agarwal and Sachin S. Gautam	
<b>Static and Dynamic Characteristics of Two-Lobe Hydrostatic Journal Bearing</b> .....	685
Sandeep Soni and Dnyaneshwar V. Kushare	
<b>Numerical Methods to Estimate Fracture Parameters in Ceramics</b> .....	695
Subbaiah Arunkumar, Ravi Kiran Bollineni and Parameswaran Vignesh	
<b>Low Rolling Resistance Tires for E-Rickshaws for Increasing Range and Capacity</b> .....	707
Prateek Bhatt and Umesh Kumar Vates	
<b>A Comparison of Recent Experimental Techniques to Measure Acoustic Properties of a Muffler</b> .....	717
Utkarsh Chhibber, Ranjeet Kumar, Sunali and R. N. Hota	
<b>Dimensional Errors During Scanning of Product Using 3D Scanner</b> .....	727
Mohd Javaid, Abid Haleem and Lalit Kumar	
<b>Friction and Wear Characteristics of Heat-Treated Medium Carbon Alloy Steel</b> .....	737
Abhijit Mukhopadhyay	

<b>A Comprehensive Review of Materials Used for 4D Printing</b> . . . . .	747
Ajay Sharma and Ajay K. S. Singholi	
<b>Integrated Topsis-Moora Model for Prioritization of New Bike Selection</b> . . . . .	755
Sumit Chawla, Saurabh Agrawal and Ranganath M. Singari	
<b>Numerical Simulations of Bore-Finishing Tool Lubrication System to Achieve Minimum Quantity Lubrication Using the Discretized Phase Model</b> . . . . .	767
Rohan V. Sawant and Chandrakant R. Sonawane	
<b>Development of Collision Avoidance System Using Fuzzy Logic</b> . . . . .	779
Ujjwal Deep Agarwal, Shishir Sinha, Rajeev Srivastava, Saurav Pathak and Shiv Raushan	
<b>Flexural Properties of Silver Date Palm Leaf Reinforced Polyester Composites</b> . . . . .	789
B. P. Sharma, R. Gangawani, S. Akhtar, G. S. Rao and Umesh Kumar Vates	
<b>Tensile Behavior of Silver Date Palm Leaf Reinforced Polyester Composites</b> . . . . .	797
B. P. Sharma, R. Pugalia, Ashish, G. S. Rao and Umesh Kumar Vates	
<b>Shape Optimization of the Flywheel Using the Cubic B Spline Curve</b> . . . . .	805
Prem Singh and Himanshu Chaudhary	
<b>Nonlinear Dynamic Response Analysis of Cylindrical Roller Bearings Due to Unbalance</b> . . . . .	815
Patra Pravajyoti, Saran V. Huzur and Suraj Prakash Harsha	

[Home](#) > [Advances in Engineering Design](#) > Conference paper

# Effects of Post-weld Heat Treatment on Microstructure and Mechanical Behavior of Friction Stir Welded Thick Section Al–Zn–Mg–Cu Alloy


Conference paper | First Online: 28 April 2019

pp 31–40 | [Cite this conference paper](#)



## Advances in Engineering Design

[T. Ramakrishna](#) , [S. Srinivasa Rao](#) & [G. Swami Naidu](#)

 Part of the book series: [Lecture Notes in Mechanical Engineering \(\(LNME\)\)](#)

 1535 Accesses  2 Citations

## Abstract

Friction stir welding is considered to be a promising solution to successfully join high strength 7000 series aluminum alloys. However, questions related to a decrease in weld mechanical properties with an increase in plate thickness still remain unanswered. In this study, 16 mm thick AA7075–T651 aluminum alloy plates were successfully joined by friction stir welding. The welds were heat treated using a special solutionizing method called cyclic solution treatment (CST). The effects of CST on mechanical behavior and microstructures of the welds were studied using hardness, tensile, and impact tests and optical microscopy. The post-weld heat treatment



## New distributed routing algorithm in wireless network models

Vahiduddin Shariff<sup>1</sup>, Yuva Krishna Aluri<sup>2</sup> and Ch Venkata Rami Reddy<sup>3</sup>

<sup>1</sup>Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup>Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>3</sup>Assistant Professor, Department of CSE, VFSTR University, Guntur, India.

E-mail: <sup>1</sup>shariff.v@gmail.com, <sup>2</sup>yuva.aluri@gmail.com, <sup>3</sup>chvrr\_cse@vignanuniversity.org

**Abstract:** The wireless sensor network present all sensor hubs to produce an equal proportion of information packages in a WSN, The centers around a sink need to exchange a more noteworthy number of groups and will all in all fail miserably sooner than various focus focuses in light of the way that in vitality usage of sensor focus focuses in system lifetime can be drawn out by altering the correspondence stack around a sink. This paper introduces another way to deal with tackle this issue by thinking about the psychological capacity of hubs. Most importantly, we misuse the directional gathering receiving wires to propose a directional gathering two-advance recreation routing plan to set up multicast tree for remote multi-jump networks. we think about that terminals make utilization of cutting edge energy collection transmission/gathering methods, for example, maximal proportion consolidating gathering of redundancy codes, or on the other hand information accumulation with rate less codes. Aggregate methods increment communication dependability; diminish energy utilization, and abatement inactivity. Our first calculation is incorporated, expecting that routing calculations should be possible at a focal processor with full access to channel state information for the whole framework. We likewise plan two disseminated routing calculations that require just nearby channel state information, essentially, given us to characterize two recursive calculations of the way a chance to weight utilizing the moderate way weights to each transfer, either from the source (forward) or from the Destination (in reverse). In particular, in the task exhibits a Weight Based Synchronization (WBS) conventional that utilizes the extent of synchronized hub groups as an impetus for synchronization. We outline these outcomes by concentrate the base energy routing issue in static aggregate multi-bounce networks for various sending techniques at transfers. Proposed framework empowers noteworthy performance through the most limited way routing.

**Index Terms:** routing, networks, increment correspondence unwavering quality, diminish energy utilization, and abatement. • Cognitive systems • Wireless multi-jump systems, Flexible channel assignment.

### 1. Introduction

Multi bounce transfer systems are a champion among the most unique research focuses in remote correspondences. The utilization of transfers empowers various performance upgrades [1]. Energy proficiency can be enhanced since the separations over which every hub must transmit are regularly decreased altogether. Enhanced strength to blurring and disappointment of different hubs results from each and every one expanded to discrete number of conceivable transmission ways interfacing sink node and destination node, decreasing likelihood of losses of session's availability. The most one is fundamental type of handing-off comprises of routing path information along a solitary way [2]. Two



## Experimental Study on Laser Welding of AISI 304 Steel with Design of Experiments Approach

Pawan Kumar Chellu<sup>1</sup>, R. Padmanaban<sup>1\*</sup>, R. Vaira Vignesh<sup>1</sup>, Abhesh S Menon<sup>1</sup>, S. M. Shariff<sup>2</sup>, and G. Padmanabham<sup>2</sup>

<sup>1</sup> Department of Mechanical Engineering, Amrita School of Engineering, Coimbatore, Amrita Vishwa Vidyapeetham, India.

<sup>2</sup> Center for Laser Processing of materials, ARCI, Hyderabad, Telangana, India

E-mail: dr\_padmanaban@cb.amrita.edu

**Abstract.** Austenitic stainless steels find extensive applications in engineering and structural parts requiring inherent corrosion resistance. The main objective of this study is to achieve good quality butt joint in 2.5-mm thick 304 grade Stainless Steel. The joint quality is quantified in terms of weld-bead dimensions. The main issue that manufacturers face is controlling the input process parameters, to get a good quality joint, with required weld bead geometry under controlled thermal distortion. The objective of this work is to select proper input process parameters that would result in desirable weld-bead profiles with minimal heat input. The critical process parameters influencing laser-welding were found using response surface methodology technique. The results proved that the developed model could efficiently predict the responses. The criteria demonstrated a possible reduction in top width of weld bead with enhanced depth of penetration, which automatically envisaged an increase in aspect ratio. A two-factor five-level criteria design was used for predicting the optimized parameters by performing multi-response optimization. Among them, the third criterion has shown a significant decrease in heat input and it was chosen as the best-optimized parameter.

### 1. Introduction

Laser welding is a high power density and low heat input process that results in a high depth of penetration. Laser welding, especially, keyhole welding, being a fast cooling process, results in sudden shrinkage during solidification. Heat input is one of the major factors that adversely affect the quality of the joint. The main problem in keyhole laser welding is the high amount of heat generation due to a decrease in reflectivity caused by the formation of narrow vapor channel, which traps the laser beam inside the channel. This beam entrapment maximizes the depth of penetration. Sometimes unnecessary heat generation leads to an increase in weld bead dimensions, which results in an increase in top width.

The heat affected zone (HAZ) would be wider when applying high laser power, and the strength of the joint decreases. Also, the fact that the austenitic stainless steel has low thermal conductivity, implies that the heat will be localized. When the laser beam is moved, the localized heat will take more time to conduct through the bulk metal. This increases the top width, simultaneously pushing the HAZ to wider areas. This would allow the grains to grow in the weld zone and in the HAZ, reducing the joint strength. Generally, very high or very low laser power is not recommended.



PAPER • OPEN ACCESS

# Quick certification cellular phone ip contrasted to ranked cellular phone ip

M Madhava Rao<sup>1</sup> and J S V Gopala Krishna<sup>2</sup>

Published under licence by IOP Publishing Ltd

Journal of Physics: Conference Series, Volume 1228, International conference on computer vision and machine learning 27–28 December 2018, Andhra Pradesh, India

**Citation** M Madhava Rao and J S V Gopala Krishna 2019 *J. Phys.: Conf. Ser.* **1228** 012022

**DOI** 10.1088/1742-6596/1228/1/012022

madhavaomaganti@gmail.com

<sup>1</sup> Asst Professor, Sir C R Reddy College of Engineering, Eluru

<sup>2</sup> Associate Professor, Sir C R Reddy College of Engineering, Eluru

Buy this article in print

Journal RSS

Sign up for new issue notifications

## Abstract

Cellular phone IP represents the essential Transportability administration protocol to backing the Transportability in IP-based machines. Although, Cellular phone IP isn't capable for quarantine sensitive Applications. The Quick Certification Cellular phone IP protocol (QICA) is usually recommended to dodge the problems of Cellular phone IP and to contest the necessities of time period Applications. So, QICA doesn't want hierarchic specification as is that the container with best mini Transportability administration protocols, e.g. Rank Cellular phone IP (RCIP). A study show that QICA accomplish kind of like RCIP though the Cellular Nodule (CN) shift inside a site reside of 2 hierarchic slabs solely and PDF surpass RCIP Rather. During the one paper we have a tendency to evolve a close exemplary to examine QICA and distinction it to RCIP. Our subject targets a distinction of the signal price of the 2 protocols. Our study displays that QICA plainly surpass RCIP with

Help

## Mechanical characteristics of Al-Al<sub>2</sub>O<sub>3</sub>-SiC metal matrix composites made by stir casting technique

S V Gopala Krishna<sup>1\*</sup>, B V Subrahmanyam<sup>2</sup> and B Lakshmi<sup>3</sup>

<sup>1&2</sup>Department of mechanical engineering, Sir C R Reddy College of Engineering, Eluru, INDIA

<sup>3</sup>Mechanical engineering department, Adikavi Nannaya University, Rajahmundry, INDIA

**Abstract.** The present investigation focuses on Al-Al<sub>2</sub>O<sub>3</sub>-SiC metal matrix composites were prepared by stir casting technique. In this, Pure aluminium (varies proportionately to the reinforcement) act as a base metal and reinforced with Al<sub>2</sub>O<sub>3</sub> (standard wt 3%), SiC (varies Wt 3%, 5% and 7%) has taken. The samples were prepared at the temperature of 750°C Aluminium (liquid state) and to warm the reinforcement materials at 300°C mixed with it by stirring of 350rpm for equally distributing the reinforcement material while it was consolidated at one place due to density differences. Hybrid composites are potential application for aircraft and space industries because of higher resistance, lower weight to strength ratio, creep resistance. To investigated the mechanical behavior of hybrid composites like hardness, Tensile strength and density.

### 1. Introduction

Aluminium metal matrix composites (AMMCs) are mostly used in aerospace, automobile industries due to their strength to weight ratio, low coefficient of thermal expansion (CTE) and high hardness. Stir casting is generally accepted for reducing the fabrication cost and easily to prepare very large sized components. Pure aluminium reinforced with micron sized particles of SiC to made as aluminium matrix composite and also 3 % Al<sub>2</sub>O<sub>3</sub> was added to improve the wettability and percentage of ceramic particles are incorporated.

Hashim et al was studied that there are some limitations which reveals the Non-uniform distribution and poor wettability during the process happened. The reinforcement particles are uniformly distributed in molten metal those are making float and sinking to the molten metal due to the density differences If, agglomeration and clustering is done by injecting the particles with an inert gas into the molten metal through stirring[3].

Vijaya ramnath et al were studied about the addition of reinforcement materials like Al<sub>2</sub>O<sub>3</sub>, SiC and B<sub>4</sub>C etc when the reinforcement of SiC with aluminium they were attained good wear resistance due to the preparation of brake drums is very useful. similarly the reinforcement of Al<sub>2</sub>O<sub>3</sub> has been done to increase the volume fraction and to reduced the fracture toughness [18]. U Aybarc et al were studied aluminium metal matrix was the reinforcements of Al<sub>2</sub>O<sub>3</sub>, SiC and graphene however, the incorporation of reinforcement is major concern and particularly for wettability, formation of porosity have been evaluated. To understood that the type and amount of reinforcement directly reflect on raising of mechanical properties [19]





## Providing an adaptive setup for media-content sources.

D. Srinivasa Rao<sup>1</sup>, Rajkamal. Kuchipudi<sup>2</sup>, Ch. Sudhakar<sup>3</sup>

<sup>1</sup>Assistant Professor, Department of Information Technology Sir C R Reddy College of Engineering, Vatluru, Post Peddapadu Mandal, Eluru, West Godavari Dist, Andhra Pradesh 534007, India.

<sup>2,3</sup>Assistant Professor Eluru College of Engineering, Duggirala Village, Pedavegi Mandal, Eluru, Andhra Pradesh 534004, India.

Email: [srigh03@gmail.com](mailto:srigh03@gmail.com), [krajkamal999@gmail.com](mailto:krajkamal999@gmail.com), [ch.sudhakar1efi@gmail.com](mailto:ch.sudhakar1efi@gmail.com)

**Abstract.** Cloud computing provides a versatile framework that media content suppliers may use to procure spilling sources that match the interest. Media content suppliers are charged for the amount of sources distributed (saved) inside the cloud. Most of the current cloud suppliers utilize a costs demonstrate for that saved sources that is reliant on non-straight line time-rebate levies. This sort of costs plan offers extraordinary rebates depending non-directly around the day and age where the sources are saved inside the cloud. Media spilling programs have recently pulled in a great deal of clients on the web. Utilizing the production of these transmission capacity concentrated projects, it's monetarily inefficient to supply spilling conveyance with ensured QoS depending just on focal sources in a media content supplier. Inside this circumstance, a totally open issue is to choose both the right amount of sources saved inside the cloud, and in addition their reservation time with the goal that the financial expense around the media content supplier is limited. The results in our factual assessments and reproductions uncover that the proposed recipe extensively eliminates the financial cost of resource portions inside the cloud as in correlation with other customary plans. We exhort a simple - easy to apply - equation for resource reservation that maximally abuses marked down rates offered inside the taxes, while verifying that adequate sources are held inside the cloud. In accordance with the guess of enthusiasm for gushing limit, our equation is precisely made to forestall settling on wrong resource allotment decisions.

### 1. Introduction

A media content provider must furnish its datacenter with more than-provisioned amount of sources to get together with the strict QoS needs of gushing movement. Since you'll have the capacity to foresee how huge utilization tops for spilling limit inside a day by day, week after week, month to month, and yearly premise, a media content supplier could make extensive term interests in foundation to center around the normal use top[4, 6, 8]. The substantial interest delivers an encumbrance on incorporated server farms at media content suppliers for instance Video-on-Demand (VoD) suppliers to maintain the required QoS ensure. The issue gets the chance to be more basic utilizing the developing enthusiasm for more prominent piece rates required for that developing amount of more prominent definition video quality favored by shoppers. Inside this paper, we investigate new methodologies that alleviate the cost of gushing circulation on media content suppliers utilizing distributed computing. Subsequently, a great deal of limit in the servers will be sit out of gear as a rule, that is very wasteful and wasteful[1-3]. As opposed to obtaining overprovisioned servers and building individual data focuses, media content suppliers may utilize processing and transmission capacity wellsprings of cloud suppliers[5, 7]. Henceforth, a media content supplier could be seen like a re-dealer of cloud sources, where its savvy the cloud organization for that gushing sources (transfer speed) offered in the cloud straight to customers from the media content supplier. This worldview eliminates the costs of media content suppliers with regards to buy and upkeep of over-provisioned sources in their server farms. Inside the cloud, the amount of allocated sources could be modified adaptively in a fine granularity that is for the most part referred to as auto-scaling. The auto scaling capacity from the cloud improves asset usage by coordinating the accessibility utilizing the interest. In any case, recently, gushing sources (data

PAPER • OPEN ACCESS

# A novel approach to compress dna repetitive sequences in bio-informatics

S M B Chowdary<sup>1</sup>, Samparathi V S Kumar<sup>2</sup>, Deepak Nedunuri<sup>3</sup> and Vmnssvkr Gupta<sup>4</sup>

Published under licence by IOP Publishing Ltd

Journal of Physics: Conference Series, Volume 1228, International conference on computer vision and machine learning 27–28 December 2018, Andhra Pradesh, India

**Citation** S M B Chowdary *et al* 2019 *J. Phys.: Conf. Ser.* **1228** 012026

**DOI** 10.1088/1742-6596/1228/1/012026

mohanbabus2009@gmail.com

<sup>1</sup> Sr.Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru.

<sup>2</sup> Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru.

<sup>3</sup> Associate Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru.

<sup>4</sup> Associate Professor, Department of CSE, S R K R Engineering College, Bhimavaramluru.

Buy this article in print

 Journal RSS

Sign up for new issue notifications

## Abstract

In recent days numbers of gigabyte sequences of nucleotides are stored in a common database Genbank. All the victimization Deoxyribonucleic acid sequences for biological functions are to store the large number of Genomes in a compressed type in economically. Despite the fact that Deoxyribonucleic corrosive arrangements are put away in a packed kind, the information on Deoxyribonucleic corrosive groupings square measure hang on in science databases. For a four-letter alphabet in DNA (Adenine(A), Cytosine(C), Guanine(G) and Thymine(T)), an average description length of 2 bits per base is that the max length required to encode DNA. To reexamine the previous art of compression

PDF



# A novel approach to compress dna repetitive sequences in bio-informatics

S M B Chowdary<sup>1</sup>, Samparathi V S Kumar<sup>2</sup>, Dr Deepak Nedunuri<sup>3</sup> And Vmsssvkr Gupta<sup>4</sup>

<sup>1</sup>Sr.Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru.

<sup>2</sup>Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru.

<sup>3</sup>Associate Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru.

<sup>4</sup>Associate Professor, Department of CSE, S R K R Engineering College, Bhimavaramluru.

E-Mail: [mohanbabus2009@gmail.com](mailto:mohanbabus2009@gmail.com)

**Abstract:** In recent days numbers of gigabyte sequences of nucleotides are stored in a common database Genbank. All the victimization Deoxyribonucleic acid sequences for biological functions are to store the large number of Genomes in a compressed type in economically. Despite the fact that Deoxyribonucleic corrosive arrangements are put away in a packed kind, the information on Deoxyribonucleic corrosive groupings square measure hang on in science databases. For a four-letter alphabet in DNA (Adenine(A), Cytosine(C), Guanine(G) and Thymine(T)), an average description length of 2 bits per base is that the max length required to encode DNA. To reexamine the previous art of compression techniques and its merits and de merits, a novel attempt is initiated. Based on the comparative-study of existing algorithms a new method proposed for DNA compression without depending on statistics of sequence set.

Key Words: DNA, GenBank, Phylogenetic Tree, Genomes

## 1. Introduction

There is large number of databases available for human genomic data. Resulting to the challenging environment on the changes of genomic data (DNA or Protein). The four classifications of DNA were adenine (A), cytosine (C), Guanine (G) and Thymine (T). Without compression two bits required to encode each base by information theory [2]. Even in existing general compression tool like gzip are used [3]. Thus, it became an essential need to compress DNA sequences by developing specific compression algorithms.

### 1.1 DNA

The genetic information can be passes from one bread to another which is incorporated by DNA is used in the enhancement and functioning of living organisms. Nucleotides and Phosphate, both the teams joined by organic compound were the two long polymers of DNA (Fig.1). In each cell, the organization of DNA is formed into long structures called chromosomes, for ex the human genome contains 23 chromosome pairs, In DNA replication chromosomes are duplicated before cell division.





## AZOLLA CULTIVATION THROUGH IOT BY USING ARM CORTEX-M0

M. Narendra kumar<sup>1</sup>, M. V. Raja sekhar<sup>2</sup>, M. L. Vara prasad<sup>3</sup>, K. Mrudula<sup>4</sup>, Md.Hashmath baig<sup>5</sup>, N.S.Datta kumar<sup>6</sup>

<sup>1</sup>Assistant Professor, Department of ECE, Sir C.R.Reddy College of Engineering, Eluru, West Godavari-534007

<sup>2,3,4,5,6</sup> Student, Department of ECE, Sir C.R.Reddy College of Engineering, Eluru, West Godavari-534007

**Abstract:-** Now-a-days agriculture plays a major role in Indian economy. Farmers are the backbone of agriculture field. As of you know there molka plants are grown up along with the crops. By the way it takes nitrogen and some other nutrients from the crop and these reasons the yield will decrease. All of those reasons we should decide to cultivate the "Azolla" plant.

By cultivating the azolla plants we have to maintain the temperature and pH level of water. Basically azolla gives 30% nitrogen to the crop and it will kill the molka plants. Feeding this azolla to the buffaloes it increases the quality of the milk and increases the production of the milk. By collecting the readings we can use the microcontroller, pH sensor and Wi-Fi module and then we can send the data through the website by using the Wi-Fi module.

**Modules—** ARM cortex-M, OLED display, DHT11, TL-42(pH sensor), Water motors, ESP-01, DC fan

### 1. Introduction

In agriculture areas farmers are used pesticides and different types of chemicals to increase the production and quality of the rice, by use of these chemicals and pesticides farmers have more investment in that particular chemicals, by end of this we have to implement or cultivate azolla plants it will grow with in two days under certain temperature conditions. The plants numbers multiplied day by day because these plants produced their eggs while using this azolla plants it will give 30% nitrogen to the crop. And we feed buffaloes with these azolla the quality of the milk increases. Another use of this azolla is to use in aqua culture it will give more proteins to the fishes. Then we calculate the pH and temperature readings and then it sends to the iot platform by using ESP-01 and then it will have cloud storage also. By thus cloud storage we have to know what is the temperature and pH value at that particular time.

### 2. LITERATURE SURVEY

Azolla is a genus of seven species of aquatic ferns in the family Salviniaceae. They are extremely reduced in the form and specialized, looking nothing like other type of ferns but more resembling duckweed or some mosses. Azolla filiculoides is one of just to fern species for which a reference genome.

Azolla is a highly productive plant. It doubles its biomass in 3-10 days, depending on the climatic conditions. Azolla filiculoides is the family of Azollaceae

in Tasmania. It is a very common native aquatic plant in Tasmania. It is particularly common on farm dams and other still water bodies. Azolla float on the surface of water by means of numerous, small, closely overlapping scale like leaves, with their roots hanging in the water.




Image of Azolla

Kasim M.Al-Aubidy et al. [1] has demonstrated that a rule-based fuzzy controller has been designed to control the microclimate of each greenhouse. The proposed system enables the farmer to monitor both the internal environment of the greenhouse. Also, the farmer can send commands to turn ON or OFF certain devices in a selected greenhouse through wireless communications. Simulated and real results have been achieved to demonstrate the system performance and real-time remote monitoring and control activities.

Yunseop (James) Kim, Member, IEEE et al. [2] has proposed an irrigation machine was converted to be electronically controlled by a programming logic controller that updates georeferenced location of sprinklers from a differential Global Positioning System (GPS) and wirelessly communicates with a computer at the base station. Communication signals from the sensor network and irrigation controller to the base station were successfully interfaced using low-cost Bluetooth wireless radio communication.

Jzau-Sheng Lin et al. [3] has proposed a field signals monitoring system with wireless sensor network (WSN) which integrates a System on a Chip (SoC) platform and Zigbee wireless network technologies in precision agriculture. The designed system was constituted by three parts which include field-environment signals sensing units, Zigbee transceiver module and web-site unit. Firstly we used acquisition sensors for field signals, an MCU as the front-end processing device, and several amplifier circuits to process and convert signals of field parameter into digital data.

Adnan Shaout et al. [4] has proposed a low power, low cost, robust data collection system to generate and gather data autonomously in isolated or remote areas. The sensor module collects soil moisture and temperature data

## Mitigate the Travelling Time in WSN using Cluster-Data Based Tour Planning Algorithm

V. Veerajulu<sup>1</sup>, B. Anitha<sup>2</sup>, G. Jayasri<sup>3</sup>, S. Aruna Kumari<sup>4</sup>, B. Likhitha Supriya<sup>5</sup>, D. Manna Dev<sup>6</sup>

<sup>1</sup> Asst. Prof., Dept. of ECE, Sir. C. R. Reddy College of Engineering, e-mail: [rajuveer2@gmail.com](mailto:rajuveer2@gmail.com)

<sup>2-6</sup> ECE Students of Sir. C. R. Reddy College of Engineering.

**ABSTRACT-** In wireless sensor networks (WSNs), the benefits of exploiting the sink mobility to prolong network lifetime have been well recognized. In physical environments, all kinds of obstacles could exist in the sensing field. Therefore, a research challenge is how to efficiently dispatch the mobile sink to find an obstacle-avoiding shortest route. This paper presents an energy-efficient routing mechanism based on the cluster-based method for the mobile sink in WSNs with obstacles. According to the cluster-based method, the nodes selected as cluster heads collect data from their cluster members and transfer the data collected to the mobile sink. In this paper, the mobile sink starts the data-gathering route periodically from the starting site, then directly collects data from these cluster heads in a single-hop range, and finally returns to the starting site. However, due to the complexity of the scheduling problem in WSNs with obstacles, the conventional algorithms are difficult to resolve. To remedy this issue, we propose an efficient scheduling mechanism based on spanning graphs in this paper. Based on the spanning graph, we present a heuristic tour-planning algorithm for the mobile sink to find the obstacle-avoiding shortest route. Simulation results verify the effectiveness of our method.

**Key words:** Wireless sensor networks, obstacles, energy-efficient routing, cluster-based, mobile sink, spanning graph.

### INTRODUCTION

Wireless Sensor Networks (WSNs) have been applied in many respects including health monitoring, environmental monitoring, military surveillance, and many others as Internet of Thing (IoT) [1]-[3]. Energy efficiency has become the most key issue for WSNs. However, power supplies for sensor nodes are limited and hard to replace. In addition, compared with other nodes, nodes near the base station (also called the sink) consume more energy, since the nodes relay the data collected by sensor nodes far away from the sink. Hence, once these sensors near the sink fail, the data collected by other sensors cannot be transferred to the sink. Then, the entire network becomes disconnected, although most of the nodes can still have a lot of energy. Therefore, to extend the network lifetime, minimizing the energy consumption of sensor nodes is the key challenges for WSNs.

Different approaches are proposed to prolong the lifetime of WSNs. Recent work shows that we can use mobile nodes to reduce the energy expenditure of WSNs to a large extent.

Consequently, the life time of WSNs is prolonged. Compared with static nodes, mobile nodes have more energy and more powerful capabilities. Mobile nodes, which are usually mounted on a mobile vehicle equipped with enough energy, can collect data from all static nodes by moving across the sensing field. The data from static nodes can be collected by mobile nodes in one-hop or multi-hop way. The papers [4]-[7] have proposed several different approaches. In this paper, mobile nodes are used as the mobile sink which moves across the sensing field to collect data. On the one hand, the mobile sink reduces the communication overhead for sensor nodes close to the base station or the sink, which leads to the uniform energy consumption. On the other hand, with the movement of the sink, we can better handle the disconnected and sparse network. Therefore, the network life time can be significantly extended by the optimum control of the route of the mobile sink. In physical environments, the sensing field could contain various obstacles. Hence, to prolong the network lifetime, a research challenge is how to find an obstacle-avoiding shortest route for the mobile sink.

In this paper, the mobile sink will move through the network with obstacles to find an obstacle-avoiding shortest route. At the same time, the mobile sink must consider the energy consumption balance among nodes while moving across the sensing field. To dispatch the mobile sink efficiently, we utilize the cluster-based method that is presented in [8] and [9]. According to the cluster-based method, all sensor nodes in the sensing field are divided into two categories: cluster heads and cluster members. Cluster heads collect data from corresponding cluster members which collect environment information, and then pass data to the mobile sink. We assume that WSNs can tolerate some extent of delay so that the mobile sink collects all sensing data from cluster heads. The mobile sink begins its periodical movement from starting site and finally returns. During its movement, the mobile sink collects the sensing data from cluster heads. Once its moving path is planned, the mobile sink can move near the cluster heads and consume less energy. Hence, the network lifetime can be prolonged significantly. In this paper, the network lifetime is defined as the time interval from sensor nodes start working until the death of all static sensors. However, in physical environments, the



## Smart Antenna Beam forming using LCMV&MVDR algorithms

K. J. Silva Lorraine<sup>1</sup>, M.Venkata Ramana rao<sup>2</sup>, D.Pavan Kalyan<sup>3</sup>,M.Phanideepthi<sup>4</sup>, K.Devaki<sup>5</sup>

<sup>1</sup>Assistant Professor, ECE Department ,Sir C R Reddy College of Engineering, Eluru

<sup>2,3,4,5</sup>ECE Department ,Sir C R Reddy College of Engineering, Eluru

### Abstract

In the real world environment, the signal received by a communication system consists of desired signal, interference and noise. Therefore, to cancel out the interference, noise and to steer the antenna beam towards the desired target, adaptive beamforming is used prominently. Antennas with such type of beam steering capability are termed as smart antennas. Minimum variance distortion less response (MVDR) and Linear constraint minimum variance (LCMV) are widely used to steer or produce a strong beam to the desired signal through its computed weight vectors. In this paper, the performance analysis of LCMV and MVDR beam forming techniques has been studied by considering a satellite and Pseudolite scenario. For that particular scenario, LCMV technique seems to show better performance than MVDR method.

**Keywords:** Beamforming, Pseudolite, Linear Constraint Minimum Variance (LCMV), Minimum Variance Distortionless Response (MVDR)

### I. Introduction

Beamforming or spatial filtering is a signal processing technique which is used in sensor arrays for directional signal transmission or reception. It can be used at both the transmitting and receiving signals in order to achieve spatial selectivity. Beamforming can be used for radio or sound waves. It has various applications in radar, sonar, seismology, *wireless communications*, radio astronomy, acoustics and biomedicine. Adaptive beam forming is used to detect and estimate the signal. To change the

direction of the array while transmitting, a beamformer controls the phase and relative amplitude of the signal at each transmitter to create a pattern of constructive and destructive interference in the wavefront. When receiving, information from different sensors is combined in a way where the expected pattern of radiation is preferably observed. Fig 1 shows the beam forming process[1].




Fig 1: Beam forming

### II. Direction of Arrival (DOA) Estimation

In this work, DOA for the desired signal, interference and Pseudolite (PL) has been done by using MUSIC algorithm. PL is used in satellite augmentation systems to enhance the systems availability and continuity. PL signal should not be eliminated completely but depending on the location of user with respect to PL, the null depth has to be controlled accordingly.

**MUSIC algorithm:-** Multiple Signal Classification (MUSIC) algorithm was proposed by Schmidt and his colleagues in 1979. It is well known that music algorithms out performs any method. Modified music works better than the ordinary music at different SNR. It becomes a

## Analysis on Mutual Coupling Effects of Linear Patch Antenna Array Using HFSS for Phased Array Radar Applications

Mallireddy Renika  
 Sir CR Reddy college of Engineering  
 Email: renamallireddy@gmail.com

VenkateswaraRao, Tumati  
 Dept of ECE  
 Sir CR Reddy college of Engineering  
 Email: tumati11@gmail.com

**Abstract--** This paper presents the new method for mutual coupling reduction in microstrip patch antenna. It is relatively low gain and narrow bandwidth. By using the patch antenna array, antenna performance can be improved. In this paper design and stimulation of a 9 element rectangular microstrip patch array is described and the performance of antenna array is optimized by varying patch inter element spacing. Antenna array is designed to operate at the frequency of X-band. The 3x3 antenna array will be implemented on FR4 substrate with 1.588mm thickness and dielectric constant of 4.4. The stimulation and performance analyze of antenna is done using Ansoft High frequency structure simulator software. Finally, comparison of antenna array characteristics before and after optimization will be presented.

**Key words:** mutual coupling, antenna array

### I. Introduction

A phased array consists of definitely arranged, finite sized antenna elements, which are fed by a suitable feed network. In this array, the fields gets radiated from one antenna may be received by the other elements. More over this may be reflected, reradiated, or scattered. The properties of these signals depend on the signal power, reflection coefficients, and

additional electrical phase received due to the propagation delay from one element to the other element. This kind of correlation between the antenna elements will be accompanied to coupling effect and hence can adjust the array characteristics. Several researchers have studied the effect of mutual coupling on different types of adaptive arrays. These include Yagi array [1], microstrip patch antenna arrays [2], linear antenna arrays of dipole, spiral antennas [3], or formal dipole arrays [5], helical arrays [6] and arrays of arbitrary geometry [7]. The effect of mutual coupling [2] on the array parameters such as antenna impedance and steering vector, which affects the radiation pattern, resolution and interference.

### II. Parameters effected due to mutual coupling

#### A. Antenna Impedence

The antenna radiation pattern mainly depends up on the impedance at the antenna terminals. However, the antenna impedance of phased array is consequently different in comparison to that of an isolated element. This variation in impedance is due to the mutual coupling between the array elements.

The mutual coupling basically depends on the magnitude of surface wave, and hence on the substrate thickness, for different configurations. Hence for antenna array design selection of



## Implementation of Car Parking System through FPGA

P.H.S.T.Murthy<sup>1</sup>, Y.Chakravarthy<sup>2</sup>, Sk.Shameela begum<sup>1</sup>, P.Prasad<sup>1</sup>, P.Hemanath<sup>1</sup>, Sd.Khalid Ahmad<sup>1</sup>

<sup>1</sup>Assistant Professor, Department of ECE, Sir C.R.Reddy College of Engineering, Eluru, West Godavari-534007

<sup>2</sup>Student, Department of ECE, Sir C.R.Reddy College of Engineering, Eluru, West Godavari-534007

**Abstract**— In Present days usage of motor vehicles are increased day by day, it causes the traffic congestion and parking place problems. In this paper we proposed a secured car parking management system using Verilog HDL. Here parking system is implemented using Finite State Machine modelling. The system has two main modules i.e. identification module and slot checking module. Identification module identifies the visitor. Slot checking module checks the slot status. These modules are modelled in Verilog HDL and implemented on FPGA. It also provides security to our vehicles. A prototype of parking system is designed with various interfaces like sensor interfacing, stepper motor and LCD.

**Keywords**—*Car park management system, Verilog HDL, Security, FPGA*

### I. INTRODUCTION

The car parking has become an immense issue especially in big cities. Two main reasons can be cited for this. One reason is the growth in population and the other is the security. Many efforts have been made to introduce a method to reduce parking problems such as congestion, accidents and hazards. Car theft has become an evil art now a days. Now the question arises, is it possible to introduce such a system that would solve all these issues and will be intelligent too. We have provided an interface and software/hardware module which is validated using a test case scenario. The extensive experimentation proves the feasibility of the approach. ICPM solves all the issues related to car parking such as finding free parking slots and certainly the security issues. Systematic parking with security

is the main motto. Security includes the usage of password at the time of park; Indication of number of available adjacent vacancies as well as their positions where only the adjacent vacancies are needed in particular. The central idea of the project came from the troubles we face in parking our cars in our daily routine. The inspiration was always there but it required a rock-solid approach. The nuisance of parking cars is escalating day by day. Indeed a good design was required. To avoid these problems, design of secured car parking management system is proposed, which will be implemented on FPGA to check vacancies and give security to car. Recently, a reconfigurable FPGA design is efficient method to implement a digital logic, because FPGA provides a compromise between general-purpose processors and ASIC. The FPGA based design is also more flexible, programmable and can be re-programmed. FPGA based design can be easily modified by modifying design's software part. Our proposed system is designed in FPGA design style and gate level modeling. This occupancy information is further processed by a central control unit and distributed to display panels located at strategic locations at the parking area. The drivers can easily find a vacant parking lot based on the information displayed on the panels.

### II. ALGORITHM

We have divided the proposed CPMS into following different modules.

#### A. Car Entering Module

In Car Entering Module, as the car enters the lot, it is detected by the IR Sensors. The IR Sensors provide the pulse to the FPGA



# LINEAR BLOCK CODES REDUCED SUBPACKETIZATION WITH CACHING SCHEMES

1. CHRAVI KUMAR, 2.P.JHANSI RANI, 3.K.HARITHA, 4. G.L. PRASANNA, 5. P.V. K. REDDY

<sup>1</sup> Asst Professor, Dept. of ECE, Sir.C R Reddy college of engineering

<sup>2,5</sup> Students, Dept. of ECE, Sir.C R Reddy college of engineering

**ABSTRACT**-Coded caching is a technique that generalizes conventional caching and promises significant reductions in traffic over caching networks. However, the basic coded caching scheme requires that each file hosted in the server be partitioned into a large number (i.e. the subpacketization level) of non-overlapping subfiles. From a practical perspective, this is problematic as it means that prior schemes are only applicable when the size of the files is extremely large. In this paper, we propose coded caching schemes based on combinatorial structures called resolvable designs. These structures can be obtained in a natural manner from linear block codes whose generator matrices possess certain rank properties. We obtain several schemes with subpacketization levels substantially lower than the basic scheme at the cost of an increased rate. Depending on the system parameters our approach allows us to operate at various points on the subpacketization level vs rate tradeoff.

## I. INTRODUCTION

Caching is a popular technique for facilitating large scale content delivery over the internet. Traditionally, caching operates by storing popular content closer to the end user's file request partially (or sometimes entirely) with the remainder of the content coming from the main server. Prior work in this area demonstrates that allowing coding in the cache and coded transmission from the server (referred to as *coded caching*) to the end users can allow for significant reductions in the number of bits transmitted from the server to the end users. This is

an exciting development given the central role of caching in supporting a significant fraction of Internet traffic. In particular, reference [1] considers a scenario where a single server contains  $N$  files. The server connects to  $K$  users over a shared link and each user has a cache that allows it to store  $M/N$  fraction of all the files in the server. Coded caching consists of two distinct phases: a *placement phase* and a *delivery phase*. In the placement phase, the caches of the users are populated. This phase does not depend on the user demands which are assumed to be arbitrary. In the delivery phase, the server sends a set of *coded* signals that are broadcast to each user such that each user's demand is satisfied.

The original work of [1] considered the case of centralized coded caching, where the server decides the content that needs to be placed in the caches of the different users. Subsequent work considered the decentralized case where the users populate their caches by randomly choosing parts of each file while respecting the cache size constraint. Recently, there have been several papers that have examined various facets of coded caching. These include tightening known bounds on the coded caching rate [2], [3], considering issues with respect to decentralized caching [4], explicitly considering popularities of files [5], [6], network topology issues [7],[8] and synchronization issues [9], [10].

In this work, we examine another important aspect of the coded caching problem that is closely tied to its adoption in practice. It is important to note that the huge gains of coded caching require each file to be partitioned into  $n$

# Mutual Coupling Reduction Between Microstrip Patch Antennas Using Slotted-Complementary Split-Ring Resonators

M V VENKATESH BABU S<sup>1</sup>  
venkatesh.sambangi@yahoo.com<sup>1</sup>

SIR C R REDDY COLLEGE OF ENGINEERING, ELURU

P RAMYA SRI  
ranyapenugonda@gmail.com<sup>2</sup>

**Abstract**—A novel structure based on complementary split-ring resonators (SRRs) is introduced to reduce the mutual coupling between two coplanar microstrip antennas that radiate in the same frequency band. The new unit cell consists of two complementary SRR inclusions connected by an additional slot. This modification improves the rejection response in terms of bandwidth and suppression. The filtering characteristics of the band-gap structure are investigated using dispersion analysis. Using the new structure, it was possible to achieve a 10-dB reduction in the mutual coupling between two patch antennas with a separation of only  $1/4$  free-space wavelength between them. Since the proposed structures are broadband, they can be used to minimize coupling and co-channel interference in multiband antennas.

**Index Terms**—Complementary split-ring resonators (CSRRs), defected slots, low-profile antennas, microstrip patch antennas, mutual coupling.

## 1. INTRODUCTION

Surface waves and near fields can lead to coupling between coplanar and patch antennas [1]–[3]. The near-field coupling arises when an antenna is placed in the near-field zone of another antenna. The near-field coupling is strong in situations where the antennas are printed on dielectric substrates with very low permittivity [3]. In such scenarios, the coupling can result in severe degradation to the antenna's radiation characteristics. While surface waves are weakly excited in very thin grounded dielectric substrates, space-waves dominate and show strong coupling when antennas are in close proximity.

Several methods to reduce the mutual coupling between patch antennas were reported in the literature. In [4] and [5], electromagnetic band-gap (EBG) structures using the mushroom-like topology were used. However, the structures involved plated through-holes (vias), which are not attractive from the electric loss and manufacturing perspective. In [5], planar EBG structures were used, eliminating the need for vias, however incurring the complexity and cost of using two dielectric layers. In [6], spiral resonators were embedded within the dielectric substrate, requiring an elaborate fabrication process and increased losses in the antenna system.

Complementary split-ring resonator (CSRR) structures were used for harmonic rejection and filtering [7]. The CSRR [see Fig. 1(a)] electromagnetic behavior is best understood by applying the duality principle to the magnetically resonant SRR structures [8]. The SRR-based magnetic materials react to the vertically polarized (with respect to the SRR's plane) magnetic fields. Their resonance behavior is due to the induced electromotive force that generates a current that flows within the metallic rings and gaps, producing a balanced inductive-capacitive effect. From duality, the CSRR exhibits resonant behavior in the presence of vertically polarized electric fields [9]. Therefore, such structures have proved to be particularly useful in an electromagnetic environment where the electric field is dominantly vertically polarized.

In this letter, mutual coupling reduction between two patch antennas is achieved by introducing a novel CSRR cell. Fig. 1 shows the unit cells of the CSRR [Fig. 1(a)] and the new structure [Fig. 1(b)], which will be referred to as the slotted-CSRR (SCSRR). Full-wave simulation is used to investigate the effects of the SCSRR on the antenna's parameters. The new configuration is implemented by etching away the copper sections from the ground plane. The fabrication does not require any modifications to the existing dielectric substrate. Consequently, the antenna remains low-profile and lightweight, and the far-field properties are practically left unchanged.




Fig. 1. (a) CSRR unit cell (b) Proposed SCSRR unit cells. Note that the shaded area represents metalization and the figure is in a draw to scale. E-field is normal to the axis of CSRR slotted inclusions.



# High Speed and Low Power Comparator for High Speed ADCs

Greeshma.MLavanya.KRadha.kAneela.Patchigolla

Mrsygreeshma2@gmail.com lavanyasudeep@gmail.com radha.gec@gmail.com aneelapatchigolla@gmail.com

Department of ECE, SIR.C.R.Reddy college of engineering,eluru.

**Abstract**– A high-speed CMOS comparator with preamplifier and compare-latch circuit designed in UMC 0.18 $\mu$ m CMOS process with 1.8V power supply has been presented in this paper. It is a suitable choice for high speed flash-type ADCs. The comparator gives a resolution of 0.1mV at 500MHz with a power dissipation of 175  $\mu$ W.

**Index Terms**–ADC, Preamplifier, Positive Feedback, Offset Voltage and Self-biased Differential Amplifier

## I. INTRODUCTION

Comparators are most probably second most widely used electronic components after operational amplifiers in this world. Comparators are known as 1-bit analog-to-digital converter and for that reason they are mostly used in large abundance in ADC converter. In the analog-to-digital conversion process, it is necessary to first sample the input. This sampled signal is then applied to a combination of comparators to determine the digital equivalent of the analog signal. The conversion speed of comparator is limited by the decision making response time of the comparator. The basic functionality of a CMOS comparator is used to find out whether a signal is greater or smaller than zero or to compare an input signal with a reference signal and outputs a binary signal based on comparison [1].

The main contribution of the paper is to design the comparator with high resolution, high speed and low power. In this paper we designed a comparator and simulated using UMC 0.18 $\mu$ m CMOS technology. The paper is further organized as follows. The Circuit Topology is briefly discussed in section II and comparator design with simulation results are discussed in section III. The performance summary and simulation results of the design are introduced in section IV. Finally, the paper is concluded in section V.

## II. CIRCUIT TOPOLOGY

There are three stages in this comparator as shown in Fig. 1. The preamplifier, a positive feedback or decision making stage and an output buffer stage. The preamp stage amplifies the input signal to improve the comparator sensitivity (i.e. increases the minimum input signal with which the comparator can make a decision) and isolates the input of the comparator

from switching noise coming from the positive feedback stage i.e. kick back noise effect. The use of a preamplifier before the decision circuit also has the advantage of reducing the input offset voltage of the latch by the gain of the preamplifier. The input offset voltage of the comparator will now become that of the preamplifier, which can be auto zeroed, resulting in small values of input offset voltage. The positive feedback stage is used to determine which of the input signal is larger. The output buffer amplifies this information and outputs a logic signal (i.e., 0 or VDD) [2].




Fig. 1 Schematic of the Comparator

The design of the preamplifier must be done in such a manner that the desired latch or decision circuit input voltage is achieved in minimum time. This means that the bandwidth must be as large as possible. We know that the gain bandwidth of an amplifier is normally constant. The low gain preamplifier must compromise between a high bandwidth and sufficient gain.

The circuit works as follows: During nclk, the switches M11 and M12 disconnect V(O++) and V(O--) from the sensing nodes (V(O+) and V(O-)) and pulled up to VDD by M14 and M15. When M13 is closed, it equalizes the sensing node voltages. A mismatch between the two differential input voltages causes an unequal amount of current to be injected into the sensing nodes. When switch M13 is released, the first regeneration phase starts, and the small current imbalance cause the cross coupled transistors M9 and M10 to pull down

# High Speed and Low Power Comparator for High Speed ADCs

Greeshma.MLavanya,KRadha,kAneela,Patchigolla

Mrsygreeshma2@gmail.com,lavanyasudeep@gmail.com,radha.gec@gmail.com aneelapatchigolla@gmail.com

Department of ECE,SIR,C.R.Reddy college of engineering,eluru.

**Abstract**—A high-speed CMOS comparator with preamplifier and compare-latch circuit designed in UMC 0.18 $\mu$ m CMOS process with 1.8V power supply has been presented in this paper. It is a suitable choice for high speed flash-type ADCs. The comparator gives a resolution of 0.1mV at 500MHz with a power dissipation of 175  $\mu$ W.

**Index Terms**—ADC, Preamplifier, Positive Feedback, Offset Voltage and Self-biased Differential Amplifier

## I. INTRODUCTION

Comparators are most probably second most widely used electronic components after operational amplifiers in this world. Comparators are known as 1-bit analog-to-digital converter and for that reason they are mostly used in large abundance in ADC converter. In the analog-to-digital conversion process, it is necessary to first sample the input. This sampled signal is then applied to a combination of comparators to determine the digital equivalent of the analog signal. The conversion speed of comparator is limited by the decision making response time of the comparator. The basic functionality of a CMOS comparator is used to find out whether a signal is greater or smaller than zero or to compare an input signal with a reference signal and outputs a binary signal based on comparison[1].

The main contribution of the paper is to design the comparator with high resolution, high speed and low power. In this paper we designed a comparator and simulated using UMC 0.18 $\mu$ m CMOS technology. The paper is further organized as follows. The Circuit Topology is briefly discussed in section II. The comparator design with simulation results are discussed in section III. The performance summary and simulation results of the design are introduced in section IV. Finally, the paper is concluded in section V.

## II. CIRCUIT TOPOLOGY

There are three stages in this comparator as shown in Fig. 1. The preamplifier, a positive feedback or decision making stage and an output buffer stage. The preamp stage amplifies the input signal to improve the comparator sensitivity (i.e. increases the minimum input signal with which the comparator can make a decision) and isolates the input of the comparator

from switching noise coming from the positive feedback stage i.e. kick back noise effect. The use of a preamplifier before the decision circuit also has the advantage of reducing the input offset voltage of the latch by the gain of the preamplifier. The input offset voltage of the comparator will now become that of the preamplifier, which can be auto zeroed, resulting in small values of input offset voltage. The positive feedback stage is used to determine which of the input signal is larger. The output buffer amplifies this information and outputs a logic signal (i.e., 0 or VDD)[2].




Fig. 1 Schematic of the Comparator

The design of the preamplifier must be done in such a manner that the desired latch or decision circuit input voltage is achieved in minimum time. This means that the bandwidth must be as large as possible. We know that the gain bandwidth of an amplifier is normally constant. The low gain preamplifier must compromise between a high bandwidth and sufficient gain.

The circuit works as follows: During nclk, the switches M11 and M12 disconnect VDD and VDD from the sensing nodes (V1+ and V1-) and pulled up to VDD by M14 and M15. When M13 is closed, it equalizes the sensing node voltages. A mismatch between the two differential input voltages causes an unequal amount of current to be injected into the sensing nodes. When switch M13 is released, the first regeneration phase starts, and the small current imbalance cause the cross coupled transistors M9 and M10 to pull down



# High Speed and Low Power Comparator for High Speed ADCs

Greeshma.Mlavanya, KRadha, kAneela.Patchigolla

Mrsygreeshma2@gmail.com | lavanyasudeep@gmail.com | radha.gec@gmail.com | aneelapatchigolla@gmail.com

Department of ECE, SIR.C.R Reddy college of engineering, eluru.

**Abstract**– A high-speed CMOS comparator with preamplifier and compare-latch circuit designed in UMC 0.18 $\mu$ m CMOS process with 1.8V power supply has been presented in this paper. It is a suitable choice for high speed flash-type ADCs. The comparator gives a resolution of 0.1mV at 500MHz with a power dissipation of 175  $\mu$ W.

**Index Terms**–ADC, Preamplifier, Positive Feedback, Offset Voltage and Self-biased Differential Amplifier

## I. INTRODUCTION

Comparators are most probably second most widely used electronic components after operational amplifiers in this world. Comparators are known as 1-bit analog-to-digital converter and for that reason they are mostly used in large abundance in ADC converter. In the analog-to-digital conversion process, it is necessary to first sample the input. This sampled signal is then applied to a combination of comparators to determine the digital equivalent of the analog signal. The conversion speed of comparator is limited by the decision making response time of the comparator. The basic functionality of a CMOS comparator is used to find out whether a signal is greater or smaller than zero or to compare an input signal with a reference signal and outputs a binary signal based on comparison[1].

The main contribution of the paper is to design the comparator with high resolution, high speed and low power. In this paper we designed a comparator and simulated using UMC 0.18 $\mu$ m CMOS technology. The paper is further organized as follows: The Circuit Topology is briefly discussed in section II and comparator design with simulation results are discussed in section III. The performance summary and simulation results of the design are introduced in section IV. Finally, the paper is concluded in section V.

## II. CIRCUIT TOPOLOGY

There are three stages in this comparator as shown in Fig 1. The preamplifier, a positive feedback or decision making stage and an output buffer stage. The preamp stage amplifies the input signal to improve the comparator sensitivity (i.e. increases the minimum input signal with which the comparator can make a decision) and isolates the input of the comparator

from switching noise coming from the positive feedback stage i.e. kick back noise effect. The use of a preamplifier before the decision circuit also has the advantage of reducing the input offset voltage of the latch by the gain of the preamplifier. The input offset voltage of the comparator will now become that of the preamplifier, which can be auto zeroed, resulting in small values of input offset voltage. The positive feedback stage is used to determine which of the input signal is larger. The output buffer amplifies this information and outputs a logic signal (i.e., 0 or VDD)[2].




Fig. 1. Schematic of the Comparator

The design of the preamplifier must be done in such a manner that the desired latch or decision circuit input voltage is achieved in minimum time. This means that the bandwidth must be as large as possible. We know that the gain bandwidth of an amplifier is normally constant. The low gain preamplifier must compromise between a high bandwidth and sufficient gain.

The circuit works as follows: During nclk, the switches M11 and M12 disconnect V(++) and V(-) from the sensing nodes (V(+)- and V(-)) and pulled up to V(D) by M14 and M15. When M13 is closed, it equalizes the sensing node voltages. A mismatch between the two differential input voltages causes an unequal amount of current to be injected into the sensing nodes. When switch M13 is released, the first regeneration phase starts, and the small current imbalance cause the cross coupled transistors M9 and M10 to pull down



## HYBRID SMART HOME CONTROL SYSTEM

<sup>1</sup>N Swathi, <sup>2</sup>M Pavithra, <sup>3</sup>K B Bhuvaneshwari, <sup>4</sup>O Avinash, <sup>5</sup>M Ravindra

<sup>1</sup>Assistant Professor, Department of ECE, Sir C R Reddy College of Engineering, Eluru, AP

<sup>2,3,4,5</sup>Students, Department of ECE, Sir C R Reddy College of Engineering, Eluru, AP

E-mail: <sup>1</sup>swathin@scrrce.ac.in, <sup>2</sup>m.pavithra@scrrce.ac.in, <sup>3</sup>k.b.bhuvaneshwari@scrrce.ac.in, <sup>4</sup>avinash@scrrce.ac.in, <sup>5</sup>m.ravindra@scrrce.ac.in

**Abstract**— In modern society, more electronic appliances have been presented at home and office. There comes out a problem that how to manage and control these increasing various appliances efficiently and conveniently so as to achieve more comfortable, secure and healthy space at home. Main aim of this project is to provide home automation in offline and online. In offline we can control electronic devices from 50 Meters distance and with internet we can control electronic devices globally. RF remote switch is chosen to provide transmission using wireless communication technologies which is radio frequency to replace cable between the home application and their switch socket. The proposed project is a combination of wireless switch and a mobile app which (IoT) for controlling home appliances such as switching light, fan, Television, Air conditioner, electrical motors etc. In online using Firebase as an online database created mobile app is created using MIT app Inventor. This Firebase database takes commands using internet to control the home appliances.

**Index Terms**—RF Remote Switch, IoT, Firebase database, Wireless communication

### 1. INTRODUCTION

Control and monitoring of home electronics can be done anywhere without touching them, it is useful to modern life, hospitals, industries, agriculture and avoid time wastage for observing and controlling. The home automation systems are developed with different technologies such as Zigbee, GSM, Bluetooth, Ethernet, RF, and IoT. The most popular home automation system is internet of Things(IoT) but IoT based home automation system must require internet and another best method is RF based home automation system. RF based home automation system doesn't require internet but disadvantage is limited range around 50meters to 100 meters.

So introducing the combination of RF and IoT home automation system over come each other disadvantage in this scope. This combination of home automation provides offline and online control.

### 2. RELATED WORKS

Home automation has been around since the World War I (1914), in fact, the television remote (a simple home automation system) was patented in 1893. Since then different home automation systems have been evolved with a sharp rise after the Second World War. Its growth has been through various informal research and designs by technology enthusiasts who want a better way of getting things done at home without much effort on their part.

#### Home Automation Systems

The new stream of home automation systems has developed into a vast one and the current market is flooded with a flurry of home automation systems and device manufacturers.

#### Home Automation Implementation Platforms

Home automation can be implemented over a number of platforms namely, Power line, RS232 serial communication, Ethernet, Bluetooth, Infrared and GSM. Each platform having its own peculiarity and area of application.

### 3. HARDWARE IMPLEMENTATION

The hybrid home control system consists of RF remote switch and an Android Mobile app designed using MIT app inventor with Firebase online database.

#### 3.1 RF Transmitter and Receiver (Module)

The RF module, as the name suggests, operates at Radio Frequency. The corresponding frequency range varies between 30 kHz & 300 GHz. In this RF system, the digital data is represented as variations in the amplitude of carrier wave. This kind of modulation is known as Amplitude Shift Keying (ASK). RF can travel through larger distances making it suitable for long range applications, RF signals can travel even when there is an obstruction between transmitter & receiver.

This RF module comprises of RF Transmitter and RF Receiver. The transmitter/receiver (Tx/Rx) pair operates at a frequency of 434MHz. The RF transmitter receives serial data and transmits it wirelessly through RF through its antenna connected at pin4. The transmission occurs at the rate of 1Kbps - 10Kbps. The transmitted data is received by an RF receiver operating at the same frequency as that of the transmitter.

#### 3.2 ESP32

ESP32 is highly-integrated with in-built antenna switches, power amplifier, low-noise receive amplifier, filters, and power management modules. ESP32 adds priceless functionality and versatility to different applications with minimal Printed Circuit Board (PCB) requirements. ESP32 can interface with other systems to provide Wi-Fi and Bluetooth functionality through its interfaces.

#### 3.3 Encoder and Decoder

Encoder HT12E converts the parallel inputs into serial output. It encodes the 12 bit parallel data into serial for transmission through an RF transmitter. These 12 bits are divided into 8 address bits and 4 data bits. HT12E has a transmission enable pin which is active low. When a trigger signal is received on TE pin, the programmed addresses/data are transmitted together with the header bits via an RF or an infrared transmission medium. HT12E begins a 4-word transmission cycle upon receipt of a transmission enable. This cycle is repeated as long as TE is kept low. As soon as TE returns to high, the encoder output completes its final cycle and then stops.

Decoder HT12D converts the serial input into parallel outputs. It decodes the serial addresses and data received by, say, an RF receiver, into parallel data and sends them to output data pins. The serial input data is compared with the local addresses three times continuously. The input data code is decoded when no error or unmatched codes are found. A valid transmission is indicated by a high signal at VT pin. HT12D is capable of decoding 12 bits, of which 8 are address bits and 4 are data bits. The data on 4 bit latch type output pins remain unchanged until new is received.

#### 3.4 Relay

Relay is an electromagnetic device which is used to isolate two circuits electrically and connect them magnetically. They are very useful devices and allow one circuit to switch another one while they are completely separate. They are often used to interface an electronic circuit (working at a low voltage) to an electrical circuit.

# AN EFFICIENT AND DYNAMIC QUERY COMPRESSIVE WIRELESS SENSING NETWORKS.

<sup>a</sup>M. Sai Sri Mounica \*, <sup>b</sup>H. Sudhakar, <sup>c</sup>Dr. Rambabu Busi

<sup>a</sup>Electronics & communication Engineering, Sir C. R. Reddy College of Engineering, Eluru, [saisrimounica1204@gmail.com](mailto:saisrimounica1204@gmail.com)

<sup>b</sup>Electronics & communication Engineering, Sir C. R. Reddy College of Engineering, Eluru, [h.sudhakar19@gmail.com](mailto:h.sudhakar19@gmail.com)

<sup>c</sup>Lakireddy Balireddy College of Engineering, Mylavaram, [rams1315@gmail.com](mailto:rams1315@gmail.com)

**Abstract—** *Compressive Sensing (CS) establish information assembling is a auspicious technique to decrease vitality utilization in remote sensor systems or Remote sensor systems. Customary CS establish information assembling approaches require a substantial more amount of sensor hubs to take an interest in every CS estimation work, bringing about giant vitality utilization, and don't ensure bulky balance. In this paperwork, we put forward a sparser examination relies upon changed dissemination rippling, which abuse sensing element readings spatial relationship in Remote Sensor Systems. Specifically, information assembling plan with joint steering and CS is exhibited. A changed insect state calculation is embraced, where next hounce hub choice takes a hub's remaining vitality and way length into thought all the while. In addition, so as to accelerate the inclusion rate and keep away from the neighborhood ideal of the calculation, an improved pheromone sway factor is advanced.*

**Keywords—** *Compressive Sensing (CS), Wireless Sensor Network (WSN), Sparser, spatial Relationship, Pheromone*

## I. INTRODUCTION

we present the CS hypothesis on detecting hubs to pack detecting information and store compacted information on capacity hubs with the goal that the correspondence and space overhead can be altogether decreased. All the more vitally, we enable querists to dispatch Top-k questions to the capacity hubs, which can related to versatile compacted information decrease (ACDR) to get required information from the pressure area as per the k positions and go back inquiry outcome to the querists. ACDR empowers stockpiling hubs to progressively alter the extent of compacted information as per the k positions propelled by querists with the goal that the correspondence overhead is lower than that of different techniques in writing.

## II. RELATED WORK

As of late, various CS establish information assembling methods were given to expand the network's allotted span by diminishing measure of transference information also adjusting heap of the entire remote sensor systems [12,13,20,21]. Luo et al. first investigated the large-scale

remote sensor systems, specifically, compressive information gathering (CDG) [12]. In [12], demonstrate that the system limit is related to meager dimension of sensor hub study values. In any case, this technique shows an expansion in quantity of estimated tests prompts development of transmission costs contrasted with the non-CS method. CS storage [13] abuses the spatial relationship of sensor node study values alongside CS lessens quantity of transference information focuses, going for lengthen the WSNs' lifespan. Present compressive remote detecting, distributed, equated-source channel correspondence engineering was planned for vitality effective esteem of sensor hub study values [20]. Notwithstanding, spatial connection [20] are not treated. The creators of [21] demonstrate half and half CS accomplish great system output, while plain CS not provide a noteworthy development in output on account of thick estimation grid.

Until now, collaboration among steering and pressure information assembling has seriously delay the advancement of CS in remote sensor systems [12, 22]. These information strategies mutually utilize routing and CS to alleviate the information output. The creators of [22] label the information gathering issue in WSNs, accompanied by steering utilized in blend with CS to transmit irregular information prediction. However, system shows scanty estimation grid not at all veers off from RIP method, but doesn't limit carry vitality utilization for every CS estimation. By and by, in [12], guarantee the estimation grid has great RIP; what's more, CDG can facilitate decrease communication price for the two, chain-type and tree-type steering. On the other hand, this technique need huge amount of sensor hubs engaged with every projection gathering, realizing more transmission price. To fundamentally lessen information jam and spare capacity, circulated multiple chain CS establish on a steering calculation in WSNs is introduced. Be that as it may, the estimation grid is still a dense estimation framework [16]. In a circulated scanty irregular estimation is planned, where the meager or else compressible flag might be recuperated. Wang et al. think about that a few sensor nodes rather than every one of them are required in every estimation. Besides, the creators of [23] show that scanty arbitrary projection altogether improves organize execution. The communication price can be decreased to  $O(\log N)$  bundles for every sensor, however here system uses arbitrary steering in the networks, which lessen the vitality productivity of WSNs. In [14] a sparest arbitrary booking for compressive information assembling is given to fulfill RIP method; a meager premise is constructed based on the estimation framework and sensor hub study values. The plan asserts that it can attain



# DESIGN OF TERNARY LOGIC ARITHMETIC CIRCUITS USING CNTFET

N.S.V.Muralikrishna

M.R.Annadevi

P.Nagababu

N.V.ManojKumar

P.Sowmithri

sowmithri.491@gmail.com

Department of ECE, Sir C.R.Reddy college of engg.,Eluru,India.

## Abstract:

*Multiple-valued logic (MVL) is an alternative solution to interconnect complexity and growing power dissipation by wires. As one of the promising new devices, CNTFET avoids most of the fundamental limitations for traditional silicon devices. This paper proposes a novel design of low-power and high-performance ternary Inverter, NAND, Half adder using CNTFETS. HSPICE simulations are conducted with the standard 32 nm CNTFET technology in order to evaluate the performance metrics of the realized circuits. The performance of ternary based logic gates is evaluated in terms of a parameter such as power dissipation and delay. Keywords: Carbon Nano Tube Field Effect Transistor, Multiple valued logic (MVL), Half Adder, Delay.*

## INTRODUCTION

According to Moore's law, the dimensions of individual devices in an integrated circuit have been decreased by a factor of approximately two every two years. This scaling down of devices has been the driving force in technological advances since late 20th century. However, as noted by ITRS 2009 edition, further scaling down has faced serious limits related to fabrication technology and device performances as the critical dimension shrunk down to sub-22 nm range. The limits involve electron tunnelling through short channels and thin insulator films, the associated leakage currents, passive power

dissipation, short channel effects, and variations in device structure and doping. These limits can be overcome to some extent and facilitate further scaling down of device dimensions by modifying the channel material in the traditional bulk MOSFET structure with a single carbon nanotube or an array of carbon nanotubes. Carbon nanotubes (CNTs) are at the forefront of these new materials because of the unique mechanical and electronic properties. Carbon nanotube field effect transistor (CNFET) is the most promising technology to extend or complement traditional silicon technology due to three reasons: First, the operation principle and the device structure are similar to CMOS devices; we can reuse the established CMOS design infrastructure. Second, we can reuse CMOS fabrication process. And the most important reason is that CNFET has the best experimentally demonstrated device current carrying ability to date.

## CNTFET:

As one of the promising new devices, CNFET avoid most of the fundamental limitations for traditional silicon devices. All the carbon atoms in CNT are bonded to each other with sp<sup>2</sup> hybridization and there is no dangling bond which enables the integration with high-k dielectric materials. In the next section, we will introduce the basic properties of CNFET, and will describe the problem to be modelled. A carbon nanotube field-effect transistor (CNTFET) refers to a field-effect transistor that utilizes a single

# AoD-Adaptive Subspace Codebook for Channel Feedback in FDD Massive MIMO Systems

K.Lakshmi narayana<sup>1</sup>, B.Saisudha<sup>2</sup>, Ch.Srinivas<sup>3</sup>

<sup>1</sup> Sr. Asst. Prof., Dept. of ECE, Sir. C.R.Reddy College of Engg., <sup>2,3</sup> ECE Students of Sir. C.R.Reddy College of Engg

**Abstract** Channel feedback is essential in frequency division duplexing (FDD) massive multiple-input multiple-output (MIMO) systems. Unfortunately, previous work on multiuser MIMO has shown that the codebook size for channel feedback should scale exponentially with the number of base station (BS) antennas, which is greatly increased in massive MIMO systems. To reduce the codebook size and feedback overhead, we propose an angle-of-departure (AoD)-adaptive subspace codebook for channel feedback in FDD massive MIMO systems. Our key insight is to leverage the observation that path AoDs vary more slowly than the path gains. Within the angle coherence time, by utilizing the constant AoD information, the proposed AoD-adaptive subspace codebook is able to quantize the channel vector in a more accurate way. We also provide performance analysis of the proposed codebook in the large-dimensional regime, where we prove that to limit the capacity degradation within an acceptable level, the required number of feedback bits only scales linearly with the number of resolvable (path) AoDs, which is much smaller than the number of BS antennas. Moreover, we compare quantized channel feedback using the proposed AoD-adaptive subspace codebook with analog channel feedback. Extensive simulations that verify the analytical results are provided.

## I. INTRODUCTION

Massive multiple-input multiple-output (MIMO) using hundreds of base station (BS) antennas is a key technology for 5G wireless communication systems. By simultaneously serving multiple users with simple linear precoders and combiners,

massive MIMO can improve sum spectral efficiency by orders of magnitude [2]. Channel feedback is essential in frequency division duplex (FDD) massive MIMO to learn the channel state information at the transmitter (CSIT). Channel feedback schemes based on the pre-defined codebook known at both BS and users have been widely used in wireless systems such as LTE/LTE-A, IEEE 802.11n/ac and WiMAX [3]. Unfortunately, previous work on multiuser MIMO [4], [5] has shown that the codebook size for channel feedback should scale exponentially with the number of BS antennas to guarantee the capacity loss within an acceptable level. As the number of BS antennas in massive MIMO systems is much higher than that of current systems, the codebook size and feedback overhead will be overwhelming.

Several channel feedback techniques have been proposed for massive MIMO systems. Specifically, compressive sensing (CS) based channel feedback scheme exploiting the sparsity of angle-domain channel has been proposed for massive MIMO systems in [6]. The channel vector is compressed into a low-dimensional measurement vector by random projection, and fed back to the BS with low overhead. Then, the BS can recover the sparse angle-domain channel via CS algorithms. Structured sparsity in the multi-user MIMO channel matrix can be exploited to further improve the channel recovery performance at the BS.

## II. MASSIVE MIMO SYSTEM MODEL

In this section, we introduce the massive MIMO downlink channel model and the channel feedback



## HOME AUTOMATION THROUGH FIELD PROGRAMMABLE GATE ARRAY

Dr.P.H.S.Tejo Murthy<sup>1</sup>, A Malathi<sup>2</sup>, CH.Mallikarjuna<sup>3</sup>, A.S.L.Srikanth<sup>4</sup>,G.Bharath<sup>5</sup>, P.Ravi kumar<sup>6</sup>

<sup>1</sup>Professor,ECE Department,Sir C R Reddy College Of Engineering,Eluru.

<sup>2,3,4,5,6</sup> ECE Department, Sir C R Reddy College Of Engineering,Eluru

### Abstract:

In recent years, the home automation has seen a rapid introduction of network enabled digital technologies. Home automation involves introducing a degree of computerized or automatic control to certain electrical and electronic systems in a building. This device had been modelled such that it takes care of home intrusion detection and avoidance .While it also controls other home environment factors such as temperature and smoke detection. A sequential pattern of controlling the door, burglar alarm, temperature and luminosity is followed in a priority order .In this project we introduced an efficient design of home automation system using Verilog HDL and a possible solution where the user controls device by employing a central FPGA controller to which the devices and sensors are interfaced .We simulate the design in Verilog HDL using Xilinx .We also got the RTL schematic which shows that it can be work on hardware.

Key words: Xilinx ISE 14.5, FPGA,sensors; Synthesis and Simulation

### Objective:

Our objective is to design a FPGA based home monitoring system. We are using the FPGA other than the micro controller because we can connect many devices which can be monitored and the FPGA can be used as a controller or a processor. The

design has been described using Verilog and implemented in hardware using FPGA (Field Programmable Gate Array).

### I. Introduction:

Home automation is building automation for a home, called a smart home or smart house. A home automation system will control lighting, climate, entertainment systems and appliances. It may also include home security such as access control and alarm systems u8connected with the internet, home devices are an important constituent of the internet of things.

A home automation system typically connects controlled devices to a central hub or gate way. The user interface for control of the system uses wall-mounted terminals, tablet or desktop computers, a mobile phone application, or a web interface, that may also be accessible off-site through the internet.

### II. Literature Survey:

In 2001 **Bluetooth based home automation** was developed. Due to its Slower Response, complex design and large hardware another type of home automation i.e. **Microprocessorbased home automation** was developed in 2002 .Because of its large programming, multiple IC's we further proceed to **Network monitoring** home automation was developed in 2007.Due to its easily hackable and less feature we further



## LOW POWER FULL ADDERS BY EXPLORING NEW EX-OR AND

M.V. VAISIKRISHNA ALLU<sup>1\*</sup>, V. SUSMITHA<sup>2</sup>, B. VENKATESH<sup>3</sup>, P.V. RAMANA REDDY<sup>4</sup>  
<sup>1</sup>Assistant Professor, <sup>2, 3, 4</sup>Students

Dept. of ECE, Sir C R Reddy College of Engineering, Eluru, India

**Abstract**—This paper shows novel circuits for EX-OR/EX-NOR and their functions. These circuits are reduced in power consumption, that are because of low output capacitance and low short-circuit power dissipation. We have additionally proposed four new hybrid 1-bit full-adder circuits. Each of the projected circuits has its own deserves in terms of speed, power consumption, driving ability, and so on. To research the performance of the projected styles, intensive TANNER simulations are performed. The simulation results, supported the 180-nm, 130-nm, 90-nm and 45-nm CMOS method technology model, indicate that the projected styles have superior power against alternative designs. With the projected technique, 1-bit, 2-bit and 4-bit comparators are implemented and simulated.

**Index Terms**— Power Consumption, power delay Product, Full Adder, Comparator.

### 1. INTRODUCTION

Electronic systems are associated with lifestyle. Digital circuits like microprocessors, electronic communication devices, and digital signal processors and so on comprise an oversized half of electronic systems. As the size of integration will increase, the ease of use of circuits is confined by the magnifying amounts of power and space consumption. Therefore, with the growing quality and demand for the battery-operated moveable devices like mobile phones, tablets, and laptops, the designers try and scale

back power consumption and space of such systems.

This can be done by optimizing the W/L ratio of transistors which reduces the power consumption of the overall system whereas preventing the issues resulted from reducing the availability voltage.

The potency of the many digital applications appertains to the performance of the arithmetic circuits, like adders, multipliers, and dividers which play the basic role of addition. Standard CMOS complementary pass-transistor logic (CPL) transmission gate (TG) transmission operate 14T (14 transistors) and hybrid pass logic with static CMOS output drive full adder (HPSC). FAs are the foremost vital full-swing families. Nonfull-swing class includes of 10T, 9T, and 8T.

In this paper we have simulated the different Ex-or/Ex-nor gates, Full adders and different Comparators.

### 2. REVIEW OF EX-OR/EX-NOR GATES

The power utilization of the every cell in any electronic gadget might be diminished by optimum coming up with of the EX-OR/EX-NOR gate. The EX-OR/EX-NOR gate has conjointly several applications in digital circuits style. Several circuits are planned to implement EX-OR/EX-NOR gate and the figures 1(a), 1(b), 1(c), 1(d), 1(e), 1(f) and 1(g) are implemented using different CMOS logics.

# Four Element MIMO antenna for K band and Ka Band Applications

Dr.VenkateswaraRaoTumati<sup>1</sup>, Akhila Bejawada<sup>2</sup>, VeeraReddy Pathkoti<sup>3</sup>, Liketh satya sai kumar A<sup>4</sup>  
<sup>1</sup>Professor, Department of ECE, Sir C. R. Reddy college of engineering, Eluru, West Godavari-534007.  
<sup>2,3,4</sup>Student, Department of ECE, Sir C. R. Reddy college of engineering, Eluru, West Godavari-534007

## Abstract:

The advancements in communication explore wide range of customized applications and in turn demands expansive transceivers. Various antenna design are used for specific applications. In this project, MIMO models are implemented to achieve frequency range from 25GHz to 35GHz (Kband (25GHz to 26.5GHz) and Ka-band (26.5GHz to 35GHz)). Without using any decoupling circuit to reduce the mutual coupling between the antenna elements. The portability is achieved in this design. The performance of the MIMO antenna is analyzed using the envelope correlation coefficient and diversity gain.

**Keywords:** K & Ka-band; defected ground structure-DGS; mutual coupling; envelope correlation coefficient (ECC).

## I. INTRODUCTION

The modern wireless communication requires the enhancement of high data rates and efficient communication. The MIMO (Multiple Input Multiple Output) technologies provide high data rates and high throughput [2]. The efficiency of MIMO antenna is high when the mutual coupling and correlation are very small. When the spacing between antennas decreases the mutual coupling increases. Although, this problem may be reduced using decoupling or matching circuits. But the complexity of the circuit increases and the portability decreases. The number of antenna elements is required to increase the channel capacity. The design of antenna using MIMO technology in portable devices refers to designing antennas with low mutual coupling.

The four element MIMO antenna array configurations with decoupling circuits are proposed [3-7]. In order to increase the isolation between the antennas elements the antenna elements are to be placed orthogonally along with

some decoupling circuit are used [2], [4], [8]. The K band and Ka-band provides high throughput, large spectrum band and more susceptibility to rain fading. The design of the K band and Ka-band antenna requires a small size. The K band and Ka-band radar, satellite applications in microwave domain and astronomical applications in the infrared domain. The MIMO antenna performance is represented by parameters such as ECC, TARC, and DG. When the designed antenna results are within the acceptable range then the antenna performance is good. In this paper, a four element MIMO antenna for K band and Ka-band applications with high isolation without the use of decoupling or matching circuit is proposed. The proposed design has the dimensions of 32x32. The design covers the frequency range of 25GHz to 35 GHz. CPL and DPL techniques at the frequency of 100MHz.

## II. MIMO ANTENNA DESIGN

The antenna design consists of structure evolved from circular monopole antenna which is given microstrip feed. The size of each antenna element is 16x16. The dielectric substrate used for the fabrication is Neltec N119320 with relative permittivity 3.2 and loss tangent 0.0024. The height of the dielectric substrate is 0.762mm.

The stepwise construction of the antenna element using the microstrip feed along with dimensions of the patch; the feed is as shown in figure 1. Figure 1(a) observed the top view and bottom view of a single antenna element. Figure 1(b) observed the steps required for the construction of an antenna element.

## ESTIMATION OF DIFFERENT PARAMETERS IN CELLULAR MOBILE COMMUNICATION

L.Hemalatha<sup>1</sup>, B.Kalyani, E.Sireeshu, G.V. Sivatej, A. Heemanth Kumar, D. Sai Mohan Krishna

<sup>1</sup>Sir C.R.Reddy College of Engineering, Eluru, Department of ECE,  
[hemacr2006@gmail.com](mailto:hemacr2006@gmail.com)

*\*corresponding author*

**Abstract:** Now a day, Mobile technology is a form of technology that is mostly used in cellular and mobile communication. We have to increase the capacity of channel in cellular communication. In Cellular and mobile communication, Co-channel interference ratio, capacity of cell are the important parameters in cellular mobile communication. Aim of our project is to estimate the co-channel interference ratio(C/I) and capacity of the cell in a cellular mobile communication. To compare co-channel interference ratio and capacity with different cluster sizes. As the cluster size increases then co-channel interference ratio is increases and, As the cluster size increases then capacity of the cell decreases. The parameters which we calculated in this project are co-channel interference ratio, Distance between two co-channels in the cell, and Total number of channels in a cell. We calculated here the Distance between vehicle and base station depending upon parameters. Based on received power (Pr), we calculated how far the vehicle is away from base station.

**Keywords:** Co-channel Interference Ratio, cluster, Co-channels, Base station.

### 1. INTRODUCTION

#### CELLULAR MOBILE COMMUNICATION:

A mobile phone is a portable telephone that does not use a wired connection. It is also known as a wireless

phone, cell phone, or cellular telephone. In many developing countries, mobile technology is a substitute for traditional fixed services. Worldwide the number of cellular phone users in the years 1984, 1994, and 1997 were 25,000, 16 million, and 50 million, respectively. In 2000, the number of wireless users became equal to the wired users and this number increased to 1.9 billion worldwide in the year 2005. The number of mobile users increased to 3 billion by 2007, which is almost half of the world's population.

### 2. CELLULAR PARAMETERS:

To increase the capacity of channel in cellular communication, we are estimated parameters in cellular mobile communication. In Cellular and mobile communication, Co-channel interference ratio, capacity of cell are the important parameters. Some of the list of parameters are discussed below:

#### LIST OF PARAMETERS:

- 2.1. Cluster
- 2.2. Co-channel Interference
- 2.3. Capacity of the cell
- 2.4. Distance between two co-channels
- 2.5. Total Number of channels in a cell
- 2.6. Power control algorithm



## AUDIO AND TEXT TRANSMISSION USING LI-FI TECHNOLOGY

<sup>1</sup>Mirranji Katta, <sup>2</sup>Monika Reddy T, <sup>3</sup>N Lakshman Sai, <sup>4</sup>Yamini V, <sup>5</sup>Amruth Kumar S

<sup>1</sup>Assistant Professor, Dept. of ECE, Sir C R Reddy College of Engineering, Eluru, A.P, India

<sup>2,3,4,5</sup>Students, Dept. of ECE, Sir C R Reddy College of Engineering, Eluru, A.P, India

<sup>1</sup>mirranjikatta@gmail.com, <sup>2</sup>monika156talla@gmail.com, <sup>3</sup>nlakshmansai@gmail.com,

<sup>4</sup>yaminivanapalli6@gmail.com, <sup>5</sup>amruthkristu7@gmail.com

**Abstract:** Li-Fi stands for Light-Fidelity. The technology is very new and was proposed by the German physicist Harald Haas in 2011. Li-Fi provides transmission of data through illumination by sending data through an LED light bulb that varies in intensity faster than human eye can follow. The term Li-Fi refers to visible light communication (VLC) technology that uses as medium to deliver high-speed communication in a manner similar to Wi-Fi. Li-Fi provides better bandwidth, efficiency, availability and security than Wi-Fi. Li-Fi is a technology that makes the use of LED light which helps in transmission of the audio and text signal much faster and flexible than data that can be transmitted through Wi-Fi. In Li-Fi, the data is transmitted in several bit-streams through high-speed flickering of the LED bulb and decoded on the receiver side which consists of a photo-detector. This happens in the form of a binary transmission of data, where '0' is the LED in its 'off-state' and '1' is the LED in its 'on-state'. In this paper, we use this concept to transmit data to demonstrate the use-cases and the possible impact it can have in the ever-growing field of communication. In this paper, we transmit two types of data i.e Audio and Text using Li-Fi

**Keywords:** Visible Light Communication, Data transmission; Li-Fi.

### 1. Introduction

The demand for data usage has increased exponentially in the last decade, people want to be connected to the Internet all the time, on multiple devices, update the latest happenings etc. With the advent of IoT more devices will connect to the LTE which will result in congestion and decrease in speed. To solve this crisis, multiple options were considered and one was to utilize the unused visible light spectrum which gave rise to the new concept called Li-Fi.

These LED's have high switching speeds that enable them to modulate according to the stream of bits that are sent. This transmission takes place in a parallel stream such that more data is being transmitted simultaneously. The switching speed is too fast to be visible to the naked eye and thus this transmission is not noticeable. This technology was proposed by German physicist Harald Haas in University of Edinburgh.

Li-Fi, at its core is light-based Wi-Fi with the main difference is that it uses light instead of radio waves to transmit data. The Li-Fi system would consist of regular, off-the-shelf, LED bulbs that provide internet or data transmission as well as illumination. It utilizes the visible light portion of the electromagnetic spectrum (380 nm to 780 nm). Thus, it has 10,000 times more space available thus more available bandwidth is present. Theoretically, it can reach the speeds up to 224 Gbps. [4]

### 2. Related Works

This section discusses the various advantages of VLC and elucidates on the differences between Li-Fi and Wi-Fi. By the year 2020, 10 billion devices will be subscribed in the LTE, which would result in an exponential growth of wireless traffic demand and result in a congested, scarce, and expensive RF-spectrum. The last few generations like 2G, 3G, etc., there have been many conventional methods employed to improve the capacity of the spectrum like spatial re-use and inter-cell interference coordination. Li-Fi can play a major role in relieving the heavy loads which the current wireless systems face since it adds a new and unutilized bandwidth of visible light to the currently available radio waves for data transfer. [7]. Visible Light Communication may also be used to complement current RF systems as Li-Fi will guarantee safer networks and higher speeds. In offices and schools the maximum data is exchange happens within the same building. Usage of Li-Fi system along with the 5G Wi-

# CBIR Based On SURF With Color Histogram

<sup>1</sup>Lavanya nadella <sup>2</sup>lavanya bhimadolu <sup>3</sup>Jaganmohan rao sasapu <sup>4</sup>chakradhara rao tammireddy

<sup>1</sup>Asst.prof, Department of ECE, Sir C.R.Reddy college of engineering ,eluru,A.P, India.

<sup>2,3,4</sup>Student, Department of ECE, Sir C.R.Reddy college of engineering ,eluru,A.P, India.

**ABSTRACT:** Searching and browsing through image collections have become import with the ever increasing image database from different sources including industry, military and civilians. CBIR involves various approaches to retrieve image by considering content of images, such as colour texture, shape features. Most of the Content based image Retrieved systems are designed based on low-level features for indexing and Retrieved of images. These systems cannot satisfy user expectations because of the gap between the low level features used by such systems and the high level perception of images by humans. As an attempt to reduce this gap, instead of SURF, SIFT and local histograms is used with HSV partitioning, SURF is used for gray images. HSV partitioning is used to represent color distributions in the image. Maximum color of each partition which is obtained from histogram of each partition and HSV of the corresponding pixel is used as feature. Color features and SURF feature are also used as similarity measure performance is compared with SURF, SIFT. The retrieval performance observed based on precision and recall measures. Based on precision and recall measures the performance. SURF with color histogram is better than SIFT and SURF.

**Keywords:** CBIR, SIFT, SURF,HSV

## I. INTRODUCTION

Digital images are playing a major role in the society. From different ends like the government, hospitals, industries, etc huge databases are created and maintained. To retrieve images from these databases, CBIR has become the popular method. It uses the features of the images like color, texture, shape, etc. Image processing operations such as rotation, translation and image matching using partially invariant illumination detector, such as SIFT is a reliable descriptor for above operations. To implement efficient images SURF with color histogram are utilized based on CBIR. This paper presents and investigates the applicability of SURF with color histogram based on CBIR.

## II. SURF WITH COLOR

SURF with color histogram is a local descriptor useful for matching between different views of an object. SURF algorithm is used for detecting, extracting and for matching the feature points with respect to geometric transformations. This method internally consists of different stages as follows.

### 1. Scale space extreme and key point localization:

To detect the extreme for different space scale vectors in images we need to convolve the images with Gaussian blur. To obtain the maximum and minimum from the convoluted images we need to calculate Difference Of Gaussian (DOG) images from different scales. Based on the pixel comparison from the DOG images we could obtain Maxima and minima.

### 2. Orientation Assignment with Haar wavelet:

In the first step of the SURF descriptor, to extract the feature points, fix a reproducible orientation based on information from a circular region around the interest point.

After, it built a square region aligned to the selected orientation. By calculating the sum of all responses within a sliding orientation window which covering a 60 degree, the dominant orientation is estimated.

### 3. Key point descriptor(feature extraction):

The key points are obtained by computing the descriptor vector even if they are slightly invariant to differences in light and 3D point of view and is peculiar. The resultant vector is brought in normal state to unit length to further improve the quality of invariance to connect with different variations in illumination. Previous steps found key point locations at particular scales and assigned orientations to them. This ensured invariance to image location, scale and rotation.

### 4.RGB to HSV Conversion:

The RGB coordinates can be easily translated to the HSV space. The three color characteristics, hue, saturation, and value or lightness, are defined to distinguish color components. Hue describes the actual wave length of the color by representing the color name. Conversion Formulae:

$$H = \cos^{-1} \left\{ \frac{\frac{2}{5}[(R-G)+(R-B)]}{\sqrt{(R-G)^2 + (R-B)(G-B)}} \right\} \dots\dots\dots (1)$$

Where, R, G and B represent red, green and blue components respectively with values between 0-255.

### 5.Partitioning the image:

After conversion from RGB to HSV the next design parameter is the quantization of the color space. The HSV color space is cylindrical. The long axis represents value; blackness to whiteness. Distance from the axis represents saturation: amount of color present. The angle around the axis is the hue: tint or tone. Since hue represents the most significant characteristic of the color, it requires the finest quantization.

### 6.Hue histogram(feature vector):

Hue represents color distribution on every partition. After extracting this color distribution information hue histogram is computed for each segment, hue histogram is computed for 16 bins. From that histogram we can easily detect the color occurrence in each Partition. Here total 90 histograms were found. Then from each histogram the maximum color occurrence for each partition is found and it used to compute the feature vector.

### 7.Euclidean distance:

Euclidean distance is one of the similarity measurement techniques. Feature vector is used for



## DESIGN OF POWER EFFICIENT APPROXIMATE MULTIPLIERS

R.Trinadh<sup>1</sup> Ch.Rishitha<sup>2</sup>

thrinhath\_suni@yahoo.co.in<sup>1</sup> rishichappidi34@gmail.com<sup>2</sup>

Sir C R R College of Engineering, Department of ECE, Eluru

### ABSTRACT:

Approximate computing has been hailed as a rising strategy in power saving and error tolerant applications. In this paper a new method for designing approximate multipliers is proposed. The partial products of a multiplier are transformed in to propagate and generate signals. OR gates are utilized to get propagate signals and AND gates are used to get generate signals. An approximate half adder, adder, approximate full adder and approximate 4\_2 compressor are used to reduce the partial products. Two varieties of 16 bit multipliers are produced. They have better accuracy than the existing approximate multipliers.

### 1. INTRODUCTION

In error resilient applications like image processing, audio processing, scientific computing and data mining the exact computing units are replaced with inexact computing units. Approximate computing is a technique which generates a possible, inaccurate result rather than an exact accurate results. Multipliers are key components in many applications. Multiplier plays a crucial role in deciding the speed and power consumption of a processor. So an approximate multiplier is an attractive alternative to an exact multiplier when it comes to trading off quality with power consumed. The performance metrics needed to evaluate the efficiency of approximate designs are Error distance, Normalized error distance, Power delay product, and Area power product. Error distance can be defined as the arithmetic distance between a correct output and the generated approximate output for a given input. The NED is defined as the normalized value of mean error distance (MED) by the maximum output of accurate design. Mean relative error is defined as the mean value of the relative error which is absolute error divided by the accurate result. Power delay product is a figure of merit correlated with energy efficiency. In [1] Broken array multiplier is implemented which is similar to an array multiplier.

A Broken array multiplier breaks the carry-save adder array and omits some cells that lead to a saving in few adder circuits. In [2] two designs of approximate 4-2 compressors are proposed and used in partial product reduction tree. The Design 2 has the best delay, power consumption and PDP as compared to design 1. But there is major drawback associated with it. They give a non zero output for zeroed values input which effects mean relative error. All the previous works on approximate multipliers are focused on direct application of approximate half adders, full adders and 4-2 compressors to partial products. But in these brief partial products are modified to introduce changing probability terms. The probability statistics of this propagate and generate partial products is reanalyzed which is followed by a systematic approximation. The arithmetic circuits like (half adder, full adder and 4-2 compressor) are designed for approximation. The arithmetic circuits thus designed have less design complexity but they are also designed by keeping in mind that the error value must be low. The reduced design complexity of the half adders, full adders and 4-2 compressors give low power consumption and systemic approximation helps in achieving better accuracy. The proposed technique for generating approximate multipliers outperforms the existing multiplier designs in terms of area, power and error.

### 2. EXISTING SYSTEM

#### Design1

For this design, we approximate the result by making Carry=Cin with this modification the carry output in an exact compressor has the same value as that of input Cin. In this, the carry is simplified to Cin by changing the value of the other eight outputs. Since the Carry output has the higher value of a binary bit, an incorrect value of this signal will give a difference value of two in the output. For example, if the input pattern is "01001" the correct output is "010" that is equal by modifying the carryout put to Cin, the approximate compressor will produce the "000" pattern at the output (i.e., a value of 0). This significant difference may not be tolerable; however,

## Fault Detection Method In NoC Routers

V.Swathi<sup>1</sup>,

Swathi.vsrindia@gmail.com

T.Someswara rao<sup>2</sup>,

thumangomeswara@gmail.com

A.Prasanna<sup>3</sup>,

prasannaullath0@gmail.com

L.Bhagya Lakshmi<sup>4</sup>,

bhagyalakshmiacharya@gmail.com

<sup>1</sup>Assistant Professor, Department of ECE, Sir C.R.Reddy College of Engineering, Eluru, West Godavari-534007

<sup>2,3,4,5</sup>Student, Department of ECE, Sir C.R.Reddy College of Engineering, Eluru, West Godavari-534007

**Abstract**— In the Network-on-chip, Communication takes place in terms of packets i.e., by sending and receiving packets. This paper presents a method to detect the faults in FIFO buffers of NoC routers. In this method, fault detection tests will be performed after certain period of time repeatedly. The test method can be implemented in the architecture itself. After implementing the test method, the performance of NoC routers can be analysed in terms of various parameters like throughput etc.,

**Index Terms**—FIFO buffers, NoC routers, fault, test algorithm.

### I. INTRODUCTION

The network on chip is an effective architecture in the communication system under the system on chip. Network on chip is a scheme for organizing communication between operating modules located on the same chip. It is aimed at combining computing cores of varying purposes (executive, graphics, physics, etc.), device controllers, ROM and RAM modules, stand-alone devices, sensors, and much more that can be placed on silicon crystals. Currently, NoC is one of the most promising areas for the development of microprocessor technology in general and single-chip systems in particular.

As the complexity of design increases and technology scales down into the deep sub-micron domain, the probability of malfunctions and failures in the network on chip components increases. Network faults are associated with failure of network components such as routers and links. For the last few years, network-on-chip (NoC) has emerged as a better communication infrastructure compared with bus-based communication network for complex chip designs overcoming the difficulties related to bandwidth, signal integrity, and power dissipation [1].

Most of the area in the NoC infrastructure consists of routers. Mainly routers consist of the buffers and it also has routing logic. Most of the faults occur in buffers when compared to remaining components of the Network on Chip.

In the process of testing the network on chip must begin with testing of routers which contain buffers and routing logic. The CMOS based memories are mainly affected as a result of physical effects such as environmental conditions, aging of memories and low supply voltage, and the faults due to such conditions are called as intermittent faults.

The intermittent faults tend to be permanent during run time

operation. So there is a need for online test technique that can detect runtime faults which become permanent as the time flows.

To detect the run-time faults, we need online techniques for testing.

#### A. Proposed method

To detect the run time faults, online test technique is proposed in this paper for first-input first-output buffers of Network on Chip routers. A transparent "Single Order Address-Modified Algorithmic Test Sequence" test generation algorithm has been proposed in this paper to detect the faults in FIFO memories and the test will be performed for every certain period of time.

#### B. Different Fault Models

In this study, we have to analyse the run-time faults as intermittent faults which occur at irregular intervals. Intermittent faults occur due to aging effects, like breakdown, electromigration, temperature instability and hot carrier injection mentioned in [2]. Breakdown is a phenomena where the oxide of a MOSFET degrades which results in a short circuit. These are called stuck-at-faults [3]. Due to Electromigration, conductivity decreases and causes open circuit [3]. These are called stuck-open-faults. Due to thermal instability and hot carrier injection, the threshold voltage of transistors increases and mobility decreases. So there is a chance of read and write failures which are also known as read disturb faults and transition faults respectively [4].

### II. RELATED TECHNIQUES

Fault tolerance is the property that enables a system to continue operating properly in the event of the failure of some (one or more faults within) of its components. It is very important in the design of Network-on-Chip. There are number of techniques to test the Network-on-Chip infrastructure like DFT and BIST. We can refer the corresponding work which is provided in [6][7]. The detailed study of DFT technique, different test techniques, fault tolerant routing algorithms are also proposed in [8][9].

There are large number of FIFO buffers in NoC infrastructure. So there is a chance for more number of faults for the buffers than that of the other components.



## MONITORING AND CONTROLLING OF MUSHROOM CULTIVATION THROUGH IOT

H.Sudhakar<sup>1</sup>, G.Bhargavi<sup>2</sup>, CH.Raghu Ram<sup>3</sup>, N.Bhanu Priyanka<sup>4</sup>

<sup>1</sup>Assistant Professor, Department of ECE, Sir C.R.Reddy College of Engineering, Eluru, West Godavari-534007

<sup>2,3,4</sup>Student, Department of ECE, Sir C.R.Reddy College of Engineering, Eluru, West Godavari-534007

### Abstract:

Agriculture sensors play an important role in modern agriculture. The use of sensors in various agriculture sectors minimizes the environmental impact on crops, helps in increasing yield and saving cost of operation. Among all agriculture industries, the mushroom industry is a comparatively new and small. As most of the mushroom farms are small-scaled, their production capability is limited by inadequate environmental control system and the lack of financial resources to upgrade the systems. This project presents an environmental monitoring and controlling system using ARM Processor to monitor and control the environmental conditions like Temperature, Humidity, Light intensity in a mushroom farm using Internet of Things. It enables user to monitor temperature and humidity in a mushroom farm on an android device by using online platform UBIDOTS. The control algorithm is able to control devices in a mushroom farm automatically based on feedback from the sensors to maintain the environment in an optimum condition for mushroom growth. The parameters are displayed in farming room using OLED display.

**Keywords:** ARM Processor, Internet of things, Sensors, UBIDOTS, OLED Display

### I. INTRODUCTION

Mushrooms are classified as vegetables in the food world, but they are actually fungi. Although they are not vegetables, mushrooms provide several important nutrients and they have a very important part in the food market. Mushrooms are enriched in nutrients and they possess medical benefits such as decrease the risk of obesity and overall mortality, diabetes, and heart disease. They also promote a healthy complexion and hair, increased energy, and overall lower weight. In India large percentage of population depends on agriculture. Mushroom industry is new and small scaled as compare to other

agriculture industry in India. The mushroom cultivated and processed by means of manual methods such as from spawn production to packing, which results the mushroom cultivators to spend more time and difficult to maintain hygienic conditions and required temperature, humidity. Thus chances of occurrence of pests and diseases are much more which sometimes damages mushroom crop to a great extent thereby leading to an severe loss to the cultivator. Therefore, with the introduction of IOT and use of sensors in various agriculture sectors have huge positive impact in modern agriculture which helps in increasing yield and saving cost of operation and same can be applied to the Mushroom Cultivation.

### 2. LITERATURE SURVEY

Arjuna Marzuki and Soh Yan Ying [1] proposed an interface circuit for agriculture sensors which includes a monitoring function, which enables user to monitor temperature, humidity, carbon dioxide concentration and light intensity in a mushroom farm wirelessly, and a control function, which is able to control the condition in the mushroom farm, based on the feedback of the sensors. The monitoring system was able to acquire sensor data and send the data to ThingSpeak online cloud for monitoring and storage. The data could be accessed by the user anytime by using a computer that is connected to the Internet. The control system was able to control ac-powered humidifier, light and fan based on the feedback of the sensors to maintain temperature, humidity, carbon dioxide concentration and light intensity at optimum growth condition in an actual mushroom farm.

Wang X. [2] has proposed temperature and humidity monitoring system using AT89S52 as the controller, SHT10 as temperature and humidity sensor and TC35i GSM (Global System for Mobile communication) Module for wireless communication. The system is able to detect temperature and humidity and display via a Nokia

## OPC BASED SCADA SYSTEM IN VISAKHAPATNAM STEEL PLANT

V.Surendra Babu<sup>1</sup>, M.Venkata Gopi Reddy<sup>2</sup>, M.Swathi Saptiya<sup>2</sup>, M.Jayanth Kumar<sup>4</sup>, J.Pavani Kalyani<sup>5</sup>

<sup>1</sup> Asst prof of ECE, Dep, Sir C. R. Reddy College Of Engineering, <sup>2,3,4,5</sup> Final year B.Tech students, Sir C.R.Reddy college of Engineering

### Abstract:

SCADA (Supervisory Control and Data Acquisition) is the most modern tool used for the control and monitoring of technological processes. The main components of SCADA systems are one or more Servers and the Client (the Viewers). The OPC (OLE-Object linking and embedding for Processes Control) aims to define a common interface with a single designing stage and multiple reuses for any other project, SCADA, HMI (Human Machine Interface) or other software package. An OPC server is an application which functions as an application programming interface (API-Application Programming Interface) or protocol converter. The paper presents an example of OPC server based application software which can be embedded into a SCADA system and which performs the following applications monitoring a quasi-general industrial process defined by a 2<sup>nd</sup> order transfer function, Identifying the transfer function and managing the client-server communication of the quantities of interest by online viewing and creating a record using TDMS (Technical Data Management Streaming) files, a MySQL database server and allowing the display of data on the Intranet/Internet through via a web Server which is embedded in the application.

*Key words:* SCADA Software, RTUs, Master station, Unity pro software, CitectSCADA software.

### 1. Introduction:

#### OPC (OLE for Process Control) Server and Client Interface:

The SCADA server shall be loaded with OPC Data Access 2.0 Server or higher version so that OPC Data Access Client can fetch necessary data from SCADA server. The SCADA system shall have not redundant servers. SCADA server shall also have OPC Client interface so that any third-party OPC server information can be mapped into the SCADA Client interface to either of the versions 1.0, 2.0 or 3.0 of OPC Data Access Server.

Level-1 and substation automation system of various process plants shall be OPC compliant of any third party make like wonder ware (in touch), Intellection (ifix), ABB (operate IT), Honeywell (exertion), GE (simplicity), Siemens (wincc/PCS7), Rockwell Automation (Rs-View), Alstom (Cogito) etc.

#### Basic philosophy for Connectivity of SCADA system with various automation systems.

The new SCADA system shall be suitably connected as indicated below to different substation Automation systems (SAS) and Level-1 automation systems which will be supplied by package supplier.

The signals generated at various points of different plant units will be collected at Substation Automation System, Level 1 Automation System and RTUs (PLCs) which will act as frontend units to be integrated with the SCADA system. The connections between the SAS, Level-1 Automation System, RTUs (PLCs) and SCADA System will be Through fibre optic based Ethernet LAN.

Connectivity with Substation Automation System and package Level-1 Automation System shall be done as follows:

Where Substation Automation System/HV Switchboard of a unit is located in the vicinity of Level-1 /Level-2 automation system of a package, the substation automation system shall be connected to the package Level-1 system through OPC over Ethernet network. The relevant parameters like pressure, flow, temperature, current, voltage, power, frequency etc. shall be collected from Level-1 system through an OPC server/gateway to be provided by the respective package supplier. The proposed connectivity is indicated in the figure-2.

Connectivity with Substation Automation Systems Where Package Level-1 Automation System is not available shall be done as follows:

The PC based SAS will be provided by others including the installation of OPC server

# An Efficient Programmable Logic BIST Module

J. Lavanya

lavanyajandyan23@gmail.com

M. Varshini

varshini2299@gmail.com

M.Bindu Sai

madala.bindusai@gmail.com

N. Suneetha

Dept. of ECE,

Sir CRR college of Engg

suneethavelanuri@gmail.com

## Abstract

This paper mainly focuses on the testability of chips. System on-chip designs become complex with each generation so that the acceptable amount of test data required is proportionally very large. Hence the test data storage requirements on an external tester and test data bandwidth requirements between the tester and chip are grown rapidly. Test data compression techniques provides a means to reduce these requirements there by allowing less expensive testers to be used. More over it reduces the test time. Logic Built In Self Test (BIST) means solution for testing the digital logic components of integrated circuits. BIST structure includes Linear feedback shift register (LFSR), Multiple input shift register (MISR), Phase shifter and compactor. LFSR plays the role of test pattern-generator in logic BIST. MISR is commonly used as an output response analyzer. Compactor is used to reduce the length of the bits. BIST is better than the Automatic Test Equipment (ATE) because complexity and hardware requirement is less. The application of BIST is the security of testing structures, automotive electronics, and integrated circuits.

**Keywords:** LFSR, MISR, SOC, BIST, ATE.

## I. Introduction

In the last three decades, the world of electronics has been expanded exponentially both in productivity and performance. Testing and reduction in cause are the most attractive features of the logic BIST structures compared to the ATE testing [1]. IC industry has followed a steady path of constantly shrinking the device dimensions and hence increasing the density of chips. Logic built in self test (LBIST) is a form of Built in self test in which hardware or software is built in to integrated circuits allowing them to test their own operation. A Built in self test technique constitute a class of algorithms that provide the capability of performing at speed testing with high fault coverage, whereas at the same time they relax the expensive external testing equipment. These BIST methods are a vivid and practical solution to the problem of testing

circuits and VLSI systems. This BIST works on the test mode or scan mode.

In the test mode, the input signals generated by the test generator module are applied to the inputs of the tested circuit (CUT), and the results to the response verifier. Therefore, to perform the test, the normal operation of the CUT is inhibited and consequently, the performance of the system in which the circuit is turned on is deteriorating. To exclude this performance degradation, parallel BIST methods were proposed that use input vectors fed to the CUT inputs during normal operation.

## II. Typical logic BIST architecture:

Logic BIST is an extra testing circuitry embedded in the chip that perform structural based test after manufacturing. FIG-1 shows the block diagram of logic BIST architecture. It includes LFSR, Phase shifter, CUT, MISR, TRA, BIST controller, Space compactor.




Fig: 1.1 Logic BIST architecture



## Design and Analysis of Low Power SRAM cells

K.K.AJANYA<sup>1</sup>, K.RADHA<sup>2</sup>, S.V.R.RAJESWAR<sup>3</sup>, B.G.S.MEENAKSHI<sup>4</sup>

kkajanya@vsnl.com<sup>1</sup>, radha.gcc@gmail.com<sup>2</sup>, rajeswarivasavi012@gmail.com<sup>3</sup>,

Assistant Professor<sup>1</sup>, Assistant Professor<sup>2</sup>, Students of ECE

SIR C R REDDY COLLEGE OF ENGG

**Abstract**— The rapid growth of portable battery operated devices has made low power IC designs a priority in recent years. So embedded SRAM units have become an integral part in modern SoCs. In PSEUDO NMOS the power consumption is high, but it occupies less space. Conventional SRAM cell designs are power hungry and poor performers in this new era of just mobile computing. In this paper, low power SRAM cell designs have been analyzed for power consumption. Gated VDD, MTCMOS design techniques and Adiabatic have been employed to reduce the power consumed by the SRAM cell. These designs are compared with the conventional 6T SRAM cell. The results show that the Adiabatic SRAM cell is the best performer in terms of power consumption.

**Index Terms**— Pseudo NMOS; low Power SRAM; Gated Vdd SRAM Cell, MTCMOS, MTCMOS SRAM Cell; 6T SRAM; Adiabatic SRAM; Power reduction in SRAM cell.

### 1 INTRODUCTION

In the period of quick advancement and usage of portable devices battery life is a major concern. Energy efficient hardware architecture is required in new devices like smart watches, small sensor nodes, wireless communication suits, etc. Random Access Memory (RAM) Integrated circuits are used virtually in every digital system and so energy efficient RAM architecture will have a positive impact on the overall system. Static Random Access memory (SRAM) cells don't require constant refreshing to retain its contents as long as power is supplied to the cell. This real favorable position of SRAM is the motivation behind why it is favored over Dynamic random Access Memory (DRAM). SRAM's integration with standard CMOS innovation offers it the chance to turn into the most noteworthy area consumer on system on Chips (SoCs).

The ordinary 6-transistor (6T) SRAM cell is broadly utilized essentially due to its basic plan. The 6T SRAM cell is great entertainer regarding power [1]. Anyway further examination of the ordinary 6T SRAM engineering demonstrates a ton of opportunity to get better as far as power utilization [2]. In [3], two SRAM cells are presented: one structure using NMOS pass transistors to diminish gate leakage current and the other structure using PMOS pass

transistor. Furthermore, Dual Threshold Voltage innovation with forward body biasing is utilized, revealing a significant decrease in power with an extremely slight time corruption of [4], [5], [6], and [7] present different power decrease methods in CMOS circuits concluding Adiabatic as one of the stand out method to combat leakage power.

In this paper, various SRAM cells have been planned and analyzed for power consumption. Gated Vdd, MTCMOS and Adiabatic plan methods have been utilized to contrast the power parameters and those of the traditional 6T SRAM cell.

### II EXISTING METHOD

#### 2.1 Pseudo NMOS Logic

In CMOS logic it occupies larger than than NMOS gates. Due to the larger area, they have larger capacitance. Where larger capacitance leads to longer delay in switching. The limitations of the CMOS gates can be reduced by several alternative techniques like Pseudo-NMOS logic, Dynamic logic and Domino logic.



Figure 1: Pseudo NMOS logic

In Pseudo-NMOS logic it uses a p-device pull-up or load that has its gate permanently ground shown in figure 1. An n-device pull-down or driver is driven with the input signal. This roughly equivalent to use of a depletion load is NMOS technology and is thus called as 'Pseudo-NMOS'.

The P-NMOS circuit is a modification of NMOS circuits with DMOS loads. In P-NMOS circuits, we use a PMOS transistor, instead of the DMOS.

## Design and Analysis of Low Power SRAM cells

K.LAVANYA<sup>1</sup>, K.RADHA<sup>2</sup>, N.V. RAJESWARI<sup>3</sup>, B.G.S.MEENAKSHI<sup>4</sup>

lavanyavastakapra@gmail.com<sup>1</sup>, radha.gee@gmail.com<sup>2</sup>, rajeswarivaxavil12@gmail.com<sup>3</sup>,

Assistant Professor<sup>2</sup>, Assistant Professor<sup>2</sup>, Students of ECE

SIR C R REDDY COLLEGE OF ENGG

**Abstract**– The rapid growth of portable battery operated devices has made low power IC designs a priority in recent years. So embedded SRAM units have become an integral part in modern SoCs. In PSEUDO NMOS the power consumption is high but it occupies less space. Conventional SRAM cell designs are power hungry and poor performers in this new era of fast mobile computing. In this paper, low power SRAM cell designs have been analyzed for power consumption. Gated VDD, MTCMOS design techniques and Adiabatic have been employed to reduce the power consumed by the SRAM cell. These designs are compared with the conventional 6T SRAM cell. The results show that the Adiabatic SRAM cell is the best performer in terms of power consumption.

**Index Terms**– Pseudo NMOS; low Power SRAM; Gated Vdd SRAM Cell; MTCMOS; MTCMOS SRAM Cell; 6T SRAM; Adiabatic SRAM; Power reduction in SRAM cell.

### 1. INTRODUCTION

In the period of quick advancement and usage of portable devices, battery life is a major concern. Energy efficient hardware architecture is required in new devices like smart watches, small sensor nodes, wireless communication suits, etc. Random Access Memory (RAM) Integrated circuits are used virtually in every digital system and so energy efficient RAM architecture will have a positive impact on the overall system. Static Random Access memory (SRAM) cells don't require constant refreshing to retain its contents as long as power is supplied to the cell. This real favorable position of SRAM is the motivation behind why it is favored over Dynamic random Access Memory (DRAM). SRAM's integration with standard CMOS innovation offers it the chance to turn into the most noteworthy area consumer on system on Chips (SoCs).

The ordinary 6-transistor (6T) SRAM cell is broadly utilized essentially due to its basic plan. The 6T SRAM cell is great entertainer regarding power [1]. Anyway further examination of the ordinary 6T SRAM engineering demonstrates a ton of opportunity to get better as far as power utilization [2]. In [3], two SRAM cells are presented: one structure using NMOS pass transistors to diminish gate leakage current and the other structure using PMOS pass

transistor. Furthermore, Dual Threshold Voltage innovation with forward body biasing is utilized, revealing a significant decrease in power with an extremely slight time corruption of 2% [4], [5], [6], and [7] present different power decrease methods in CMOS circuits concluding Adiabatic as one of the stand out method to combat leakage power.

In this paper, various SRAM cells have been planned and analyzed for power consumption. Gated Vdd, MTCMOS and Adiabatic plan methods have been utilized to contrast the power parameters and those of the traditional 6T SRAM cell.

### II. EXISTING METHOD

#### 2.1 Pseudo NMOS Logic

In CMOS logic it occupies larger than than NMOS gates. Due to the larger area, they have larger capacitance. Where larger capacitance leads to longer delay in switching. The limitations of the CMOS gates can be reduced by several alternative techniques like Pseudo-NMOS logic, Dynamic logic and Domino logic.




Figure 1. Pseudo NMOS logic.

In Pseudo-NMOS logic it uses a p-device pull-up or load that has its gate permanently ground shown in figure 1. An n-device pull-down or driver is driven with the input signal. This roughly equivalent to use of a depletion load is NMOS technology and is thus called as 'Pseudo-NMOS'.

The P-NMOS circuit is a modification of NMOS circuits with DMOS loads. In P-NMOS circuits, we use a PMOS transistor, instead of the DMOS



## IMPLEMENTATION OF HAMMING CODE USING VERILOG

CH. JAYAPRAKASH<sup>1\*</sup>, CH. TEJESWARA RAO<sup>2\*</sup>, CH. K. D. S. VENU GOPAL SWAMY<sup>3\*</sup>in.chenmojujag@gmail.com<sup>1</sup>, teju.chandrakulkar@gmail.com<sup>2</sup>kumar.chandrasathi123@gmail.com<sup>3</sup>Assistant Professor<sup>1</sup>, SIR C R REDDY COLLEGE OF ENGG

**Abstract**— In digital communication while transmitting the data from source to destination some corruption in data occurs due to some environmental conditions, which is nothing but the transmitted data is included with some errors. Error coding is the method to detect and correct these errors so that the information is transferred without any errors from source to destination. There are many error detecting and correcting codes, one of such is Hamming code. Hamming code is single bit error detecting and correcting method. In this paper we are going to discuss about the implementation of Hamming code in verilog module which is improved version of previous existing technique. Both the techniques are implemented with the help of redundancy bits (does not carry information). The advantage of improved technique over the previous technique is there is decrease in the usage of bits while calculating the values redundancy bits.

**Keywords** – Hamming code, Encoder, Decoder, Error detector and corrector, Verilog HDL, Xilinx.

## 1. INTRODUCTION

In digital communication systems, environmental effects and other defects can cause random bit errors during data transmission. Digital data is transmitted over a channel and there should be a noise present in the channel. The noise may distort the data that is transmitting. Therefore, the data received by the receiver is not same as the data that is transmitted by the transmitter, so error detection and correction plays an important role so that the information is transferred without any errors.

## 2. LITERATURE SURVEY

**2.1 ERROR** : The encoded data is usually transmitted over a channel is not completely error free. Due to the external interference, signal distortion, attenuation and noise in channel the manipulation of data occurs. The manipulated data is called as error. There are two types of errors.

1. Single bit error
2. Burst error (more than one error in data).

## 2.2 ERROR DETECTION AND CORRECTION :

The phenomenon of detecting the position of error from the received data is known as error detection. The process of correcting the bit value at that error position is nothing but error correction. There are various error detecting and correcting methods such as cyclic redundancy check (CRC), Parity check, Vertical redundancy check (VRC), Longitudinal redundancy check (LRC) and Hamming code. This work mainly focuses on Hamming code.

## 2.3. HAMMING CODE

Hamming code is a linear block code. Hamming code can detect up to 2 bit errors and correct can correct a single bit error. Hamming code includes encoding, error detection and correction and decoding. Encoding provides the encryption of data by adding redundancy bits to the data. The number of redundancy bits required are calculated using the formula.

$$2^r \geq d + r + 1 \dots\dots\dots (1)$$

Where r = number of redundancy bits.

d = number of data bits.

The smallest value of 'r' that satisfies the above relation is considered as the number of required redundancy bits. Encoded data of length d + r bits is transmitted. In the receiving side, the presence and location of single bit error is determined by calculating the parities of combinations of received data to produce a table of parities each of which corresponds to a particular bit error combination. Now the value present in this error position is complemented so that the error is removed. Now this error free encoded data is decoded to get the original information data. Hamming codes are easy to implement and are used in telecommunication, and other applications including data compression. They are also used for low cost and low power applications.

## 3. PREVIOUS METHOD

### 3.1 ENCODING OF HAMMING CODE :

## FACE RECOGNITION USING CRF MODEL

R.Satish<sup>1\*</sup>, A.N.Siva Deep<sup>2</sup>, Ch.Ananth Sai Kumar<sup>2</sup>, N.Jagadeesh<sup>2</sup>, A.Prasanna Kumar<sup>2</sup>

<sup>1</sup> Assistant Professor, Sir C R Reddy College of Engineering, Dept. of Electronics and Communication Engineering, Eluru, Andhra Pradesh, India - 534007

<sup>2</sup> Graduate student, Sir C R Reddy College of Engineering, Dept. of Electronics and Communication Engineering, Eluru, Andhra Pradesh, India - 534007

**Abstract** - In the present world scenario, where security is the primary concern, biometric system plays a vital role. Among the biometric traits, such as face recognition, iris recognition, finger print etc., face recognition system has high acceptability. In this project, a relatively new algorithm for face recognition system has been implemented. The conditional random field (CRF) and face geometry base method have been implemented in the face recognition frame work. The proposed method has been evaluated by considering the standard data bases which are popular among the researchers. The proposed method yields good results compared with the existing models.

**Keywords:** face detection, eigen face, PCA, recognition

### 1. INTRODUCTION

A facial recognition system is a technology capable of identifying or verifying a person from a digital image or a video frame from a video source. There are multiple methods in which facial recognition systems work, but in general, they work by comparing selected facial features from given image with faces within a database. It is also described as a Biometric Artificial Intelligence based application that can uniquely identify a person by analysing patterns based on the person's facial textures and shape.

**Importance of Face Recognition System as a Security Solution:-**

Face is considered as the most important part of human body. Research shows that even face can speak and it has different words for different emotions. It plays a very crucial role for interacting with people in the society. It conveys people's identity, so it can be used as a key for security solutions in many organizations. Nowadays, face recognition system is getting increasing trend across the world for providing extremely safe and reliable security technology. It is gaining significant importance and attention by thousands of corporate and government organizations only because of its high level of security and reliability. Moreover, this system is providing vast benefits when compared to other biometric security solutions like palm print and finger print. Beginning with Bledsoe's [3] and Kanade's [4] early systems, a number of automated or semi-automated face recognition strategies have modeled and classified faces based on normalized distances and ratios among feature points. Recently this general approach has been continued and improved by the recent work of Yuille et al. [5]. The approach has

advantages over other face recognition schemes in its speed and simplicity, learning capacity.

### 2. Existing Methods

#### 2.1 Face Recognition Using Fisher Face Algorithm:-

The Fisher faces method learns a class-specific transformation matrix, so they do not capture illumination as obviously as the Eigen faces method.

The Discriminant Analysis instead finds the facial features to discriminate between the persons.

It's important to mention, that the performance of the Fisher faces heavily depends on the input data as well.

Practically said: if you learn the Fisher faces for well-illuminated pictures only and you try to recognize faces in bad-illuminated scenes, then method is likely to find the wrong components (just because those features may not be predominant on bad illuminated images).

The Fisher faces allow a reconstruction of the projected image, just like the Eigen faces did.

But since we only identified the features to distinguish between subjects, you can't expect a nice reconstruction of the original image.

For the Fisher faces method we'll project the sample image onto each of the Fisher faces instead.

-The Eigen face method uses Principal Component Analysis (PCA) to linearly project the image space to a low dimensional feature space.

-The Fisher face method is an enhancement of the Eigen face method that it uses Fisher's Linear Discriminant Analysis (FLDA or LDA) for the dimensionality reduction.

-The LDA maximizes the ratio of between-class scatter to that of within-class scatter, therefore, it works better than PCA for purpose of discrimination.

-The Fisher face is especially useful when facial images have large variations in illumination and facial expression.

#### 2. 2 Face Recognition Using Principal Component Analysis (PCA):

The task of facial recognition is discriminating input signals (image data) into several classes (persons). The input signals are highly noisy (e.g. the noise is caused by differing lighting conditions, pose etc.), yet the input images are not completely random and in spite of their differences there are patterns which occur in any input



## OPTIMIZATION OF 2G/3G NETWORKS FOR IMPROVEMENT OF HANDOVERS

1.Ch.RaviKumar, 2.S.Sireesha,3.ch.sirisha,4. A.Sravani,5. B.Kiran,6. G.Cingadhar

<sup>1</sup> Asst.Prof, Sir,CRR Engineering college, eluru <sup>2-6</sup> Students, Sir,CRR Engineering college, eluru

**Abstract-** Mobility is the most important feature of a wireless cellular communication system. Usually, Continuous service is achieved by supporting handoff (or handover) from one cell to another. Handoff is the process of changing the channel (frequency, time slot, spreading code, or combination of them) associated with the current connection while a call is in progress. It is often initiated either by crossing a cell boundary or by an deterioration in quality of the signal in the current channel. All the events being occurred over air interface are triggering different counters in the Base Station Controller(BSC). All GSM operators use Key Performance Indicators (KPIs) to judge their network performance and evaluate the Quality of Service (QoS) regarding end user perspective. In this paper, a well established real GSM handover analysis evaluation is presented. It has been focused to analyze the live network performance, irrespective of the discussions

and modeling available in the literature. Different issues, findings, trials and improvements have been summarized and observations/recommendations have been listed to correlate the practical aspects of handover, which increase the QoS of an operational cellular network.

*Index terms: ACS, TRX, BTS, BSC, MSC, GPRS, GPRS, CDMA, HSR, TCH, KPI and QoS.*

### 1. INTRODUCTION

GSM network usually called as "cellular network" (as the whole coverage area is divided into different cells and sectors) is comprised of a mobile Station (MS) which is connected to the Base Transceiver Station (BTS) via air interface. In addition to other hardware, BTS contains the equipment called Transceiver (TRX) which is responsible for the transmission and reception of several radio frequency(RF) signals to/from the end user. BTS is then

connected to the base station controller(BSC) via abis interface. BSC usually handles radio resource management and handovers of the calls from one BTS (or cell/sector) to the other BTS (or cell/sector) equipped in it. BSC is then connected to Mobile Switching Centre (MSC). optimization teams ensure minimum blocking/congestion over air interface in order to provide better QoS to guarantee significant network performance. RF

Optimization teams used to analyze performance stats and evaluate QoS offered by the existing network. Since the deployment of GSM network, it has been observed practically that there are many phenomena and issues which have been neglected in literature/available test but they severely influence the network performance.

### 2. EVALUATION CRITERIA

GSM network performance and QoS evaluation are the most important steps for the mobile operators as the revenue and quality. Radio frequency network optimization (RNO) teams play a very significant and vital role in optimizing an operational network to meet the ever increasing demands from the end users.

Usually the following tasks are assigned to RNO teams.

- 1)To improve the existing network coverage and capacity.
- 2)To improve the offered service quality for fulfillment of customer demands.
- 3)To maintain the KPIs under pre-defined threshold.
- 4)To sustain the QoS criteria being imposed by country's regulatory authority.

## ARDUINO BASED GESTURE TO SPEECH CONVERSION FOR THE MUTE COMMUNITY

P.Hareesh<sup>1</sup>, G.Dhakshanya<sup>2</sup>, B.Krushika<sup>3</sup>, Ch.Sowmya<sup>4</sup>, B.Murali<sup>5</sup>, A.Azeez Farukh<sup>6</sup>

<sup>1</sup>Assistant Professor, <sup>2,3,4,5,6</sup>Student, Department of ECE, Sir C.R.Reddy College of Engineering, Eluru.

### Abstract:

The mute community around the globe has a hard time while communicating with the rest of the world's population. This communication gap is there because a dumb person uses sign language which is not comprehensible by a normal person. This project mainly focuses on removing the barrier of communication between the mute community and the people not familiar with the concept of sign language so that the messages that a dumb person is trying to relay is understandable to a person with no knowledge of sign language. This design of the device is based on embedded systems.

Key word: IR sensors, Photo diodes, Arduino, Bluetooth module.

### 1. INTRODUCTION

Gesture to Speech Conversion is a tool for converting gestures of the differently abled people of the world to speech i.e. converting gestures input to speech output. Gesture to Speech Conversion is a tool for converting gestures of the differently abled people of the world to speech i.e. convert gestures input to speech output. Proposed system is portable and focuses on two way communication. Main goal of the system is to convert hand gestures to auditory speech for communication between mute and normal people.




Fig: 1 Block diagram

There are 5 photo diodes that are used. Each photo diode is connected to different pins of Arduino IDE which is the controlling unit. Now the Tx and Rx pins of Arduino are connected to Rx and Tx pins of the Bluetooth module HC-05 respectively. Now, the Bluetooth module is connected to a Bluetooth speaker of an app in mobile phone to give a speech output.

### 2. LITERATURE SURVEY

**Rajaganapathy.etc.** It says that the motive of the paper is to convert the human sign language to Voice with human gesture understanding and motion capture. This is achieved with the help of Microsoft Kinect a motion capture device from Microsoft. There are a few systems available for sign language to speech conversion but none of them provide natural user interface. For consideration if a person who has a disability to speak can stand perform the system and the system converts the human gestures as speech and plays it loud so that the person could actually communicate to a mass crowd gathering. Also the system is planned in bringing high efficiency for the users for improved communication.

**Ms.ShubhangiG.Shinde.etc.** It says that Human computer interaction plays vital role in daily life and in automation industry and we are always looking for more convenient ways of interaction to transfer data to the machines or commanding them faster and easier. This work presents real time Hand Posture Recognition Using K-NN Classifier consists of three major steps: image preprocessing, feature extraction and gesture classification. Noise is removed using morphological closing operation with Gaussian filtering and background Subtraction by Histogram. Feature extraction done by Local Binary pattern and Gray Level Co-occurrence Matrix (GLCM) by extracting texture feature. For the classification KNN function is used and performance analysis of classification algorithm is carried out on the basis of cross validation accuracy. The system is implemented with a dataset of 500 images of 10 different hand postures which are 10 Sign language.

**PrincesaCloutier.etc.** It Communication between speakers and non-speakers of American Sign Language (ASL) can be problematic, inconvenient, and expensive. This project attempts to bridge the communication gap by designing a portable glove that captures the user's ASL gestures and outputs the translated text on a Smartphone. The glove is equipped with flex sensors, contact sensors, and a gyroscope to measure the flexion of the fingers; the contact between fingers, and the rotation of the hand. The glove's Arduino UNO microcontroller analyzes the sensor readings to identify the gesture from a library of learned gestures. The Bluetooth module transmits the gesture to a



## SMART IRRIGATION SYSTEM USING RASPBERRY PI

Ch.Madhava Rao<sup>1</sup>, B. Vinay Vamsi<sup>2</sup>, M.Pushpa Sri<sup>1</sup>, M.Satyanarayana<sup>4</sup>, N.Vijaya Lakshmi<sup>5</sup>, G.Yuva Kishore<sup>6</sup>

Students-Department of Electronics and Communication Engineering,  
Sir C R Reddy college of Engineering,vatluru  
Assistant professor,Department of Electronics and Communication Engineering,  
Sir C R Reddy college of Engineering,vatluru

[mmdhava\\_cha@yahoo.com](mailto:mmdhava_cha@yahoo.com)<sup>1</sup>, [vinayvamsib@gmail.com](mailto:vinayvamsib@gmail.com)<sup>2</sup>, [pushpasri.mudela@gmail.com](mailto:pushpasri.mudela@gmail.com)<sup>3</sup>,

[suttipanda1908@gmail.com](mailto:suttipanda1908@gmail.com)<sup>4</sup>, [vijayalakshminaganaboyina@gmail.com](mailto:vijayalakshminaganaboyina@gmail.com)<sup>5</sup>, [g.yuyakishore@gmail.com](mailto:g.yuyakishore@gmail.com)<sup>6</sup>

**ABSTRACT :** Many advanced techniques introduced in agriculture automation to flourish and deliver its full potential. To get more benefits of these technologies, we should not just consider the implication of developing a new single technology but should look at the wider issues for complete development of a system. This system designed by using Raspberrypi to overcome limitations of agriculture farming about supplying of water to plants by drip system with the available water tables. With this system we can control all the parameters like temperature, humidity, soil moisture,

**KeyWords:**

Raspberrypi, Temperature, Humidity, motors, sensors.

**1. INTRODUCTION:** India's major source of income is from agriculture sector and 70% of farmers depending on the agriculture. In Indian irrigation system, the farmers are chosen most of the methods manually such as drip, terraced, ditch irrigation system. In order to improve to the crop productivity there is an urgent need to change manual method to automation. Also consider the water availability throughout India it is one of the valuable resources to protect and save for future needs. Embedded based automatic irrigation system is suitable for farmers available at low cost and easy installation. This system should help for the farmer that provides the water to crop at stringent time and quantity. Automation irrigation system observes

the moisture sensors temperature variations of around the crop area that's gives a precise time of operation of the motor turn ON and OFF. So automatically avoids the human errors and check soil moisture level. Internet of things (IoT) allows to controls the systems from remote area over an internet. So it can avoid the human errors which appear during the operation of system. IoT is the emerging area that penetrates other area and made them so efficient.

**2. SYSTEM DESIGN**

The block diagram of the proposed system as shown in Fig. 1 consists of sensing unit such as Soil Moisture Sensor to measure water content of soil.




Fig 1: Block diagram

# Brain Tumor Detection Method Using MET and Fuzzy C-Means Clustering Algorithm

<sup>1</sup>G.Venkat Rao, <sup>2</sup>K.L.Vijaya Roja, <sup>3</sup>B.Pavan Kumar, <sup>3</sup>B.Pallavi Sulochana, <sup>2</sup>G.Vishnu Reddy  
<sup>1</sup>Asst.Professor of ECE, <sup>2</sup>Student, Department of ECE, Lakireddy Balireddy College  
 Of Engg., Mylavaram, Andhra Pradesh  
 Email: rojakallevarapu07@gmail.com

**Abstract:** Image division is the most vital examination for picture investigation. which is utilized to acquire the fundamental data from the pictures. It assumes a fundamental data from the pictures. It assumes a fundamental job in medicinal picture examination . Picture division assumes a huge job in picture preparing as it helps in extraction of suspicious areas from the therapeutic pictures. The required MRI images are to be collected. The algorithm of minimum error threshold method is based on the Bayesian classification rule. This method first computes by using minimum error threshold and is subjected to Fuzzy C-means clustering algorithm. MRI scans of human brains shapes the information pictures for our framework where the gray scale MRI images as info. Commotions present in any picture, will be evacuated utilizing a middle separated technique. The preprocessed picture is given for picture division utilizing Fuzzy C-implies grouping calculations. as there are odds of event of mis-grouped districts after the use of Fuzzy C-implies bunching calculation, it is exposed to morphological separating which is performed after the picture is fragmented by Fuzzy c-implies bunching calculation. The brain tumor area is identified by applying our anticipated calculation. This method thus is so efficient compared and its efficiency is estimated with predictive accuracy and dice coefficient.

**Keywords-** brain tumor, medical imaging, minimum error threshold, fuzzy c-means

## I. INTRODUCTION

Brain tumor is happened as a result of the anomalous and uncontrolled cell division action of the brain tissue.

Brain tumors are arranged as favorable and dangerous .There are a wide range of approaches to analyze brain tumor, among which most prominent and powerful is MRI .In MRI procedure ,brain is imaged based on thickness of water in delicate tissues which is higher contrasted with different tissues, for example, bone. Magnetic Resonance images demonstrate the mind structure ,tumor size and its area. MRI has great difference goals for various tissues.

A standout amongst the most essential systems to remove helpful data for medical pictures is division. A considerable lot of the picture handling strategies depends on threshold based and cluster based. In this project we are using three types of techniques to detect the brain tumor namely, MET method, modified MET and Fuzzy c- means clustering. Among them, Modified Error Thresholding method has the algorithm which depends on Bayesian Classification rule. After applying threshold value then it is subjected to Fuzzy c- means clustering technique, which is utilized brain tumors from the separated substructures[1].

Fuzzy c- means is the algorithm which is widely used, as it gives only the foreground image of the tumor rather than giving background image. This paper is depends on dissecting of Fuzzy c-means calculation and identifying the tumor. FCM algorithm overcomes the drawbacks in previous clustering algorithms. This calculation partitions the pictures space into littler districts or units called bunches and later such regions are to be disjointed[2]. The objectives of proposed work are to recognise the tumor location with more efficiency and also to detect the location of tumor effectively and to apply the above techniques in order to get the best results. The paper is written as follows, in section 2, Methodology is described and then in section 3



## Improved BSC and Systematic polar code channel estimation in wireless 5G

S. RUPASRI

PG Student, Dept. of ECE  
SIREC R REDDY COLLEGE OF ENGINEERING  
ELURU, ANDHRA PRADESH  
rupasriirrigi@gmail.com

V. VAMSI SUDHEERA

Assistant Professor, Dept. of ECE  
SIREC R REDDY COLLEGE OF ENGINEERING  
ELURU, ANDHRA PRADESH  
sudheeravadlamudi95@gmail.com

**Abstract**—In wireless communications polar codes plays major role in wireless fading environment. For efficient wireless communication system design, channel estimation is the fundamental step in fading channels. Information bits and frozen bits are required for both SN-polar codes. Based on the above two data sets (i.e. Info-frozen) efficient SN-polar code implementation is possible. But in conventional channel estimation methods additional pilots are inserted in the given data. Where as in SN-polar codes pilots are selected from the information bits. Therefore conventional polar encoding structure is not suitable for pilot selection every time. Previously E-UEPS structures are used for efficient coding structure, but it's very difficult to maintain the pilots in the same data set, because of this complexity also slightly increases. To avoid the above said drawbacks Bi Symmetric-channel based polar encoding structure is used. The basic advantage of Polar based Bi-symmetric encoding structure automatically improves the FER.

### I. INTRODUCTION

Polar codes are basically used for capacity improvements [1]. Several researchers and academicians are working on this continuously since long back. The current 5G generation and 3GPP tradeoff, polar codes are used in uplink and down link as a channel coding in eM-BB type of services. Polar codes also used in Ultra low latency and massive machine type communications. Compared to modern codes such as Low density-parity check (LDPC) and successive-cancellation-list (SCL), the error correcting performance with finite length systematic polar codes are far better.

Based on the channel reliability followed by a each bit to be encoded the construction of the polar codes are possible. The channel reliability can be observed by SNR and code length. Therefore a polar code are more suitable and is easy to implement low description complexity, while maintaining good error-correction performance over multiple code and channel parameters[2].

The main contributions of this paper are summarized as follows:

In Section II we discuss some basics about polar code

how it is applicable for 5G encoding schemes. In III Section we discuss previous method in detail along with the short comes. In IV section we discuss our proposed method. Conclusions are drawn in Section V.

### II. BASIC CONCEPTS OF POLAR CODES

In this section we discuss the basic definition of polar codes, frozen set and decoding with the basic system over view of polar code for both uplink and down link.

#### A. Definition of polar codes

We consider a polar code of length  $N$ , dimension  $K$  and construct it using the generator matrix  $G_N = G_2^{\otimes n}$ , where  $n = \log_2(N)$ ,  $(\cdot)^{\otimes n}$  denotes the  $n$ th Kronecker power and

$$G_2 = \begin{bmatrix} 1 & 0 \\ 1 & 1 \end{bmatrix}$$

We encode a message vector  $\mathbf{m} = [m_0, m_1, \dots, m_{(K-1)}]$  of length  $K$  by first forming a vector  $\mathbf{u} = [u_0, u_1, \dots, u_{(N-1)}]$  such that  $\mathbf{m}$  appears in  $\mathbf{u}$  on the index set  $\mathcal{I} = \{0, 1, 2, \dots, N-1\}$  and then computing  $\mathbf{v} = \mathbf{u}\mathbf{H}\mathbf{N}$ , where  $\mathbf{H}$  is a bit-reversal matrix as defined in. In polar coding literature, the set  $\mathcal{I}$  is usually referred to as the set of "free indices" and the complement  $\mathcal{F}$  as the set of "frozen indices". We set to zero the bits in  $\mathbf{u}$  corresponding to the index set  $\mathcal{F}$ . The set  $\mathcal{I}$  is known to both the encoder and the decoder [1, 3].

The construction of polar codes is equivalent to constructing  $\mathcal{I}$  for a list of available construction methods. We map  $\mathbf{v}$  to  $\mathbf{x} \in \{1, -1\}^N$  and pass the interleaved symbols  $\mathbf{x}$  through a partial response channel impulse response  $\mathbf{h} = [h_0, h_1, \dots, h_{p-1}]$  followed by an AWGN channel with noise variance

International Conference on Advanced Communication Technologies (ICACT 2019)

# REAL TIME IMAGING AND SIGNAL ANALYSIS USING RADAR SENSOR

Prathyusha Nimmagadda  
Electronics & communication  
Engineering (Communication Systems)  
SIR C R REDDY COLLEGE OF  
ENGINEERING  
ELURU, ANDHRA PRADESH  
prathyusa520@gmail.com

Hemalatha Injeti  
Electronics & Communication  
Engineering  
SIR C R REDDY COLLEGE OF  
ENGINEERING  
ELURU, ANDHRA PRADESH  
hemalacr2006@gmail.com

line 1: 2<sup>nd</sup> Given Name Surname  
line 2: Dept. name of organization  
(of Affiliation)  
line 3: name of organization  
(of Affiliation)  
line 4: City, Country  
line 5: email address or ORCID

**Abstract**— *Imaging Radars are gaining attention as it has advantages like medical imaging, sensing humans in through-wall scenarios. But Radar images are unlike optic images and are of very low resolution since they are limited by the carrier frequency, size of the radar aperture, Doppler and clutter. This work proposes a close measuring device answer that could be a privacy, secure and dark surroundings resistant system. In this resolution, we use a low power, Frequency Modulated Continuous Wave (FMCW) radar array to capture the reflected signals and then construct to 2D & 3D image frames. This resolution styles a knowledge pre-processing mechanism to get a grid of background static reflection, second an indication process mechanism to transfer received complicated measuring device signals to a matrix contains special information, and a Deep Learning scheme to filter broken frame which caused by the rough surface of human's body.*

**Keywords**— *Through-wall imaging radar (TWI), Micro Doppler radars, Frequency modulated continuous wave (FMCW), Short-time Fourier Transform (STFT)*

## I. INTRODUCTION

In thru-wall imaging (TWI) radar, the sign transmitted experiences huge constriction because of misfortune in free area, unfold within the air-divider interface (impedance mismatch), misfortune in divider, and scattering on various items. In TWI programs, excessive microwave radar goals with most flag entrance region unit interesting points. Electrically huge openings involving many cluster components are required to get high goals pictures. Such a radar framework with different receiving wire components each with a related information obtaining channel is both expensive and complex to execute. Diverse moving pieces of a human body offer ascent to unmistakable small scale Doppler's. This extra Doppler measurement empowers the unwinding of the goals as far as the transporter recurrence and the quantity of cluster components over different measurements [1].

Moreover, identifying the objective within the sight of solid clutter represents another extraordinary point. Clutter happens because of coupling among transmitter and receptor receiving wires, just as because of flag mirror image lying on the outside and internal partitions and nearby the things. The basic strategy is to diminish the messiness includes subtracting the reference mess reliant on information acquired within the sight of the objective. Increasingly modern strategies depend on methods dependent on flag preparing insights, for example, blind source detachment [1].

Continuous wave Doppler radars are characteristically proper for imaging moving people for different reasons. In the first place, stationary foundation clutter is smothered while utilizing continuous wave signals. Second, Doppler signals are definitely progressively powerful to multi-path brought about by walls and floors than wide-band wave forms. This paper proposes to join Doppler handling with two-dimensional cluster preparing to powerfully resolve the diverse dissipates on the human body in three measurements dependent on their distant Doppler's, azimuth and elevation positions. The diverse body parts are first settled dependent on their Doppler's. At that point the azimuth and elevation position of each body part with an distant Doppler is evaluated utilizing two-dimensional array processing.

## II. BACKGROUND

Generally, restricted band radars are intended for TWI with low objectives. To improve the objectives, millimeter waves can be utilized to enter through clothing or else packaging. By the by, this methodology can be utilized in applications, for example, infiltration thru walls of thick substances (wood, mortar, blocks, also solid squares), as a result of strong signal attenuation. Along these lines, ultra-wideband (UWB) microwave radar acts like a legit decision to understand the TWI disadvantage on the grounds that UWB system makes up for the decrease in the inside recurrence with the aid of boosting the information transmission that converts into fine vary goals [5]. Moreover, UWB framework gives higher invulnerability in opposition to impedances in like manner as lower capture likelihood



# HEART STROKE FORECASTING AND HEALTH PARAMETERS ANALYSIS USING PYTHON

V. Ranjith Kumar<sup>1</sup>, M.Naveen sai<sup>2</sup>, M.S.V.Vamsi<sup>3</sup>, K. Ajay kumar<sup>4</sup>, K. Suresh babu<sup>5</sup>

<sup>1</sup>Assistant Professor, Department of ECE, Sir C.R.Reddy College of Engineering, Eluru, West Godavari-534007

<sup>2,3,4</sup>Student, Department of ECE, Sir C.R.Reddy College of Engineering, Eluru, West Godavari-534007

## **ABSTRACT:**

In our day to day lives, we are packed with work tensions and financial issues forcing us to neglect our health conditions and also today's agriculture methods like usage of fertilizers and fungicides along with food habits like junk food and inappropriate timings makes our health vulnerable to serious issues and make our life more dependent on medication.

In this scenario, it is best method to put the technological advancements like wearable devices to monitor our health continuously and make forecasts about health conditions making us to take precautions more accurately. Our project mainly focuses on monitoring body parameters like-Temperature, Heartbeat, ECG-Parameters (HRV-Heart rate variability, R-R Intervals, etc.) by using Raspberry Pi and making predictions for future time. Also, this data can be utilize to integrate with IoT for doctor monitoring from remote location or our family members from other countries as well.

**Keywords:** Temperature, Heartbeat, ECG parameters, IOT, Raspberry Pi.

## **I. INTRODUCTION:**

Internet-connected devices are acquiring vast potential as it pushes our daily life forward towards automation, and the rapid drop in price for typical IoT components allows people to innovate new products. IoT is the combination of embedded systems, sensors, software and this can be also referred to as internet of everything [1][6]. As health is one of the most important issues nowadays, IoT could be utilized in the health industry as a continuous health monitoring system. At the same time, the internet is now easily available for mobile technologies, which makes remote observance in everything more popular. When a patient gets admitted to a hospital or in other location under observation of medical assistant, the relatives of the patients are anxious about his/her health situation throughout all the time. The combination of Raspberry Pi and IoT has solved this situation by a new innovative technology in healthcare system through which it is also possible to monitor the health condition of the patient remotely. Raspberry Pi is a platform which offers a complete Linux environment on a tiny platform at a very

low cost, and it also permits interfacing services and actuators through the general purpose I/O pins. In this proposed system, patient's heart rate, blood pressure, respiration rate, body temperature, body movement and saline levels are measured. Instant conveyance of the health information of the patient to the relatives will make the hospital management more responsible and liable for their works. Hospital management typically uses huge machines to measure the health data of the patients. On the other hand, we can be able to measure the health data using e-Health Sensor Platform in Raspberry Pi. This might be employed in the hospitals yet as home. Moreover, it will additionally decrease the cost of health observance and the space of the room. We have tried to develop a health monitoring system to acquire the data and share the information with the health units and relatives by remotely monitoring through the internet. In order to do this, Raspberry Pi collects the health data of the patients from the sensors and stores in the cloud and it is displayed on the website. For the security and safety issues, a role-based user authentication system is also available in the system to access the information. Also, the Raspberry Pi automatically controls the appliances according to the health condition of the patient.

## **2. LITERATURE SURVEY**

Ananda Mohan Ghosh et al. [1] has demonstrated a health care system for hospital management to allow relatives and doctors to remotely monitor the health condition of a patient via internet using Arduino Uno connected with E-health sensor shield kit and Phidgets interface kit. But unlike our solution, it does not provide email and SMS alert to an emergency contact list.

P Kumar et al. [2] has proposed a raspberry pi controlled patient monitoring system where heartbeat, respiration, temperature and body movement of the patient is being measured using sensors and displayed on the screen using the putty software. However, it does not contain the alarm notification for providing prescribed drugs to the patient which has been added in our proposed solution.

## Detection of Targets up to maximum unambiguous range using FMCW RADAR

V.Vamsi Sudheera<sup>1</sup>, V.Ramya<sup>2</sup>, V.Praveen Kumar<sup>3</sup>, N.Deepthi<sup>4</sup>

<sup>1</sup>Assistant Professor, Dept. of ECE, Sir C R Reddy College of Engineering

<sup>2,3,4</sup>Students, Dept. of ECE, Sir C R Reddy College of Engineering

### Abstract:

In most applications of FM-CW radar, the targets are in close distance to the Radar. In such cases, the total travel time of the target's radar signature (round trip time) is very small when compared to the transmitted signal duration. This makes the process of finding out the range and velocity of the target very easy. But when the target is far away from the radar, then the round trip time

of the radar signature will be large when compared to the duration of the transmitted signal. So much of the radar signature is received after the start of the next transmit waveform. In this paper, we study various signal-processing options to deal with the distant or long-range targets. We demonstrate how to retain both range and Doppler shift information for a number of targets anywhere in the space from very near the target up to the radar's unambiguous range.

**Keywords:** FMCW radar, Unambiguous range, Doppler Shift, Round trip time, Range resolution.

### Introduction

The applications of FM-CW radar include automotive radar applications, ice sheet thickness measurement and atmospheric boundary layer profiling to security imaging. FMCW radars are used over pulse radars. This is because, the transmit energy of the radar is over a lower peak power. Generally, the FMCW radars are applicable for short-range targets only. When the targets are at shorter distance, it becomes easy to calculate the range and Doppler shift as there is nearly complete temporal overlap of a target's return signal with the

corresponding transmitted chirp as illustrated in Fig. 1(a). Here, the transmitted and received waveforms get mixed and a demodulated waveform with a frequency  $f_d$  which is proportional to target's range is generated. That can be filtered out. But in case of distant targets, the received waveform offset cannot be ignored and a single target generates two demodulation tones,  $f_{d1}$  and  $f_{d2}$  as illustrated in Fig. 1(b). If we filter out the signal components with frequency  $f_{d1}$ , the target's SNR degrades. So this becomes a problem with distant targets. This has become a drawback to FMCW radars when compared to pulsed radars. In pulsed radars, the range of the target can be found from 0 to  $R_{max}$ . This problem in FMCW radars can be solved by increasing the FMCW chirp duration or by eliminating the two frequency tones and



# Mitigation of Near-Far Effect in Pseudolite Based On Beamforming

N. RAJ KAMAJA

PG Student, Dept. of ECE,  
SIR C. R. REDDY COLLEGE OF ENGINEERING  
ELURU, ANDHRA PRADESH  
rajkamalanethala476@gmail.com

K. J. SILVA LORRAINE

Assistant Professor, Dept. of ECE,  
SIR C. R. REDDY COLLEGE OF ENGINEERING  
ELURU, ANDHRA PRADESH  
jacobsilvalorraine@yahoo.com

**Abstract**—A new near-far effect mitigation method based on array signal to reconcile the near-far problem in pseudolites. It can adjust the power intensity of the pseudolite by withholding the beam direction to make it accord with the real navigational signal. Meanwhile, this method achieves maximum interference signal filtering, thus the navigation receiver can work accurately under the concurrence of pseudolites, solid interferences and navigation signals. The cogency of the proposed method is proved through simulations and performance analysis.

**Keywords:** Pseudolite - Near-far effect - Array signal Beamforming processing.

## I. INTRODUCTION

Pseudolites are initially proposed by Beser and Parkinson in 1982 [1], this Pseudolite technology is essentially used to verify the efficiency of receivers on the ground before GPS satellite was launched. However, pseudolites can access the number of visible satellites, and improve the geometric factors greatly with suitable arrangements. It [1] can enhance the positioning accuracy of the navigation system significantly [2, 3]. Therefore, pseudolite technology has received substantial attention and widespread application in various fields since it was put ahead. Using pseudolites to position independently or in mix with navigation satellites has become one of the effective ways to powerful achievement of navigation system. However, the near-far effect is still one of the primary problems in pseudolites [4].

Several possible methods have been determined to overcome the near-far effect in recent years. TDMA, FDMA and CDMA were primarily the three possible approaches [5]. The TDMA techniques accept pulses with a certain duty cycle to transmit pseudolite signals. While the FDMA method allow transmitting frequency of pseudolites and GPS to have a certain frequency offset, but continue it in the same waveband. Unlike TDMA and FDMA, the CDMA technique uses a longer code sequence than the GPS code. The complete studies on these methods are implementing in [6-8], and the results show that the radio frequency module and correlators of the receiver need great changes with the latter two methods. When it comes to the TDMA, against of its easy implementation, it is limited due to its scant improvement in SNR and higher requirements for the AGC.

Pseudolite signals which the GPS receiver. After subtracting the reconstructed pseudolite signal from the total received signals, the received signals are sent back to the correlator of each channel for despreading. However, this method has performance of the receiver. An "interference cancellation" method mentioned in [9, 10] conducts peak detection of pseudolite signals which produces strong interference by adding relevant channels of much delay and relatively great changes are made in the correlator of the receiver. To achieve the purpose of suppressing interference, a new method named "multi-user detection" is proposed in [11], which obtains information of interference signals by increasing the number of receiving channels, and subtracts the interference signal from the received signal. However, this process is too complicated for engineering realization [12]. The anti-interference technology with adaptive nulling antenna mentioned in [4], conducts adaptive zero interference suppression processing while regarding the pseudolite signal as a wideband interference signal. Navigation signals can be better captured and tracked in this way, but pseudolite signal is completely inhibited. In this paper, a new near-far effect mitigation method based on array signal processing is proposed to reconcile the near-far problem in pseudolites. It can adjust the power intensity of the pseudolite by constraining the beam direction to make it accord with the real navigation signal. At the same time, this method achieves maximum interference signal filtering, thus the navigation receiver works properly under the simultaneity of pseudolites, strong interferences and navigation satellite signals.

## II. PROPOSED METHOD

### A. Linear Constrained Minimum Variance (LCMV) Algorithm

Taking uniform linear array(ULA) consisting of  $M$  sensor elements as an example, let us assume that there is one desired signal  $d(t)$  and  $J$  narrowband interferences  $i_j(t)$ ,  $j=1, \dots, J$  in the far field, with the Directions-Of-Arrival (DOA)  $\theta_j$  and  $\theta_i$  respectively. Additive white noise on each array element is  $n_k(t)$ , and noise variance is  $\sigma_n^2$ . Therefore, the received signal on the array element  $k$  can be modeled as

$$X_k(t) = a_k(\theta_0)d(t) + \sum_{j=1}^J a_k(\theta_j)i_j(t) + n_k(t) \quad (1)$$

# A SOFT ERROR TOLERANCE TECHNIQUE FOR COMBINATIONAL CIRCUIT USING D FLIPFLOP BASED ON SELECTIVE TRANSISTOR REDUNDANCY

Dr PHS TEJO MURTHY<sup>1</sup>, CH JAYAPRAKASH<sup>2</sup>, K.SUNITHA

hstejomurthy@gmail.com<sup>1</sup>, jp.chennoju@gmail.com<sup>2</sup>,kaunsunitha.1@gmail.com<sup>3</sup>  
Professor<sup>1</sup>, AssistantProfessor<sup>2</sup>, student SIR C R REDDY COLLEGE OF ENGG

**Abstract-** Manufacturing defects are often with higher vulnerability of soft error are occurring in fabrication technology in the size of nm level. This paper is mainly concentrate on the scheming on combinational circuits for preventing soft error tolerance with minutest area overhead based on technique of selective transistor redundancy. This notation is on securing sensitive transistor because soft error detection range is fairly towering ,until area overhead constraint and circuit reliability is met and for analyzing test for faults which is in random order. Sensitive transistors are shielded by novel gate-level reliability evaluation technique is propounded that gives parallel results to evaluate at the transistor level with magnitude order reduction using spice in CPU time and also involves duplicating and sizing methodology. LGsynth'19 benchmark circuits is used to estimate the proposed algorithm. Simulation results of this paper attains effective reliability than other techniques of transistor sizing. For lower area overhead with CMOS technology of 130nm and using D-flipflop for 2input nand gates such as nand21, nand22, nand23, nand24, nand25, for fault tolerance reduction is implemented using triple modular redundancy method.

**Keywords** – Fault tolerance, logic synthesis, radiation hardening, single event multiple upsets, single event transient (SET), single event upset (SEU), soft error tolerance.

## 1.INTRODUCTION

Due to advancements in CMOS technology and shrinking feature size to nanometer scale, studies have indicated that high-density chips will not only be increasingly accompanied by manufacturing defects but also susceptible to dynamic faults during chip operation. Nanoscale devices are limited by several characteristics; most dominant are the devices higher defect rates and the increased susceptibility to soft errors. Both of these types of errors affect the operation of a circuit if they are not addressed. Reliability of a circuit can be defined as its ability to function properly despite the existence of such errors.

## 2.LITERATURE SURVEY:

"Soft error considerations for deep-submicron CMOS circuit applications," N. Cohen, T. S. Sriram, N. Leland, D. Moyer, S. Butler, and R. Flatley, in *Proc. Int. Electron Devices Meeting (IEDM)*, Dec. 1999. "The increasing importance of characterizing both memory arrays and core logic when estimating soft error FIT(failure in time) rates has been demonstrated using test circuits ,a 21264 alpha microprocessor and simulations. The reduction of operating voltage has been determined to increase the soft error rate exponentially at 2.1-2.2 decades/volts. Based on SLA roadmap for CMOS scaling trends, meeting FIR rate requirements in the core logic will pose many challenges in the imminent future."

"Basic mechanisms and modeling of single-event upset in digital microelectronics," P. E. Dodd and L. W. Massengill. "physical mechanisms responsible for nondestructive single event effects in digital microelectronics are reviewed, concentrating on silicon MOS device and integrated circuits. A brief historical overview of single event effects in space and terrestrial systems is given and upset mechanisms in dynamic random access memories, static random access memories and combinational logic are detailed. Techniques for mitigating single-event upset are described, as well as methods for predicting device and circuit single event response using computer simulations. The impact of technology tends to single-event susceptibility and future areas of concern are explored."

"Radiation-induced soft errors in advanced semiconductor technologies" R. C. Baumann. "The once-ephemeral radiation induced soft error has become a key threat to advanced commercial electronic components and systems. Left unchallenged, soft errors have the potential for inducing the highest failure rate of all other reliability mechanisms combined. This article briefly reviews the types of failure modes for soft errors, the three dominant radiation mechanisms responsible for creating soft errors in terrestrial applications, and how these soft errors are generated by the collection of radiation induced charge. The soft error sensitivity has a function of technology scaling for various memory and logic components is then presented with



# A SOFT ERROR TOLERANCE TECHNIQUE FOR COMBINATIONAL CIRCUIT USING D FLIPFLOP BASED ON SELECTIVE TRANSISTOR REDUNDANCY

Dr PHS TEJO MURTHY<sup>1</sup>, CH JAYAPRAKASH<sup>2</sup>, K.SUNITHA

hstejomurthy@gmail.com<sup>1</sup>, jp.chennoju@gmail.com<sup>2</sup>, kannsunitha.1@gmail.com<sup>3</sup>  
 Professor<sup>1</sup>, AssistantProfessor<sup>2</sup>, student SIR C R REDDY COLLEGE OF ENGG

**Abstract-** Manufacturing defects are often with higher vulnerability of soft error are occurring in fabrication technology in the size of nm level. This paper is mainly concentrate on the scheming on combinational circuits for preventing soft error tolerance with minutest area overhead based on technique of selective transistor redundancy. This notation is on securing sensitive transistor because soft error detection range is fairly towering ,until area overhead constraint and circuit reliability is met and for analyzing test for faults which is in random order. Sensitive transistors are shielded by novel gate-level reliability evaluation technique is propounded that gives parallel results to evaluate at the transistor level with magnitude order reduction using spice in CPU time and also involves duplicating and sizing methodology. LGsynth'19 benchmark circuits is used to estimate the proposed algorithm. Simulation results of this paper attains effective reliability than other techniques of transistor sizing. For lower area overhead with CMOS technology of 130nm and using D-flipflop for 2input nand gates such as nand21, nand22, nand23, nand24, nand25, for fault tolerance reduction is implemented using triple modular redundancy method.

**Keywords** – Fault tolerance, logic synthesis, radiation hardening, single event multiple upsets, single event transient (SET), single event upset (SEU), soft error tolerance.

## 1.INTRODUCTION

Due to advancements in CMOS technology and shrinking feature size to nanometer scale, studies have indicated that high-density chips will not only be increasingly accompanied by manufacturing defects but also susceptible to dynamic faults during chip operation. Nanoscale devices are limited by several characteristics; most dominant are the devices higher defect rates and the increased susceptibility to soft errors. Both of these types of errors affect the operation of a circuit if they are not addressed. Reliability of a circuit can be defined as its ability to function properly despite the existence of such errors.

## 2.LITERATURE SURVEY:

"Soft error considerations for deep-submicron CMOS circuit applications," N. Cohen, T. S. Sriram, N. Leland, D. Moyer, S. Butler, and R. Flatley, in *Proc. Int. Electron Devices Meeting (IEDM)*, Dec. 1999. "The increasing importance of characterizing both memory arrays and core logic when estimating soft error FIT(failure in time) rates has been demonstrated using test circuits ,a 21264 alpha microprocessor and simulations. The reduction of operating voltage has been determined to increase the soft error rate exponentially at 2.1-2.2 decades/volts. Based on SLA roadmap for CMOS scaling trends, meeting FIR rate requirements in the core logic will pose many challenges in the imminent future."

"Basic mechanisms and modeling of single-event upset in digital microelectronics," P. E. Dodd and L. W. Massengill, "physical mechanisms responsible for nondestructive single event effects in digital microelectronics are reviewed, concentrating on silicon MOS device and integrated circuits. A brief historical overview of single event effects in space and terrestrial systems is given ,and upset mechanisms in dynamic random access memories, static random access memories and combinational logic are detailed. Techniques for mitigating single-event upset are described, as well as methods for predicting device and circuit single event response using computer simulations. The impact of technology tends to single-event susceptibility and future areas of concern are explored."

"Radiation-induced soft errors in advanced semiconductor technologies" R. C. Baumann. "The once-ephemeral radiation induced soft error has become a key threat to advanced commercial electronic components and systems. Left unchallenged, soft errors have the potential for inducing the highest failure rate of all other reliability mechanisms combined. This article briefly reviews the types of failure modes for soft errors, the three dominant radiation mechanisms responsible for creating soft errors in terrestrial applications, and how these soft errors are generated by the collection of radiation induced charge. The soft error sensitivity has a function of technology scaling for various memory and logic components is then presented with

# Enhancement 2×2 Compact Extended MIMO-Antenna

VenkateswarRao Tumati  
tumati01@gmail.com

VeeruReddy Pathakoti  
nagaveerachinna@gmail.com

Akhila Bejawada  
bejawada.akhila@gmail.com

Suryanarayana Sampathirao  
ssnrao98@gmail.com

## Abstract:

This study proposes a two constituent UWB MIMO antenna for UWB applications. This antenna is designed with three open L-shaped slot (LS) antenna elements and a narrow slot which is placed on the defected ground plane. To get good isolation the antenna elements are placed parallel to one another. To degrade the mutual coupling of antenna elements within the low freq. band (3-5.2GHz) a narrow slot is added. The antenna is designed on FR4 with dimensions 18mm×34mm×1.6mm. The isolation is a smaller amount than -24 decibel within the complete band is achieved over the complete operating band (2.52 to 25 GHz). The performance parameters like isolation between the ports, return loss VSWR, realized gain, envelope correlation coefficient (ECC), Diversity gain (DG) and total active reflection constant (TARC) is observed.

**Index Terms**— MIMO antenna, Ultra Wide Band antenna, High isolation, Tapered-fed.

## INTRODUCTION

Nowadays ULTRA WIDE BAND (UWB) technology is a fastly expanding and become a popular technology. By using this technology it is possible to transmit signals have low energy level in wide frequency band. The important applications of this technology is in wireless audio, data and video distribution, radar imaging and precision Geolocation, etc. But the main drawback of UWB technology is it experiences multipath fading as like in wireless communications. There is a popular technique that is multiple-input-multiple-output (MIMO) method which provide multiplexing gain to improve the capacity of the system and diversity gain to have better quality. [2]. So to avoid multipath fading integration of UWB and MIMO technology is used. The basic concept of MIMO diversity is with the help of multiple antennas the signals are transmitted or received with various fading characteristics. The reliability of the MIMO system depends upon selection/combination of the incoming signals. But placing of number of antennas within the less space, which is required for smaller devices will arise severe mutual coupling and decreases the diversity performance. Therefore, major challenge to use MIMO method in smaller devices is the installation of the small MIMO antennas with less mutual coupling.

In this paper, an UWB MIMO antenna design with a bandwidth from 2.52 to 25GHz is suggested. This antenna is designed with dimension of 18mm×34mm×1.6mm, about 25% minor than the one in [6]. To improve isolation and bandwidth, 2 large ground stubs and one small ground stub is used. Large stubs are treated as parasitic monopoles. Two planar-monopole antenna parameters with tapered-fed are positioned parallel to one another. It strip are old to enhance isolation and bandwidth. By observing the simulated results, it is observed that MIMO antenna is suitable for portable UWB devices.

## II. ANTENNA DESIGN

### 2.1. Antenna Configuration

The projected UWB-MIMO antenna configuration is exposed in figure.2.1a. The antennas are fabricated on FR4 substrate of nonconductor loss tangent,  $\tan \delta = 0.02$  and relative permittivity,  $\epsilon_r = 4.4$ . The thickness of substrate is 1.6 mm and dimensions are 18 mm× 34 mm. The improved rectangular patch antenna with 5.5mm×7.75mm is printed on double side of substrate as shown in figure.2.1a. This antenna is designed such that it is operated around 3 GHz and have half-wavelength radiating length.




Figure.2.1a, Projected MIMO antenna





Figure.2.1b, Projected MIMO antenna with front read

By using following formula the low resonant freq. of monopole is calculated.

$$f_r = \frac{14.4}{l_1 + l_2 + g - \frac{A_1}{2\pi\sqrt{\epsilon_r l_1}} + \frac{A_2}{2\pi\sqrt{\epsilon_r l_2}}}$$

The area of ground plane is considered as  $A_1$  and area of radiation patch is considered as  $A_2$ , and ground plane length is taken as  $l_1$  and  $l_2$  considered as length of radiation patch, 'g' treated as gap between ground plane and radiation patch.

The suggested radiator is intended with a blend of rectangular ( $l_{p1} \times W_{p1}$ ) and triangular (height 4 mm and station 5.15 mm) stubs and developed as new polygon shape radiator. This developed radiator is fed with tapered micro strip of dimension ( $l_f \times W_f$ ) coupled at the down side of each one radiator. Combination of rectangular shaped and T-shaped stubs form as ground plane. By impression of rectangular-shaped slot it is developed as a new inverted L shape. This shape is used to improve the isolation among two antennas which is shown in figure.2.1c.







Estd. 1989

## SIR C. R. REDDY COLLEGE OF ENGINEERING

ELURU-534007, Eluru Dist., A.P., INDIA

ACCREDITED BY NBA, APPROVED BY ALL INDIA COUNCIL FOR TECHNICAL EDUCATION, NEW DELHI,

PERMANENTLY AFFILIATED TO JNTUK, KAKINADA

[www.sircrreng.ac.in](http://www.sircrreng.ac.in)

### 3.3.2 Number of books and chapters in edited volumes / books published, and papers published in national/international conference-proceedings per teacher during last five years

Name of the teacher	Title of the Book/ Chapters Published	Title of the Paper	Title of the proceedings of the conference	Year of publication	ISBN/ ISSN number of the proceeding	Whether at the time of publication Affiliating Institution Was same Yes/NO	Name of the publisher
<b>2018</b>							
Dr. A Srinivasa Reddy	Advances in Intelligent Systems and Computing	Shuffled Differential Evolution-Based Combined Heat and Power Economic Dispatch	Soft Computing in Data Analytics . Advances in Intelligent Systems and Computing	2018	978-981-13-0513-9	Yes	Springer
Samparathi V S Kumar	N/A	Dynamic Design And Implementation Of Security Intelligence	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing



Estd. 1989

## SIR C. R. REDDY COLLEGE OF ENGINEERING

ELURU-534007, Eluru Dist., A.P., INDIA

ACCREDITED BY NBA, APPROVED BY ALL INDIA COUNCIL FOR TECHNICAL EDUCATION, NEW DELHI,

PERMANENTLY AFFILIATED TO JNTUK, KAKINADA

[www.sircrrengg.ac.in](http://www.sircrrengg.ac.in)

### 3.3.2 Number of books and chapters in edited volumes / books published, and papers published in national/international conference-proceedings per teacher during last five years

Name of the teacher	Title of the Book/ Chapters Published	Title of the Paper	Title of the proceedings of the conference	Year of publication	ISBN/ ISSN number of the proceeding	Whether at the time of publication Affiliating Institution Was same Yes/NO	Name of the publisher	Link to website/ doi of the Conference Paper
<b>2018</b>								
Dr. A Srinivasa Reddy	Advances in Intelligent Systems and Computing	Shuffled Differential Evolution-Based Combined Heat and Power Economic Dispatch	Soft Computing in Data Analytics . Advances in Intelligent Systems and Computing	2018	978-981-13-0513-9	Yes	Springer	<a href="https://doi.org/10.1007/978-981-13-0514-6_51">https://doi.org/10.1007/978-981-13-0514-6_51</a>
Samparathi V S Kumar	N/A	Dynamic Design And Implementation Of Security Intelligence	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012025/meta">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012025/meta</a>

Dr. T. Venkateswara Rao	N/A	Design of flag . ped 3-element array antenna for directive radiatin in Ku-band applications	2018 Conference on Signal Processing And Communication Engineering Systems	2018	978-1-5386-2370-1	Yes	IEEE	<a href="https://ieeexplore.ieee.org/document/8316324">https://ieeexplore.ieee.org/document/8316324</a>
Dr. A. Yesu Babu	N/A	Computational Prediction And Validation Studies On A Diverse Dataset Of Cox-2 Inhibitors	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012011/pdf">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012011/pdf</a>
Dr M Krishna	N/A	A multi Ability CP-ABE access control scheme for public cloud storage	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012018/pdf">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012018/pdf</a>
Dr M Krishna	N/A	Performance study of cloud computing for scientific applications	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012024/meta">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012024/meta</a>
Dr M Krishna	N/A	Data productive collaborative filtering using deep learning based recommender model	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012037/meta">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012037/meta</a>

Dr M Krishna	Advances in Intelligent Systems and Computing	Independent and Distributed Access to Encrypted Cloud Databases	Computational Intelligence in Information Systems	2018	978-3-030-03301-9	Yes	Springer	<a href="https://link.springer.com/chapter/10.1007/978-3-030-03302-6_10#:~:text=This%20style%20alternative%20minimises%20the,cli">https://link.springer.com/chapter/10.1007/978-3-030-03302-6_10#:~:text=This%20style%20alternative%20minimises%20the,cli</a>
Dr N Deepak	N/A	Computational Prediction And Validation Studies On A Diverse Dataset Of Cox-2 Inhibitors	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012011">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012011</a>
Dr N Deepak	N/A	Dynamic Security For Multi-User Access Control In Distributed Environment	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012016">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012016</a>
S.Mohan Babu Chowdary	N/A	A Novel Approach To Compress DNA Repetative Sequences In Bioinformatics	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012026">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012026</a>
Konda Sreenu	N/A	Multi-core with ht Technology to solve data lake complex problems	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012015">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012015</a>



Konda Sreenu	N/A	Various Ciphers in Classical Cryptography	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012014/meta">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012014/meta</a>
K N Madhavai Latha	N/A	Systematic approach for enrichment of docking outcome using consensus scoring functions	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012019/meta">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012019/meta</a>
K. Chaitanya Deepthi	N/A	A multi Ability CP-ABE access control scheme for public cloud storage	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012018">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012018</a>
K. Chaitanya Deepthi	N/A	A novel artificial intelligence program testing service (ai-pts) model	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012017">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012017</a>
K. VaradaRaj kumar	N/A	Dynamic Security For Multi-User Access Control In Distributed Environment	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012016">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012016</a>

M.Ganesh Babu	N/A	Crypto-Stego Technique for Secure Data Transmission	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012012/pdf">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012012/pdf</a>
M.Ganesh Babu	N/A	Super Resolution Image Reconstruction using Iterative Regularization method and Feed-Forward Neural networks	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012021/meta">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012021/meta</a>
G.Satyanarayana	N/A	Failure node identification in mobile wireless sensor networks	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012028/pdf#:~:text=As%20failures%20occur%20to%20happen,networ">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012028/pdf#:~:text=As%20failures%20occur%20to%20happen,networ</a>
Homer Benny Bandela	N/A	Various Ciphers in Classical Cryptography	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012014/meta">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012014/meta</a>
Homer Benny Bandela	N/A	Crypto-Stego Technique for Secure Data Transmission	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012012/pdf">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012012/pdf</a>

Homer Benny Bandela	N/A	Super Resolution Image Reconstruction using Iterative Regularization method and Feed-Forward Neural networks	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012021/meta">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012021/meta</a>
S.K.Chaitanya.R	N/A	Dynamic Design And Implementation Of Security Intelligence	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012025/meta">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012025/meta</a>
P Naga Deepthi	N/A	Acceptability analysis method for evaluate data on twitter using support vector machine	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012020">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012020</a>
V V Deepthi Donavalli	N/A	Various Ciphers in Classical Cryptography	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012014/meta">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012014/meta</a>
V V Deepthi Donavalli	N/A	Crypto-Stego Technique for Secure Data Transmission	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012012/pdf">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012012/pdf</a>

V Pranav	N/A	Performance study of cloud computing for scientific applications	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012024/meta">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012024/meta</a>
K. Swathi	N/A	Acceptability analysis method for evaluate data on twitter using support vector machine	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012020">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012020</a>
S.Jaya Prakash	N/A	Dynamic Security For Multi-User Access Control In Distributed Environment	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012016">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012016</a>
Dr. Kolli Lalit Narayan	Computer Aided Design and Manufacturing	N/A	N/A	2018	ISBN-13 978-8120333420	Yes	PHI	<a href="https://www.amazon.in/Computer-Manufacturing-Lalitrao-Mallikarjunasarc-Narayan-ebook/dp/B00K7YFWTS">https://www.amazon.in/Computer-Manufacturing-Lalitrao-Mallikarjunasarc-Narayan-ebook/dp/B00K7YFWTS</a>
Dr.S.Krishna Rao	N/A	An Ensemble Integrated Mailing System For Detecting Spam Mails	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012042">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012042</a>



Dr.S.Krishna Rao	N/A	An Ensemble Path Finding In Wireless Sensor Networks	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012038">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012038</a>
Dr.K.Satyanarayna	N/A	Enhanced path recreation in remote sensor networks	International conference on computer vision and machine learning	2018	2321-5461	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012039/pdf">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012039/pdf</a>
Dr Satyanarayana Kotha	N/A	Implementation of data mining techniques in web of things	International conference on computer vision and machine learning	2018	2321-5461	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012041">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012041</a>
T.Satya Nagamani	N/A	A New Dynamic And Enhanced Resource Allocation Algorithm In Cloud Computing	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012033">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012033</a>
T.Satya Nagamani	N/A	Survey: Image Forgery And Its Detection Techniques	International conference on computer vision and machine learning	2018	1228 012036	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012036/pdf#:~:text=Image%20forgery,%20is%20the%20most,op%20fin">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012036/pdf#:~:text=Image%20forgery,%20is%20the%20most,op%20fin</a>

N.Prasad	N/A	An Ensemble Path Finding In Wireless Sensor Networks	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012038">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012038</a>
N.Prasad	N/A	Implementation of data mining techniques in web of things	International conference on computer vision and machine learning	2018	2321-5461	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012041">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012041</a>
A.M.K.Kanna Babu	N/A	Enhanced path recreation in remote sensor networks	International conference on computer vision and machine learning	2018	2321-5461	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012039/pdf">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012039/pdf</a>
G.Krishnaveni	N/A	A comparative performance analysis of different machine learning techniques	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012035/pdf">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012035/pdf</a>
G.Krishnaveni	N/A	A framework for mining huge data by non-expert users with the assistance of knowledge base	International conference on computer vision and machine learning	2018	1228 012034	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012034">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012034</a>

K.Purna Praksh	N/A	Data Product Collaborative Filtering Using Deep Learning Based Recommender Model	International conference on computer vision and machine learning	2018	1228 012037	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012037/meta">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012037/meta</a>
NVSK Vijaya Lakshmi K	N/A	A new dynamic and enhanced resource allocation algorithm in cloud computing	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012033">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012033</a>
NVSK Vijaya Lakshmi K	N/A	Survey: Image Forgery And Its Detection Techniques	International conference on computer vision and machine learning	2018	1228 012036	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012036/pdf#:-:text=Image%20forgery%20is%20the%20most,0most,0n%20fin">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012036/pdf#:-:text=Image%20forgery%20is%20the%20most,0most,0n%20fin</a>
NVSK Vijaya Lakshmi K	N/A	A framework for mining huge data by non-expert users with the assistance of knowledge base.	International conference on computer vision and machine learning	2018	1228 012034	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012034">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012034</a>
K.Lakshmaji	N/A	An Ensemble Integrated Mailing System For Detecting Spam Mails	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012042">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012042</a>

K.Lakshmaji	N/A	E-SRA: Ensemble selfish routing algorithm	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012040">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012040</a>
J.Malathi	N/A	Survey: Image Forgery And Its Detection Techniques	International conference on computer vision and machine learning	2018	1228 012036	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012036/pdf#:~:text=Image%20forgery%20is%20the%20most,0most,0n%20fin">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012036/pdf#:~:text=Image%20forgery%20is%20the%20most,0most,0n%20fin</a>
J.Malathi	N/A	A framework for mining huge data by non-expert users with the assistance of knowledge base.	International conference on computer vision and machine learning	2018	1228 012034	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012034">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012034</a>
G.Vihari	N/A	Implementation of data mining techniques in web of things	International conference on computer vision and machine learning	2018	2321-5461	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012041">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012041</a>
G.Vihari	N/A	E-SRA: Ensemble selfish routing algorithm	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012040">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012040</a>



P Ramaiah Chowdary	N/A	Computer business organization on cloud platform	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012029/meta">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012029/meta</a>
P Ramaiah Chowdary	N/A	Identification of MITM Attack by Utilizing Artificial Intelligence Mechanism in Cloud Environments	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012044/pdf">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012044/pdf</a>
B.Lalitha Bhavani	N/A	A new dynamic and enhanced resource allocation algorithm in cloud computing	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012033">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012033</a>
B.Lalitha Bhavani	N/A	A comparative performance analysis of different machine learning techniques.	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012035/pdf">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012035/pdf</a>
G Pavan	N/A	Enhanced path recreation in remote sensor networks	International conference on computer vision and machine learning	2018	2321-5461	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012039/pdf">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012039/pdf</a>

G Pavan	N/A	An Ensemble Integrated Mailing System For Detecting Spam Mails.	International conference on computer vision and machine learning	2018	1228 012042	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012042">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012042</a>
E.B.K.Manash	N/A	Deep Learning: A Branch of Machine Learning	International conference on computer vision and machine learning	2018	1228 (2019) 012045	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012045/meta">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012045/meta</a>
P Rajendra Kumar	N/A	Deep Learning: A Branch of Machine Learning	International conference on computer vision and machine learning	2018	1228 (2019) 012045	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012045/meta">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012045/meta</a>
A.M.K.Kanna Babu	N/A	An Ensemble Path Finding In Wireless Sensor Networks	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012038">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012038</a>
V Gopinath	N/A	Re-Design of Smart Homes With Digital Twins	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012031/pdf">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012031/pdf</a>

Yallamanda Challa	N/A	Computer business organization on cloud platform	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012029/meta">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012029/meta</a>
Yallamanda Challa	N/A	Identification of MITM Attack by Utilizing Artificial Intelligence Mechanism in Cloud Environments	International conference on computer vision and machine learning	2018	Vol.1228	Yes	IOP Publishing	<a href="https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012044/pdf">https://iopscience.iop.org/article/10.1088/1742-6596/1228/1/012044/pdf</a>
Dr. T. Venkateswara Rao	N/A	Design of Gregorian Reflector For Imaging	2018 IEEE Indian Conference on Antennas and Propagation (InCAP)	2018	978-1-5386-7060-6	Yes	IEEE	<a href="https://ieeexplore.ieee.org/document/8770747">https://ieeexplore.ieee.org/document/8770747</a>

  
IQAC


  
PRINCIPAL  
Principal  
Sir C R Reddy College of Engineering  
ELURU - 534 007

Advances in Intelligent Systems and Computing 758

Janmenjoy Nayak · Ajith Abraham  
B. Murali Krishna  
G. T. Chandra Sekhar  
Asit Kumar Das *Editors*

# Soft Computing in Data Analytics

Proceedings of International  
Conference on SCDA 2018

 Springer



# **Advances in Intelligent Systems and Computing**

Volume 758

## **Series editor**

Janusz Kacprzyk, Systems Research Institute, Polish Academy of Sciences,  
Warsaw, Poland

e-mail: [kacprzyk@ibspan.waw.pl](mailto:kacprzyk@ibspan.waw.pl)

# Contents

<b>Optimal Control Method for Interleaved High-Power Flyback Inverter Using PV</b> .....	1
Prashant Kumar	
<b>A Data Mining Approach for Sentiment Analysis of Indian Currency Demonetization</b> .....	11
Maddukuri Sree Vani, Rajasree Sutrawe and O. Yaswanth Babu	
<b>An Efficient Solution of an Optimization Problem in Financial Engineering</b> .....	19
Nawdha Thakoor, Dhiren Kumar Behera, Désiré Yannick Tangman and Muddun Bhuruth	
<b>Open-Loop-Data-Based Integer- and Non-integer-Order Model Identification Using Genetic Algorithm (GA)</b> .....	29
Abdul Wahid Nasir and Arun Kumar Singh	
<b>An Intelligent Fault Locator for 400-kV Double-Circuit Line of Chhattisgarh State: A Comparative Study</b> .....	39
V. Ashok, A. Yadav, C. C. Antony, K. K. Yadav, U. K. Yadav and Sandeep Kumar Sahu	
<b>Comparison of SCA-Optimized PID and P&amp;O-Based MPPT for an Off-grid Fuel Cell System</b> .....	51
Shashikant and Binod Shaw	
<b>Implementation of Quasi-Oppositional-Based GHS Optimized Fractional Order PID Controller in Deregulated Power System</b> .....	59
Jyoti Ranjan Nayak and Binod Shaw	
<b>Optimization of Pole Placement for Adaptive Pitch Control</b> .....	73
Shrabani Sahu and Sasmita Behera	

<b>Design of Off-grid Fuel Cell by Implementing ALO Optimized PID-Based MPPT Controller</b> .....	83
Sonu Kumar and Binod Shaw	
<b>Power System Security Improvement by Means of Fuzzy Adaptive Gravitational Search Algorithm-Based FACTS Devices Under Fault Condition</b> .....	95
S. Venkata Padmavathi, Sarat Kumar Sahu and A. Jayalaxmi	
<b>Early Estimation of Protest Time Spans: A Novel Approach Using Topic Modeling and Decision Trees</b> .....	107
Satyakama Paul, Madhur Hasija, Ravi Vishwanath Mangipudi and Tshilidzi Marwala	
<b>Mathematical Model for Characterization of Lung Tissues Using Multiple Regression Analysis</b> .....	117
D. Lakshmi and R. Niruban	
<b>A Data Hiding Scheme with Digital Authentication Using Parity Checkers</b> .....	125
Ayan Chatterjee, Tanmoy Bera, Soumen Kr. Pati and Asit Kumar Das	
<b>Graph-Based Text Summarization Using Modified TextRank</b> .....	137
Chirantana Mallick, Ajit Kumar Das, Madhurima Dutta, Asit Kumar Das and Apurba Sarkar	
<b>A New Static Cost-Effective Parameter for Interconnection Networks of Massively Parallel Computer Systems</b> .....	147
M. M. Hafizur Rahman, Mohammed N. M. Ali, Adamu Abubakar Ibrahim, Dhiren K. Behera, Yasuyuki Miura and Yasushi Inoguchi	
<b>MapReduce Accelerated Signature-Based Intrusion Detection Mechanism (IDM) with Pattern Matching Mechanism</b> .....	157
Chinta Someswara Rao and K. Butchi Raju	
<b>Ensemble of Artificial Bee Colony Optimization and Random Forest Technique for Feature Selection and Classification of Protein Function Family Prediction</b> .....	165
Ranjani Rani Rangasamy and Ramyachitra Duraisamy	
<b>An Effective Path Planning of a Mobile Robot</b> .....	175
S. Pattanayak, S. C. Sahoo and B. B. Choudhury	
<b>Inverse Kinematics Solution of a 6-DOF Industrial Robot</b> .....	183
Kshitish K. Dash, B. B. Choudhury and S. K. Senapati	
<b>Dynamic Behaviour Analysis of an Industrial Robot Using FEM</b> .....	193
Supriya Sahu and B. B. Choudhury	

<b>Design of Adaptive Frequency Reconfigurable Antenna for MIMO Applications</b> .....	203
P. Manikandan, P. Sivakumar and C. Swedheetha	
<b>Online Training of Discriminative Parameter for Object Tracking-by-Detection in a Video</b> .....	215
Vijay Kumar Sharma, Bibhudendra Acharya and K. K. Mahapatra	
<b>Fractional IMC-Based AGC for Interconnected Power System via Its Reduced Model Using Genetic Algorithm</b> .....	225
Idamakanti Kasireddy and Arun Kumar Singh	
<b>RAID-6 Code Variants for Recovery of a Failed Disk</b> .....	237
M. P. Ramkumar, N. Balaji, G. S. R. Emil Selvan and R. Jeya Rohini	
<b>Smart Agriculture System in India Using Internet of Things</b> .....	247
Rama Krushna Das, Manisha Panda and Sweta Shree Dash	
<b>A Multi-objective Flower Pollination Algorithm-Based Frequency Controller in Power System</b> .....	257
Satya Dinesh Madasu, M. L. S. Sai Kumar and Arun Kumar Singh	
<b>Determinants of Farmers' Decision-Making to Accept Crop Insurance: A Multinomial Logit Model Approach</b> .....	267
Partha Mukhopadhyay, Madhabendra Sinha and Partha Pratim Sengupta	
<b>A k-NN-Based Approach Using MapReduce for Meta-path Classification in Heterogeneous Information Networks</b> .....	277
Sadhana Kodali, Madhavi Dabbiru, B. Thirumala Rao and U. Kartheek Chandra Patnaik	
<b>Design of Fuzzy Logic-Based Controller for Nonlinear Power Systems</b> .....	285
Rekha and A. K. Singh	
<b>Emotion Recognition Using Skew Gaussian Mixture Model for Brain-Computer Interaction</b> .....	297
N. Murali Krishna, J. Sirisha Devi, P. Vijaya Bhaskar Reddy and Siva Prasad Nandyala	
<b>Fault Detection and Classification of Multi-location and Evolving Faults in Double-Circuit Transmission Line Using ANN</b> .....	307
V. Ashok, A. Yadav and Vinod Kumar Naik	
<b>Shear Force Analysis and Modeling for Discharge Estimation Using Numerical and GP for Compound Channels</b> .....	319
Alok Adhikari, Nibedita Adhikari and K. C. Patra	



<b>A Software Approach for Mitigation of DoS Attacks on SDN's (Software-Defined Networks)</b> .....	333
Trupti Lotlikar and Deven Shah	
<b>Techno-economic Analysis of Different Combinations of an Existing Educational Institute-Based PV–Diesel–Grid Hybrid System in India</b> .....	343
T. S. Kishore and S. Mahesh Kumar	
<b>MidClustpy: A Clustering Approach to Predict Coding Region in a Biological Sequence</b> .....	351
Neeta Maitre and Manali Kshirsagar	
<b>Data Manipulation Technique in a Keyword-Based Text Retrieval System on Encrypted Data</b> .....	361
Navjeet Kaur Randhawa and Prabhat Keshari Samantaray	
<b>Implementation of Grasshopper Optimization Algorithm for Controlling a BLDC Motor Drive</b> .....	369
Devendra Potnuru and Ayyarao S. L. V. Tummala	
<b>Economic Load Dispatch in Microgrids Using Real-Coded Genetic Algorithm</b> .....	377
Gouthamkumar Nadakuditi, U. Mohan Rao, Venkateswararao Bathina and Srihari Pandi	
<b>Design and Simulation of a DC–DC Converter for Fuel Cell-Based Electric Vehicles with Closed-Loop Operation</b> .....	387
J. S. V. Siva Kumar and P. Mallikarjunarao	
<b>Improved Content-Based Image Retrieval with Multivariate Gaussian Distribution</b> .....	397
B. Ramesh Naik and T. Venu Gopal	
<b>Performance Analysis of Embedded System for Data Acquisition on FPGA</b> .....	409
B. Jhansi Rani, A. Ch. Sudhir and T. Vidhyavathi	
<b>Performance Comparison of FOA Optimized Several Classical Controllers for Multi-area Multi-sources Power System</b> .....	417
B. V. S. Acharyulu, S. K. Swamy, Banaja Mohanty and P. K. Hota	
<b>Integration of Goal Hierarchies Built Using Multiple OLAP Query Sessions</b> .....	427
N. Parimala and Ranjeet Kumar Ranjan	

<b>Energy-Aware Reliable Routing by Considering Current Residual Condition of Nodes in MANETs</b> . . . . .	441
Arshad Ahmad Khan Mohammad, Ali Mirza Mahmood and Srikanth Vemuru	
<b>Cluster Head Selection by Optimized Ability to Restrict Packet Drop in Wireless Sensor Networks</b> . . . . .	453
Amairullah Khan Lodhi and Syed Abdul Sattar	
<b>FDI and Industry in Developed and Developing Countries: A Comparative Dynamic Panel Analysis</b> . . . . .	463
Madhabendra Sinha and Partha Pratim Sengupta	
<b>Speaker Identification from Mixture of Speech and Non-speech Audio Signal</b> . . . . .	473
Ghazaala Yasmin, Subrata Dhara, Rudrendu Mahindar and Asit Kumar Das	
<b>Single-Sentence Compression Using SVM</b> . . . . .	483
Deepak Sahoo and Rakesh Chandra Balabantaray	
<b>Differential Evaluation Base Gain Tune of Proportional-Integral-Derivative Controller for MLI Base-Integrated Wind Energy System with Multi-winding Transformer</b> . . . . .	493
L. V. Sureshkumar and U. Salma	
<b>Chemical Reaction Optimization: A Survey with Application and Challenges</b> . . . . .	507
Janmenjoy Nayak, Sura Papparao, Bighnaraj Naik, N. Seetayya, P. Pradeep, H. S. Behera and Danilo Pelusi	
<b>Shuffled Differential Evolution-Based Combined Heat and Power Economic Dispatch</b> . . . . .	525
S. Nagaraju, A. Srinivasa Reddy and K. Vaisakh	
<b>Fuzzy Granular Computing Controls Ill-Conditioned Matrix Definitions for Triple Inverted Pendulum</b> . . . . .	533
Srikanth Kavirayani and Umme Salma	
<b>Fuzzy Logic-Based Decision Making for Selection of Optimized Liquid Insulation Blend</b> . . . . .	547
S. Vedhanayaki, R. Madavan, Sujatha Balaraman, S. Saroja, S. Ramesh and K. Valarmathi	
<b>Adaptive Histogram Equalization and Opening Operation-Based Blood Vessel Extraction</b> . . . . .	557
Amiya Halder, Apurba Sarkar and Sneha Ghose	

<b>Scheduling Task to Heterogeneous Processors by Modified ACO Algorithm</b> .....	565
M. Premkumar, V. Srikanth Babu and R. Somwya	
<b>Process Framework for Modeling Multivariate Time Series Data</b> .....	577
Jobiya John and Sreeja Ashok	
<b>Traffic Data Classification for Security in IoT-Based Road Signaling System</b> .....	589
Srijanee Mookherji and Suresh Sankaranarayanan	
<b>Analysis of Various Fraud Behaviors Using Soft Computing Techniques</b> .....	601
D. Priyanka and H. V. Bhagya Sri	
<b>Digital Report Grading Using NLP Feature Selection</b> .....	615
R. Shiva Shankar and D. Ravibabu	
<b>Brain Subject Segmentation in MR Image for Classifying Alzheimer's Disease Using AdaBoost with Information Fuzzy Network Classifier</b> .....	625
P. Rajesh Kumar, T. Arun Prasath, M. Pallikonda Rajasekaran and G. Vishnuvarthanan	
<b>Soft Computing-Based Intrusion Detection Approaches: An Analytical Study</b> .....	635
D. Neelima, J. Karthik, K. Aravind John, S. Gowthami and Janmenjoy Nayak	
<b>Handling Small Size Files in Hadoop: Challenges, Opportunities, and Review</b> .....	653
Mohd Abdul Ahad and Ranjit Biswas	
<b>A TOPSIS Approach of Ranking Classifiers for Stock Index Price Movement Prediction</b> .....	665
Rajashree Dash, Sidharth Samal, Rasmita Rautray and Rasmita Dash	
<b>IoT in Education: An Integration of Educator Community to Promote Holistic Teaching and Learning</b> .....	675
Gautami Tripathi and Mohd Abdul Ahad	
<b>Visual Encryption by Pixel Property Permutation</b> .....	685
Ayush Surana, Tazeen Ajmal and K. Annapurani	
<b>Social Context Based Naive Bayes Filtering of Spam Messages from Online Social Networks</b> .....	699
Cinu C. Kiliroor and C. Valliyammai	

<b>Data De-duplication Using Cuckoo Hashing in Cloud Storage</b> . . . . .	707
J. Sridharan, C. Valliyammai, R. N. Karthika and L. Nihil Kulasekaran	
<b>A Secure Chaotic Image Encryption Based on Bit-Plane Operation</b> . . . . .	717
Dasari Sravanthi, K. Abhimanyu Kumar Patro, Bibhudendra Acharya and Saikat Majumder	
<b>Edge Detection Method Using Richardson's Extrapolation Formula</b> . . . . .	727
Amiya Halder, Pritam Bhattacharya and Aritra Kundu	
<b>An Efficient Framework for Document Retrieval in Relationship Strengthened Personalized Ontologies</b> . . . . .	735
S. Vigneshwari, A. Mary Posonia and S. Gowri	
<b>Student Performance Analysis with Using Statistical and Cluster Studies</b> . . . . .	743
T. PanduRanga Vital, B. G. Lakshmi, H. Swapna Rekha and M. DhanaLakshmi	
<b>Early Prediction of Five Major Complications Ascends in Diabetes Mellitus Using Fuzzy Logic</b> . . . . .	759
Aruna Pavate, Pranav Nerurkar, Nazneen Ansari and Rajesh Bansode	
<b>An Enhanced Deep Learning Model for Duplicate Question Pairs Recognition</b> . . . . .	769
K. Abishek, Basuthkar Rajaram Hariharan and C. Valliyammai	
<b>Differentiation of Speech and Song Using Occurrence Pattern of Delta Energy</b> . . . . .	779
Arijit Ghosal, Ghazaala Yasmin and Debanjan Banerjee	
<b>Empirical Analysis on Cancer Dataset with Machine Learning Algorithms</b> . . . . .	789
T. PanduRanga Vital, M. Murali Krishna, G. V. L. Narayana, P. Suneel and P. Ramarao	
<b>Efficient High-Utility Itemset Mining Over Variety of Databases: A Survey</b> . . . . .	803
U. Suvarna and Y. Srinivas	
<b>A New Test Case Generation for Web Service Choreography Testing by Using Metaheuristic Algorithm</b> . . . . .	817
Sunil Kumar Nahak, Durga Prasad Mohapatra and Manas Ranjan Patra	
<b>Extractive Summarization of a Document Using Lexical Chains</b> . . . . .	825
Chirantana Mallick, Madhurima Dutta, Ajit Kumar Das, Apurba Sarkar and Asit Kumar Das	



<b>Detecting Intrusive Behaviors using Swarm-based Fuzzy Clustering Approach</b> .....	837
Debasmita Mishra and Bighnaraj Naik	
<b>TLBO Algorithm Optimized Fractional-Order PID Controller for AGC of Interconnected Power System</b> .....	847
Tulasichandra Sekhar Gorripotu, Halini Samalla, Ch. Jagan Mohana Rao, Ahmad Taher Azar and Danilo Pelusi	
<b>Author Index</b> .....	857



[Soft Computing in Data Analytics](#) pp 525–532

[Home](#) > [Soft Computing in Data Analytics](#) > Conference paper

## Shuffled Differential Evolution-Based Combined Heat and Power Economic Dispatch

S. Nagaraju , A. Srinivasa Reddy & K. Vaisakh

Conference paper | [First Online: 22 August 2018](#)

825 Accesses | 5 Citations

Part of the [Advances in Intelligent Systems and Computing](#) book series (AISC, volume 758)

### Abstract

A novel metaheuristic algorithm SDE augments the features both shuffled frog-leaping algorithm and differential evolution algorithm by employing partitioning and shuffling. In order to verify the effectiveness of the shuffled-differential evolution (SDE) algorithm and also to identify the ideal solution of the CHPED problem, test systems having four units are considered. The outcomes attained from the projected technique are contrasted with

# Dynamic design and implementation of security intelligence for industry

Sri Krishna Chaitanya Rudraraju<sup>1\*</sup> and Samparathi V S Kumar<sup>2</sup>

<sup>1</sup> Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup> Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

E-Mail: skc.rudraraju@gmail.com

**Abstract:** As The development of Internet of Things (IOT) technology became one of the proponents in the industrial revolution 4.0. Digital transformation began to be applied to the entire manufacturing industry, services, transportation and education which have slowly shifted utilizing IOT technology. The industrial revolution 4.0 has an impact on digital transformation and becomes a necessity that can change business patterns such as the ease of data interaction services between industries to customers that are also supported by ease of access and speed of decision making. However, in its development, stakeholders tend to focus on infrastructure and information systems, while the security of information systems is still a comfort zone for industries in the transformation to industry 4.0. The issue of information system security will be a challenge for the industry with open access to information systems; otherwise focus will hamper the business process of the industry. In this research will be discussed about the modeling and implementation of information system security with a combination of web-based security methods with port knocking firewall model and short message service gateway as a security medium with the concept of ease of access with safe and comfortable. The result of this research has been testing penetration testing using network tools.

**Index Terms:** Industry 4.0, cyber security, port knocking, short message service gateway

## 1. Introduction

The current industrial revolution has grown to 4.0 which replaces industry 3.0. According to [1] and [2] that the basic principle in industry 4.0 is the incorporation of machines, workflows, and systems, by applying intelligent networks along chains and production processes to control each other independently. There are four aspects of the challenges of implementing the industry revolution 4.0 according to Wolter namely information technology security issues, reliability issues and stability of production machinery, lack of adequate skills, lack of motivation of stakeholders to change; and the loss of a lot of work as it turns into automation [3] and [4]. Support of the Internet of Things (IOT) became the most important in the industry revolution 4.0 with open access to information systems and automation changed the way business as its own competitiveness for each industry [5] and [6] According to [7] and [8] security issues will be a challenge for each industry, sometimes for mature industries with adequate resources often overlooking security issues. For medium and small industries some have difficulty and lack of understanding of the security of information systems, stakeholders tend to focus on infrastructure and information systems as digital transformation in the speed of decision making. According to [8] the risks of information system security have an impact, among others, operational risks of Denial-of Service (DDOS) attacks, data theft, website hijacking and reputation risk of lack of trust of business colleagues followed by exposure through media about security vulnerabilities system. In addition, investment risk becomes the most perceived big losses that are large investments but the system is not integrated and the security system used is not in accordance with business needs.

IOT will lead to new problems related to information systems security management, namely the opening of connection lines. This is often used by hackers / hackers to steal data through the network. One of the most important components in an information security management system design is the use of firewalls [9]. The main role and task





All



ADVANCED SEARCH

Conferences > 2018 Conference on Signal Pro...

## Design of flag-shaped 3-element array antenna for directive radiation in Ku-band applications

Publisher: IEEE

Cite This

PDF

Venkata Raddy, T. Venkateswara Rao, T. Anilkumar [All Authors](#) ▾

1  
Cites in  
Paper

231  
Full  
Text Views



Alerts

[Manage Content Alerts](#)  
[Add to Citation Alerts](#)

### Abstract

#### Document Sections

- I. Introduction
- II. Antenna Design
- III. Simulation Results
- IV. Design of 3-Element Array**
- V. Conclusion

Authors

Figures

References

Citations

Keywords

Metrics

More Like This



Download

PDF

**Abstract:** In this article, Antenna with flag-shaped radiating elements in antipodal configuration is proposed. The design and the study focuses on geometrical parameters like leng... [View more](#)

#### ► Metadata

##### Abstract:

In this article, Antenna with flag-shaped radiating elements in antipodal configuration is proposed. The design and the study focuses on geometrical parameters like length of the patch, width of the flared structure to enhance the operability of the antenna in Ku-band spectrum. The proposed antenna is designed and simulated in ANSYS HFSS ver15.0 and the characteristic features obtained after simulation indicates that the antenna operates from 11.1293 GHz to 19.18 GHz. This proposed antenna is configured into an array with 3-elements. The characterization of antenna array is done in terms of return loss, isolation and radiation performance. The array configuration has improved the directive radiation performance.

**Published in:** 2018 Conference on Signal Processing And Communication Engineering Systems (SPACES)

**Date of Conference:** 04-05 January 2018

**DOI:** 10.1109/SPACES.2018.8316324

**Date Added to IEEE Xplore:** 15 March 2018

**Publisher:** IEEE

#### ► ISBN Information:

**Conference Location:** Vijayawada, India

### ☰ Contents

#### I. Introduction

The current day research is focused on implementation of compact wideband antennas which can be incorporated in portable and mobile wireless devices. In earlier days, the frequency spectrum





## Computational prediction and validation studies on a diverse dataset of cox-2 inhibitors

<sup>1</sup>Dr Adimulam Yesu Babu, <sup>2</sup>Dr Deepak Nedunuri and <sup>3</sup>Ch Madhava Rao

<sup>1</sup>Professor and Head, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup>Associate Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>3</sup>Assistant Professor, Department of ECE, Sir C R Reddy College of Engineering, Eluru, India.

E-Mail: nedunurideepak@gmail.com

**Abstract:** In linear regression analysis, when data was derived from various reference sources, the experimental quality of such data has to be assessed. Significant variables based on the statistical data of analysis were chosen. Based on the parameters like correlation coefficient ( $r$ ),  $F$ -value, cross-validation  $r^2$  etc quality of the generated equation was judged. An additional condition for high predictive ability of regression model is based on external set cross-validation  $r^2$ , ( $R^2_{cv,ext}$ ) and the regression of observed activities against predicted activities and vice versa for validation set. Multivariate regression analysis using python program resulted in few influential parameters displayed significant positive and negative contribution towards biological activity of COX-2 inhibitors. A new regression model was attempted by dividing the complete set ( $n=64$ ) as a 58 molecule training set and a 6 molecule validation set based on selection criteria after rejecting outliers from the data set.

**Index Terms:** Linear regression, COX-2, regression model, correlation

### 1. Introduction

Arachidonic acid is converted to prostaglandins (PGs) and exists in two isoforms, COX-1 and COX-2 [1]. Cyclo-oxygenase-2 (COX-2), a rate-limiting enzyme for prostanoid synthesis, is induced during inflammation and participates in inflammation mediated cytotoxicity. Cerebral ischemia is followed by an inflammatory reaction that plays a role in the evolution of the tissue damage [2]. Celecoxib, an anti arthritic agent that inhibits COX-2 but spares COX-1 at therapeutic doses, is expected to have minimal effects on platelet function compare the effects on platelet function of a supratherapeutic dose of celecoxib with a standard dose of naproxen a conventional NSAID [3 and 4]. The discovery of at least 2 cyclo-oxygenase (COX) isoenzymes, referred to as COX-1 and COX-2, has updated our knowledge of non steroidal anti-inflammatory drugs (NSAIDs) [5]. The 2 COX isoenzymes share structural and enzymatic similarities, but are specifically regulated at the molecular level and may be distinguished apart in their functions, although some physiological overlap between them does occur. The major goal in developing selective COX inhibitors is to improve NSAID tolerability [6].

Celecoxib, in the 1,5-diarylpyrazole class of compound [7], was the first launched selective COX-2 inhibitor and has excellent selectivity and potent anti-inflammatory activity; however, its aqueous solubility is relatively low, which decreases its oral bioavailability [8]. One approach to address this problem is to convert the compound into a pro drug that is readily soluble in water. Recent studies have



## A multi Ability CP-ABE access control scheme for public cloud storage

Kothapalli Chaitanya Deepthi<sup>1\*</sup>, Dasari Ashok<sup>2</sup> and Dr M Krishna<sup>3</sup>

<sup>1</sup> Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup> Assistant Professor, Department of CSE, Chirala Engineering College, Chirala, India.

<sup>3</sup> Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

E-Mail: cdeepthik3@gmail.com

**Abstract:** The main personality of the cryptography structure based on communication with writings of stable figures and private keys [1-4]. Our development is a key encapsulation mechanism (KEM), so long messages can be coded under a short symmetric key. In our response, the writings of the figures and the private keys have stable dimensions and the people in general are directly in the maximum estimate of  $s$ . Furthermore, in our plan, the private key generator (PKG) can potentially include new people without modifying the already widespread data (as in the EIB's plans). We also note that there is no chain of importance between the characters, despite HIBE. The income of the general population is directed at the maximum size of  $S$ , and not in the amount of decoding keys that can be transmitted, which is the amount of conceivable characters. In this case, use a simple situation to find out about the group classification and main administration test problems. Think about a source that sends information to a provision of beneficiaries in a multicast session. Session security is supervised by two principles of useful substances: a Group Controller (GC) responsible for confirmation, approval and control and a Key Server (KS). To ensure classification in the middle of the multicast session, the sender (source) shares a mysterious symmetric key with all the individuals in the legitimate collection, called the Traffic Encryption Key (TEK). To multicast a mysterious message, the source encodes the message with the TEK using a symmetric encryption calculation. From previous documents, we look at how to share protected information in the cloud without losing keys. In this article, we present a new digital brand, an SSH key, hash functionality, and major escrow calculations.

**Index Terms:** Data usage, anonymous network, distributor, fake question, information spillage, finger print, fake actor

### 1. Introduction

Distributed computing has become a major innovation, both in the modern field and in the academic world, and in the overwhelming majority of specialists expects the distributed computing to be changed: The forms of data innovation (IT) and IT shopping center. In Cloud computing [5, 7, 12, 17, 30], customers interact with the "Cloud", which seems to be a solitary element instead of multiple servers. In this model, customers can store information remotely to appreciate applications and administrations in a high-level request for a common set of configurable computing resources. Although this cloud management compensation model offers significant reserves to customers and offers adaptability and versatility in terms of limits and execution, it includes the specialized cloud organization (CSP) of a





# Performance study of cloud computing for scientific applications

V Pranav<sup>1</sup>, P Satish Kumar<sup>2</sup> and Dr M Krishna<sup>3</sup>

<sup>1</sup>Assistant professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup>Assistant Professor, Department of CSE, Chirala Engineering College, Chirala, India.

<sup>3</sup>Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

Email: vallabhaneni.pranav@gmail.com

**ABSTRACT.** I propose the primary visualization of the cost estimate to evaluate the costs of the cloud database in simple and codified cases from the point of view of an occupant in an intermediate term period. Consider the variability of cloud costs and the chances that the database workload will vary in the evaluation time frame. The proposed model is instantiated in relation to some offers of cloud service providers and related authentic costs. Obviously, adaptable encryption affects the costs recognized with the capacity size and system usage of a database advantage.

## 1. Introduction

Distributed computing was chosen as a consideration of researchers as a strong advantage for running HPC applications at a potentially low cost. However, as a replacement framework, it is vague whether the mists are ready to run logical applications with a practical tool for every dollar. This work gives a complete assessment of the EC2 cloud around the corner. Initially I divide the possibilities of the cloud by measuring the general implementation of the different AWS administrations [1-3], such as register, memory, system and E / S. In view of the results in rudimentary realizations, and subsequently, I measure the implementation of logical applications in the cloud lastly, unlike the implementation of AWS and a private cloud, with a final goal defined, discover the main driver of its limitations when running logical applications. This project involves studying the ability of the cloud to function properly and, in addition, measuring the cost of the cloud to the extent that both the basic and logical applications are implemented. In addition, I evaluate several administrations, including S3, EBS and Dynamo DB, among the many advantages of AWS, taking into account the final goal of assessing the capabilities of what will be used by applications and logical systems. This also evaluates a true logical logging application through Swift's parallel script framework to resize. Equipped with point-by-point reference points to evaluate the expected tool and a definitive examination of the costs related to money, I hope this document is a recipe book for researchers that allow them to choose where to send and execute their logical applications between the open fogs, private mists, or half-mist of race.

## 2. Literature review

The study of writing is the most authoritative step in the management of programming progress. It has to consider the time element, the economy and the quality of the organization previous to building the device. Once these things are happy, then successive phases determine which structure and dialect can be used to build the device. Once software engineers start collecting the device, developers need

## Data productive collaborative filtering using deep learning based recommender model

K Purna Prakash<sup>1</sup>, Dr M Krishna<sup>2</sup> and M Satya Vijaya<sup>3</sup>

<sup>1</sup> Assistant Professor, Department of IT, Sir C.R.Reddy College of Engineering, Eluru, Andhra Pradesh, India.

<sup>2</sup> Professor, Department of CSE, Sir C.R.Reddy College of Engineering, Eluru, Andhra Pradesh, India.

<sup>3</sup> Assistant Professor, Department of IT, Chirala Engineering College, Chirala, Andhra Pradesh, India.

Email: prakash.nani@gmail.com

**Abstract:** The term Synergistic Filtering is utilized as a spine in all Commercial Recommendation Systems today. Conventional synergistic separating (CF) strategy does not take in thought successions of client's appraising, which reflects changes of client's inclination over some stretch of time. The suggestion undertaking is affected by the profound learning pattern which demonstrates its critical effectiveness. The profound learning based recommender models give a superior detainment of client inclinations, thing highlights and clients things connections history. The proposed structure incorporates three segments: a network factorization demonstrates for the watched rating remaking, a bi-grouping model for the client thing subgroup examination. We recognize uninteresting things that have not been assessed yet rather are presumably going to get low evaluations from customers, and particularly attribute them as low regards. One imperative undertaking in our rating induction structure is the assurance of nostalgic introductions (SO) and qualities of sentiment words. It is on the grounds that deducing a rating from a survey is fundamentally done by removing conclusion words in the audit, and afterward amassing the SO of such words to decide the predominant or normal assumption suggested by the client. The proposed structure and recommend that the system does not depend on a substantial preparing corpus to work. Advance improvement of our rating derivation structure is progressing. Trial results demonstrate that the proposed system indicate changes over the conventional community oriented sifting strategy.

**Index Terms:** Idea float, Trust, Cold-begin, Hybrid model, float, consecutive example mining, recommender system, profound learning, neural network, YouTube suggestion, Matrix factorization, client thing subgroup.

### 1. Introduction

A significant part of the information on the Internet today comprises of archives made accessible to numerous beneficiaries through mailing records, dissemination records, notice sheets, non-concurrent PC gatherings, newsgroups, and the World Wide Web [1-6]. Our fundamental commitment is that a novel recommender system for film area in view of continuous consecutive example mining with time interim. The proposed recommender system creates examples of classes of things as disconnected continuous successive process which will be utilized in online procedure to change the review things delivered by convention collaborative filtering. In the ongoing decades, the profound learning has seen





Saiful Omar

Wida Susanty Haji Suhaili

Somnuk Phon-Amnuaisuk *Editors*

# Computational Intelligence in Information Systems

Proceedings of the Computational  
Intelligence in Information Systems  
Conference (CIIS 2018)



Springer

# **Advances in Intelligent Systems and Computing**

**Volume 888**

**Series editor**

Janusz Kacprzyk, Polish Academy of Sciences, Warsaw, Poland  
e-mail: [kacprzyk@ibspan.waw.pl](mailto:kacprzyk@ibspan.waw.pl)

# Contents

## Intelligent Systems and Their Applications

<b>Higher Order Spectral Analysis of Vibration Signals and Convolutional Neural Network for the Fault Diagnosis of an Induction Motor Bearings</b> . . . . .	3
Muhammad Sohaib and Jong-Myon Kim	
<b>1D CNN-Based Transfer Learning Model for Bearing Fault Diagnosis Under Variable Working Conditions</b> . . . . .	13
Md Junayed Hasan, Muhammad Sohaib, and Jong-Myon Kim	
<b>Botnet Detection Using a Feed-Forward Backpropagation Artificial Neural Network</b> . . . . .	24
Abdulghani Ali Ahmed	
<b>Modified ANFIS with Less Model Complexity for Classification Problems</b> . . . . .	36
Noreen Talpur, Mohd Najib Mohd Salleh, Kashif Hussain, and Haseeb Ali	
<b>An Efficient Robust Hyper-Heuristic Algorithm to Clustering Problem</b> . . . . .	48
Mohammad Babrdel Bonab, Yong Haur Tay, Siti Zaiton Mohd Hashim, and Khoo Thau Soon	
<b>Test Case and Requirement Selection Using Rough Set Theory and Conditional Entropy</b> . . . . .	61
Noor Fardzilawati Md Nasir, Noraini Ibrahim, Mustafa Mat Deris, and Mohd. Zainuri Saringat	
<b>A Framework to Detect Compromised Websites Using Link Structure Anomalies</b> . . . . .	72
Patchmuthu Ravi Kumar, Perianayagam Herbert Raj, and Perianayagam Jelciana	

### **Network Centric Computing**

**A Performance Study of High-End Fog and Fog Cluster in iFogSim . . .** 87  
Fatin Hamadah Rahman, Thien Wan Au, S. H. Shah Newaz,  
and Wida Susanty Haji Suhaili

**Load Balancing in Mobile Cloud Computing Using Bin Packing's  
First Fit Decreasing Method . . . . .** 97  
P. Herbert Raj, P. Ravi Kumar, and P. Jelciana

**Independent and Distributed Access to Encrypted Cloud Databases . . .** 107  
Marlapalli Krishna, K. Chaitanya Deepthi, Soni Lanka,  
S. B. P. Rani Bandlamudi, and Rama Rao Karri

**Background Traffic Load Aware Video Class-Lecture Client  
Admission in a Bandwidth Constrained Campus Network . . . . .** 117  
Siti Aisyah binti Haji Jalil, Amirah Ruyaieda binti Haji Abdul Majid,  
Mohammad Ramzi bin Salleh, Fatin Hamadah Rahman,  
Mohammad Rakib Uddin, S. H. Shah Newaz, and Gyu Myoung Lee

### **Green Computing**

**Big Data Analytics and IoT Gadgets for Tech Savvy Cities . . . . .** 131  
N. Venkata Ramana, Puvvada Nagesh, Soni Lanka,  
and Rama Rao Karri

**Improving Accuracy of Dissolved Oxygen Measurement in an  
Automatic Aerator-Control System for Shrimp Farming  
by Kalman Filtering . . . . .** 145  
Jessada Karnjana, Thanika Duangtanoo, Seksun Sartsatit,  
Sommai Chokrung, Anuchit Leelayuttho, Kasorn Galajit,  
Asadang Tanatipuknon, and Pitisit Dillon

**Towards Developing a Peatland Fire Prevention System  
for Brunei Darussalam . . . . .** 157  
Nurul Wardah Haji Hamzah, Siti Aisyah Haji Jalil,  
and Wida Susanty Haji Suhaili

**Smartwatch-Based Application for Enhanced Healthy Lifestyle  
in Indoor Environments . . . . .** 168  
Gonçalo Marques and Rui Pitarma

**A Data Mining Approach for Inventory Forecasting: A Case Study  
of a Medical Store . . . . .** 178  
Burhan Rashid Hussein, Asem Kasem, Saiful Omar, and Nor Zainah Siau



**Creative Computing**

<b>Learning to Navigate in 3D Virtual Environment Using Q-Learning . . .</b>	<b>191</b>
Nurulhidayati Haji Mohd Sani, Somnuk Phon-Amnuaisuk, Thien Wan Au, and Ee Leng Tan	
<b>Pixel-Based LSTM Generative Model . . . . .</b>	<b>203</b>
Somnuk Phon-Amnuaisuk, Noor Deenina Hj Mohd Salleh, and Siew-Leing Woo	
<b>Implementation of Low-Cost 3D-Printed Prosthetic Hand and Tasks-Based Control Analysis . . . . .</b>	<b>213</b>
Saiful Omar, Asem Kasem, Azhan Ahmad, Seri Rahayu Ya'akub, Safwan Ahman, and Esa Yunus	
<b>Self-Trackam . . . . .</b>	<b>224</b>
Shiqah Natasya binti Muhammad Hadi and Mariatul Kiptiah binti Ariffin	
<b>Author Index . . . . .</b>	<b>235</b>




International Conference on Computational Intelligence in Information System

CIIS 2018: Computational Intelligence in Information Systems pp 107–116

[Home](#) > [Computational Intelligence in Information Systems](#) > [Conference paper](#)

## Independent and Distributed Access to Encrypted Cloud Databases

[Marlapalli Krishna](#), [K. Chaitanya Deepthi](#), [Soni Lanka, S. B.](#)  
[P. Rani Bandlamudi](#) & [Rama Rao Karri](#) 

Conference paper | [First Online: 18 October 2018](#)

**379** Accesses | **3** Citations

Part of the [Advances in Intelligent Systems and Computing](#) book series (AISC, volume 888)

### Abstract

The present generation prefers to store their data in the cloud, which brings them mobility and ease of extracting data from any device to anywhere in the world. Since data in the cloud is going to be placed online, it is important that these data in the clouds are well secured. The most important security challenge with data in the clouds is that the client was not aware of where the data is stored. Which

## Computational prediction and validation studies on a diverse dataset of cox-2 inhibitors

<sup>1</sup>Dr Adimulam Yesu Babu, <sup>2</sup>Dr Deepak Nedunuri and <sup>3</sup>Ch Madhava Rao

<sup>1</sup>Professor and Head, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup>Associate Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>3</sup>Assistant Professor, Department of ECE, Sir C R Reddy College of Engineering, Eluru, India.

E-Mail: nedunurideepak@gmail.com

**Abstract:** In linear regression analysis, when data was derived from various reference sources, the experimental quality of such data has to be assessed. Significant variables based on the statistical data of analysis were chosen. Based on the parameters like correlation coefficient ( $r$ ), F-value, cross-validation  $r^2$  etc quality of the generated equation was judged. An additional condition for high predictive ability of regression model is based on external set cross-validation  $r^2$ , ( $R^2_{\text{cross}}$ ) and the regression of observed activities against predicted activities and vice versa for validation set. Multivariate regression analysis using python program resulted in few influential parameters displayed significant positive and negative contribution towards biological activity of COX-2 inhibitors. A new regression model was attempted by dividing the complete set ( $n=64$ ) as a 58 molecule training set and a 6 molecule validation set based on selection criteria after rejecting outliers from the data set.

Index Terms: Linear regression, COX-2, regression model, correlation

### 1. Introduction

Arachidonic acid is converted to prostaglandins (PGs) and exists in two isoforms, COX-1 and COX-2 [1]. Cyclo-oxygenase-2 (COX-2), a rate-limiting enzyme for prostanoid synthesis, is induced during inflammation and participates in inflammation mediated cytotoxicity. Cerebral ischemia is followed by an inflammatory reaction that plays a role in the evolution of the tissue damage [2]. Celecoxib, an anti arthritic agent that inhibits COX-2 but spares COX-1 at therapeutic doses, is expected to have minimal effects on platelet function compare the effects on platelet function of a supratherapeutic dose of celecoxib with a standard dose of naproxen a conventional NSAID [3 and 4]. The discovery of at least 2 cyclo-oxygenase (COX) isoenzymes, referred to as COX-1 and COX-2, has updated our knowledge of non steroidal anti-inflammatory drugs (NSAIDs) [5]. The 2 COX isoenzymes share structural and enzymatic similarities, but are specifically regulated at the molecular level and may be distinguished apart in their functions, although some physiological overlap between them does occur. The major goal in developing selective COX inhibitors is to improve NSAID tolerability [6].

Celecoxib, in the 1,5-diarylpyrazole class of compound [7], was the first launched selective COX-2 inhibitor and has excellent selectivity and potent anti-inflammatory activity; however, its aqueous solubility is relatively low, which decreases its oral bioavailability [8]. One approach to address this problem is to convert the compound into a pro drug that is readily soluble in water. Recent studies have





## Dynamic security for multi-user access control in distributed environment

S Jaya Prakash<sup>1</sup>, K Varada Raj Kumar<sup>2</sup> and Dr Deepak Nedunuri<sup>3</sup>

<sup>1</sup>Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup>Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>3</sup>Associate Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

E-Mail: prakashsunkavalli@gmail.com

**Abstract:** Cloud computing is an on-demand facilities that allows customers to access processing sources and services from anywhere and at any time. Information protection means defending the information from illegal individuals or online hackers. We propose Integrated Group Sharing Approach (IGSA) schema for multiple customer accessibility control in customer operations like information insertion, deletion and in customer cancellation immediately reasoning database integration. We look at the security of IGSA plan and assess with the current IGSA techniques which are used for information access immediately reasoning computing for achieving real-time applications in reasoning. Our experimental results show efficient information removal from multiple customer accessibility in search of information from reasoning server. In future, some protection systems are to be developed to provide protection to cloud.

Index Terms: Cloud Computing, IGSA, Secure Multi key Word Search.

### 1. Introduction

Distributed computing is an on-request framework that empowers clients to get to processing assets and administrations from anyplace and whenever. There are three sorts of administrations in cloud. They are

1. SaaS ( Software-as-a-benefit ) : The Cloud supplier offers programming on-request.
2. PaaS ( Platform-as-a-benefit) : The Cloud supplier offers a stage to client for their undertakings.
3. IaaS ( Infrastructure - as-a-benefit ) : The Cloud suppliers offer equipment assets or on the other hand foundation to client. At the point then the client get to the information from cloud specialist organization, there is a probability of assaulting the information.



Figure 1: Advanced key distribution in cloud server environment.



# A novel approach to compress dna repetitive sequences in bio-informatics

S M B Chowdary<sup>1</sup>, Samparathi V S Kumar<sup>2</sup>, Dr Deepak Nedunuri<sup>3</sup> And Vmsssvkr Gupta<sup>4</sup>

<sup>1</sup>Sr. Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru.

<sup>2</sup>Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru.

<sup>3</sup>Associate Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru.

<sup>4</sup>Associate Professor, Department of CSE, S R K R Engineering College, Bhimavaramluru.

E-Mail: [mohanbabus2009@gmail.com](mailto:mohanbabus2009@gmail.com)

**Abstract:** In recent days numbers of gigabyte sequences of nucleotides are stored in a common database Genbank. All the victimization Deoxyribonucleic acid sequences for biological functions are to store the large number of Genomes in a compressed type in economically. Despite the fact that Deoxyribonucleic corrosive arrangements are put away in a packed kind, the information on Deoxyribonucleic corrosive groupings square measure hang on in science databases. For a four-letter alphabet in DNA (Adenine(A), Cytosine(C), Guanine(G) and Thymine(T)), an average description length of 2 bits per base is that the max length required to encode DNA. To reexamine the previous art of compression techniques and its merits and de merits, a novel attempt is initiated. Based on the comparative study of existing algorithms a new method proposed for DNA compression without depending on statistics of sequence set.

Key Words: DNA, GenBank, Phylogenetic Tree, Genomes

## 1. Introduction

There is large number of databases available for human genomic data, Resulting to the challenging environment on the changes of genomic data (DNA or Protein). The four classifications of DNA were adenine (A), cytosine (C), Guanine (G) and Thymine (T). Without compression two bits required to encode each base by information theory [2]. Even in existing general compression tool like gzip are used [3]. Thus, it became an essential need to compress DNA sequences by developing specific compression algorithms.

### 1.1 DNA

The genetic information can be passes from one bread to another which is incorporated by DNA is used in the enhancement and functioning of living organisms. Nucleotides and Phosphate, both the teams joined by organic compound were the two long polymers of DNA (Fig.1). In each cell, the organization of DNA is formed into long structures called chromosomes, for ex the human genome contains 23 chromosome pairs. In DNA replication chromosomes are duplicated before cell division.



## Multi-core with ht technology to solve data lake complex problems

**K Sreenu<sup>1</sup> and B R S Reddy<sup>2</sup>**

<sup>1</sup>Computer Science and Engineering Department, Sir C R Reddy College of Engineering, Eluru

<sup>2</sup>Computer Science and Engineering Department, Ramachandra College of Engineering, Eluru  
E-mail:sreenukcupid@gmail.com

**Abstract.** Technology is taking its lead towards growth and it should be timely used properly for complex problems. Everything is available with us and it should be planned properly for better technology and its usage. This paper deals with core technology that will save time and cost for high resolution images. Which are used for movies, virtual games and simulations? Multi-cores are not new to the society; they are taken their shape into different transitions. Now we are in dual core technology with more processors and speed. We can utilize the cores properly if we have software technology. Main objective of this paper is to utilize cores proper for specific work with interrelating them. Finally they have to be organized properly with governance of the software. For performance HT Technology is used to select core for specific job. By selecting different cores we can gain performance, same way increase the speed and high resolution of images.

### 1. Introduction

Technology is growing rapidly with lot of changes in them. Now we are in advanced technology with sophisticated resources. Computer system have coordination with the others devices and maintain them. One of critical area in computer system is the CPU or processor. There are lot improvements in the processor technology. We know single core processor, multiprocessor and now are in stage of multi-processor/multi-core as shown figure 1.




Figure. 1. Three system configurations.

Image processing is the study of analysis and manipulation of digital image. Image is a representation of the thing or a person or an art related to existing or non-existing thing. When image is computerized



# Various Ciphers in Classical Cryptography

**D Venkata Vidya Deepthi<sup>1</sup>, B Homer Benny<sup>2</sup> and K Sreenu<sup>3</sup>**

<sup>1</sup> Asst. Prof., CSE Dept., CRRE, Eluru, W.G.Dist., A.P., India.

<sup>2</sup> Asst. Prof., CSE Dept., CRRE, Eluru, W.G.Dist., A.P., India.

<sup>3</sup> Asst. Prof., CSE Dept., CRRE, Eluru, W.G.Dist., A.P., India.

Email Id vvidyadd@gmail.com

**Abstract.** Data Encryption is often widely used tool to provide security features. It translates the clear text into code such that it can only be accessed with the person who has the appropriate key. The recovery of clear text from such an unscrambled data is deciphering. Enciphering can be implemented by using some substitution technique, shifting technique or even mathematical logics. Application of such types of techniques is difficult to retrieve clear text. In the bygone times, several symmetric key base algorithms have been developed. This paper enlightens and analyzes the substitution ciphers and transposition ciphers. With the comparison of different parameters used in the algorithms give significance of the algorithm.

**Keywords—** Enciphering, Deciphering, Cipher text and Clear text.

## 1. Introduction

Cryptography is the dissertation of securely sending raw information to concerned recipient only. The necessity to secure the data has been increased due to the emerging technologies across the networks. Data comprehended to all without any restrictions is nothing but clear text. Cryptanalysis has coevolved together with cryptography and the contest can be traced through the evolution of cryptography. The new ciphers get into limelight from the cons of previous ones and simultaneously new techniques will exist to decipher them. Classical code-breaking integrates analytical reasoning and mathematics. Cryptology underpins cryptography and cryptanalysis. At the Source enciphering has been performed with aid of shared secret key. The recipient performs the deciphering. The algorithms regarding cryptography are analyzed as secret-key cryptography and public key cryptography. This section expound about cryptographic techniques to encipher and decipher the clear text and cipher text respectively.

## 2. Types of encryption techniques

In cryptography, substitution cipher is a way of enciphering where the clear text is substituted with encrypted text, depending on a constant system. The recipient decipheres the text by performing the inverse substitution whereas in the transposition cipher, clear text is rearranged in a different and complex order, but the alphabets remain unaltered.

### 2.1. Number of keys includes

There are two types of keys in cryptography referred as public and private keys. The public key is shared between both the sender and receiver. As it is not secret, Private Key is used in situations to decipher where public key is used for enciphering.

Block Cipher and Stream Cipher are the approaches to process clear text. In Stream Ciphers, both enciphering and deciphering happens single bit at a time. In this case, the stream ciphers split the raw information into bits and randomized after that enciphering occurs. In Block Ciphers, block of clear text is enciphered at a time and vice versa. This happens as the unprocessed information is splattered into



## Systematic approach for enrichment of docking outcome using consensus scoring functions

<sup>1</sup>K Naga Madhavalatha and <sup>2</sup>Dr G Rama Mohan Babu

<sup>1</sup>Research Scholar, Department of Computer Science and Engineering, University College of Engineering & Technology, Acharya Nagarjuna University, Nagarjuna Nagar, GUNTUR - 522510, Andhra Pradesh, India.

<sup>2</sup>Professor, Department of Information Technology, R.V.R. & J.C College of Engineering, Chowdavaram GUNTUR- 522019, Andhra Pradesh, India.

E-mail:kakarla.nml@gmail.com

**Abstract.** Traditional drug discovery is an expensive and time consuming process. Pharmaceutical industry suffers from a huge attrition due to last stage failure in traditional drug discovery. Bioinformatics principles can be utilized to overcome this pressure and speedup the process of drug discovery. Computer aided drug design is a remedy to avoid this loss. Drug design means designing the ligand that has high affinity towards target protein. This can be achieved by Virtual Screening. Ligand based virtual screening utilizes information from the ligand about the target. It is a ligand centric approach. The availability of three dimensional structures of protein targets and their possible ligands are utilized for identification and optimization of lead molecules (positive hits) in Structure based virtual screening. It is a target centric approach. To find out fit poses of ligand and its affinity at the active site of target Molecular Docking is done. Molecular docking is tool that contains search algorithm and scoring function. Search algorithms predict the binding modes of a target and fit ligand conformations towards the target. Scoring function is involved in prediction of the affinity of a ligand to bind to a protein target. There are various plat forms and scoring functions for predicting ligand – protein interactions. Consensus Scoring is a technique of combing information from multiple scoring functions and gives relatively accurate result when compared to single scoring function. It shows improvement in terms of quality of hit scores, false positive rate and enrichment. Consensus Scoring gives better, accurate and consistent results across the receptor systems when compared to individual or single scoring functions.

**Keywords.** Computer Aided Drug Design, Virtual Screening, Molecular Docking, Consensus Scoring.

### 1. Introduction

Discovery of a drug through traditional route is a step wise process and take a lot time for the process to yield in result. Developing a drug that acts against a specific protein target is a tough task. It takes years long to release a new drug molecule into market for treatment of a particular disease. Identification of high incidence of side effects in the last stage of drug discovery and development results in loss of effort, time and expenses. Thus drug industry suffers from late stage attrition in drug discovery. Computer aided drug design would show a remedy to avoid this huge loss. Bioinformatics principles are used in drug discovery to speed up the process of drug discovery <sup>[1]</sup>. In every disease there will be potential drug targets





## A multi Ability CP-ABE access control scheme for public cloud storage

Kothapalli Chaitanya Deepthi<sup>1\*</sup>, Dasari Ashok<sup>2</sup> and Dr M Krishna<sup>3</sup>

<sup>1</sup> Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup> Assistant Professor, Department of CSE, Chirala Engineering College, Chirala, India.

<sup>3</sup> Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

E-Mail: cdeepthik3@gmail.com

**Abstract:** The main personality of the cryptography structure based on communication with writings of stable figures and private keys [1-4]. Our development is a key encapsulation mechanism (KEM), so long messages can be coded under a short symmetric key. In our response, the writings of the figures and the private keys have stable dimensions and the people in general are directly in the maximum estimate of  $s$ . Furthermore, in our plan, the private key generator (PKG) can potentially include new people without modifying the already widespread data (as in the EIB's plans). We also note that there is no chain of importance between the characters, despite HIBE. The income of the general population is directed at the maximum size of  $S$ , and not in the amount of decoding keys that can be transmitted, which is the amount of conceivable characters. In this case, use a simple situation to find out about the group classification and main administration test problems. Think about a source that sends information to a provision of beneficiaries in a multicast session. Session security is supervised by two principles of useful substances: a Group Controller (GC) responsible for confirmation, approval and control and a Key Server (KS). To ensure classification in the middle of the multicast session, the sender (source) shares a mysterious symmetric key with all the individuals in the legitimate collection, called the Traffic Encryption Key (TEK). To multicast a mysterious message, the source encodes the message with the TEK using a symmetric encryption calculation. From previous documents, we look at how to share protected information in the cloud without losing keys. In this article, we present a new digital brand, an SSH key, hash functionality, and major escrow calculations.

**Index Terms:** Data usage, anonymous network, distributor, fake question, information spillage, finger print, fake actor

### 1. Introduction

Distributed computing has become a major innovation, both in the modern field and in the academic world, and in the overwhelming majority of specialists expects the distributed computing to be changed: The forms of data innovation (IT) and IT shopping center. In Cloud computing [5, 7, 12, 17, 30], customers interact with the "Cloud", which seems to be a solitary element instead of multiple servers. In this model, customers can store information remotely to appreciate applications and administrations in a high-level request for a common set of configurable computing resources. Although this cloud management compensation model offers significant reserves to customers and offers adaptability and versatility in terms of limits and execution, it includes the specialized cloud organization (CSP) of a



## A novel artificial intelligence program testing service (ai-pts) model

**Kothapalli Chaitanya Deepthi <sup>1\*</sup>**

<sup>1</sup>Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

E-Mail: cdeepthik3@gmail.com

**Abstract:** Today's world is most dependent upon computer systems. Artificial Intelligence is also growing rapidly. We can see that vast growing field in computer system is Artificial Intelligence. We can use artificial intelligence applications for program testing service. Old process contains errors and they are corrected by end user himself. Artificial Intelligence applications can be used directly and wait to provide inputs. In between if any errors are modified by the software. This research paper focuses on AI-PTS model. Artificial Intelligence applications itself corrects the errors and take the program to run-time. We use decision trees, searching patterns, database training grammar.

**Index Terms:** Artificial Intelligence, testing, decision-trees, database, searching

### 1. Introduction

Every day there is a lot of improvements towards computer systems. Humans improved the power of computer systems, increasing speed, increasing memory and reducing the size with parallel to the time. Artificial Intelligence is the study of sciences and technology related to engineering which support in preparing smart systems. Artificial Intelligence is a roadmap for generating smart systems. Artificial Intelligence is equipped most with a computer robotics, which contains lot of programs. It is similar to human thinking. Artificial Intelligence is the study of how humans think; decide on decisions and work to solve problems. Invention of new things is not new to this world but getting feedback of those systems will be inception for more new things. Artificial Intelligence is a science with the combination of techno-engineering. AI is the combination of Biology, Computer Sciences and Engineering, Engineering, Psychology and Linguistics. Artificial Intelligence is the inception for growing technology of various computers related modules related with mind intelligences.





## Dynamic security for multi-user access control in distributed environment

S Jaya Prakash<sup>1</sup>, K Varada Raj Kumar<sup>2</sup> and Dr Deepak Nedunuri<sup>3</sup>

<sup>1</sup>Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup>Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>3</sup>Associate Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

E-Mail: prakashsunkavalli@gmail.com

**Abstract:** Cloud computing is an on-demand facilities that allows customers to access processing sources and services from anywhere and at any time. Information protection means defending the information from illegal individuals or online hackers. We propose Integrated Group Sharing Approach (IGSA) schema for multiple customer accessibility control in customer operations like information insertion, deletion and in customer cancellation immediately reasoning database integration. We look at the security of IGSA plan and assess with the current IGSA techniques which are used for information access immediately reasoning computing for achieving real-time applications in reasoning. Our experimental results show efficient information removal from multiple customer accessibility in search of information from reasoning server. In future, some protection systems are to be developed to provide protection to cloud.

**Index Terms:** Cloud Computing, IGSA, Secure Multi Key Word Search.

### 1. Introduction

Distributed computing is an on-request framework that empowers clients to get to processing assets and administrations from anyplace and whenever. There are three sorts of administrations in cloud. They are

1. SaaS ( Software-as-a-benefit ) : The Cloud supplier offers programming on-request.
2. PaaS ( Platform-as-a-benefit ) : The Cloud supplier offers a stage to client for their undertakings.
3. IaaS ( Infrastructure - as-a-benefit ) : The Cloud suppliers offer equipment assets or on the other hand foundation to client. At the point then the client get to the information from cloud specialist organization, there is a probability of assaulting the information.



Figure 1: Advanced key distribution in cloud server environment.



# Crypto-Stego Technique for Secure Data Transmission

Homer Benny Bandela<sup>1\*</sup>, M.Ganesh Babu<sup>2</sup> and Donavalli Venkata Vidya Deepthi<sup>3</sup>

<sup>1</sup> Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup> Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>3</sup> Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

E-Mail: homer.benny@gmail.com

**Abstract:** As days are passing, technology is taking its force towards its smartness. But there are some devices which are to be modified for better security results. Cryptography is a technique used for sending secret messages and Steganography is a process related to image. In this paper, we consider Cryptography and Steganography for secure transmission of secret message. The technique used in this paper is to place an image within another image. Encrypted data or Secret data is placed on an image based on pixels and that image is placed as background for other image. When the receiver receives that image he/she thinks it as a normal image but it contains a hidden message and decrypted for original image.

Index Terms: Cryptography, Message, Security, Steganography

## 1. Introduction

### 1.1 Computer Networks

Fast growing field in Computer Science and Engineering is Networks. If we are accessing more information from different websites it is because of Computer Networks. Computer Networks are playing a key role in our daily life like Email, Chatting, Whatsapp, Instagram etc. Computer Network technology is now spread to mobiles also. Now a million dollar question is whether we are safe or unsafe in using this type of technology. Figure 1 gives a view of safe or unsafe ambiguity network. Suppose we want to shop online by using computer or mobile, then compulsory last point is payment. When we provide credit card or debit card information it may get notified by the hacker. He/she may misuse the card details for his/her personal work or any other work.



Figure 1: Safe or Unsafe Network





# Super Resolution Image Reconstruction Using Iterative Regularization Method and Feed –Forward Neural Networks

<sup>1</sup>M Ganesh Babu, <sup>2\*</sup>Dr Sudam Sekhar Panda, <sup>3</sup>Homer Benny Bandela

<sup>1</sup>Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup>Associate Professor, Department of MATHS, Vignan Foundation for Science Technology & Research, Guntur.

<sup>3</sup>Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

E-Mail: sudamshekhara@gmail.com

**Abstract.** Super resolution is one of the best existing procedures to acquire high resolution image due to its effortlessness and extensive variety of use in numerous fields of science and engineering. There are various methods exist for super resolution but, this work made an effort by combining the iterative regularization method with neural network and obtained a good result comparatively from the previous method because of its high compatible nature with less and user friendly approach. It takes care of the noise in the initial stage and gets a concrete result when neural network is introduced. In addition to the noise it controls the vulnerable parameters and gets a highly super resolution image as compare to the literature.

**Index Terms:** PSNR: Peak Signal to Noise Ratio, regularization, Neural networks.

## 1. Introduction

Regularization is often used to solve the problem of image restoration as an anti-existence of morbid or ill-posedness (ill-posed). The main purpose of regularization methods in super-resolution techniques is to get better recovery results by taking the image as a primary input. Regularization method to solve two important issues first is the regularization functional items to determine if Chiang Kai-shek, select regular item should be able to measure the signal of some kind of singularity, while at the same time be able to rebuild a better signal to maintain signal details. Followed by regularization coefficient of determination, choice of regularization factor should be able to ensure that the data fit according to the image information items and regular items of reasonable energy balance.

Regularization methods the main purpose is to introduce reasonable constraints to get better image restoration results. There are many improvements in regularization methods, like adaptive regularization parameter method, iterative regularization method, spatially adaptive wavelet method and regularization methods are seen in the literature but still the regularization image restoration process has its own significance in order to image smoothing and recovery. In 1960s Harris and Goodman proposed the single-image recovery concepts and methods [1], many of them subsequently conducted a study, and have proposed a variety of recovery methods. After this, taking into account the degraded image is a process of estimating the ill-posed problem, Schultz and Stevenson [2] made

## Failure node identification in mobile wireless sensor networks

Gunupusala Satyanarayana<sup>1</sup>, Rayavarapu sandhya Rani<sup>2</sup>

<sup>1</sup>Assistant Professor, CSE Department, Sir C R Reddy College of Engineering, Eluru, W.G.DT.A.P, India.


<sup>2</sup>M.TECH Student, CSE Department, SIR C R REDDY College of Engineering, Eluru, W.G.DT.A.P, India.

**Abstract:** Wireless Sensor Networks are subjected to node failures mainly due to restricted energy resource of sensors and harsh environments, and thus lead to failure of the sensor network. Failure of a node in WSN can split the network into components thereby partitioning it into disjoint sets which contributes to communication loss between the sender and the receiver. To overcome this loss of communication, there are two possible solutions: one solution is to restore the communication by either relaying an extra node at the damaged area, and another to exploit the existing node to bring back the connectivity. The distributed and localized algorithm is effective than the centralized approaches where the entire network topology must be known prior to the restoration of the network. This paper brings out the different approaches to handle the failed node in WSN.

**Keywords** – faulty node, network partition, wireless sensor networks, failed node

### 1. Introduction

Sensors are being the vigilant part in many modern surveillance applications like the border surveillance, environment monitoring, military applications, target tracking, health and medical monitoring etc. Wireless Sensor Networks consists of several such sensors which are randomly deployed in large numbers in sensitive, unattended and hostile territories. Each sensor node has a processor, radio, sensor and built-in electrical storage device. These nodes are collected then the data relay sink the node, where the data is groped and analysed. As sensor node have limited transmission range, the nodes transmits data over multi-hop. These nodes are useful thing /valuable supply held back resource constrained in terms of processing power and electrical storage device to hold or do some thing . A typical WSN is shown in fig:



Due to the limited resources faults occur frequently and unexpectedly in wireless sensor networks. The two types of faults are simple crash failure where it becomes completely unactive and faults where the node behaves randomly . As failures occur to happen in the sensornetworks, it is very important to figure out what nodes of the network are not working correctly.





# Various Ciphers in Classical Cryptography

**D Venkata Vidya Deepthi<sup>1</sup>, B Homer Benny<sup>2</sup> and K Sreenu<sup>3</sup>**

<sup>1</sup> Asst. Prof., CSE Dept., CRRE, Eluru, W.G.Dist., A.P., India.

<sup>2</sup> Asst. Prof., CSE Dept., CRRE, Eluru, W.G.Dist., A.P., India.

<sup>3</sup> Asst. Prof., CSE Dept., CRRE, Eluru, W.G.Dist., A.P., India.

Email Id vvidyadd@gmail.com

**Abstract.** Data Encryption is often widely used tool to provide security features. It translates the clear text into code such that it can only be accessed with the person who has the appropriate key. The recovery of clear text from such an unscrambled data is deciphering. Enciphering can be implemented by using some substitution technique, shifting technique or even mathematical logics. Application of such types of techniques is difficult to retrieve clear text. In the bygone times, several symmetric key base algorithms have been developed. This paper enlightens and analyzes the substitution ciphers and transposition ciphers. With the comparison of different parameters used in the algorithms give significance of the algorithm.

**Keywords—** Enciphering, Deciphering, Cipher text and Clear text.

## 1. Introduction

Cryptography is the dissertation of securely sending raw information to concerned recipient only. The necessity to secure the data has been increased due to the emerging technologies across the networks. Data comprehended to all without any restrictions is nothing but clear text. Cryptanalysis has coevolved together with cryptography and the contest can be traced through the evolution of cryptography. The new ciphers get into limelight from the cons of previous ones and simultaneously new techniques will exist to decipher them. Classical code-breaking integrates analytical reasoning and mathematics. Cryptology underpins cryptography and cryptanalysis. At the Source enciphering has been performed with aid of shared secret key. The recipient performs the deciphering. The algorithms regarding cryptography are analyzed as secret-key cryptography and public key cryptography. This section expound about cryptographic techniques to encipher and decipher the clear text and cipher text respectively.

## 2. Types of encryption techniques

In cryptography, substitution cipher is a way of enciphering where the clear text is substituted with encrypted text, depending on a constant system. The recipient decipheres the text by performing the inverse substitution whereas in the transposition cipher, clear text is rearranged in a different and complex order, but the alphabets remain unaltered.

### 2.1. Number of keys includes

There are two types of keys in cryptography referred as public and private keys. The public key is shared between both the sender and receiver. As it is not secret. Private Key is used in situations to decipher where public key is used for enciphering.

Block Cipher and Stream Cipher are the approaches to process clear text. In Stream Ciphers, both enciphering and deciphering happens single bit at a time. In this case, the stream ciphers split the raw information into bits and randomized after that enciphering occurs. In Block Ciphers, block of clear text is enciphered at a time and vice versa. This happens as the unprocessed information is splattered into



# Crypto-Stego Technique for Secure Data Transmission

Homer Benny Bandela<sup>1\*</sup>, M.Ganesh Babu<sup>2</sup> and Donavalli Venkata Vidya Deepthi<sup>3</sup>

<sup>1</sup> Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup> Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>3</sup> Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

E-Mail: homer.benny@gmail.com

**Abstract:** As days are passing, technology is taking its force towards its smartness. But there are some devices which are to be modified for better security results. Cryptography is a technique used for sending secret messages and Steganography is a process related to image. In this paper, we consider Cryptography and Steganography for secure transmission of secret message. The technique used in this paper is to place an image within another image. Encrypted data or Secret data is placed on an image based on pixels and that image is placed as background for other image. When the receiver receives that image he/she thinks it as a normal image but it contains a hidden message and decrypted for original image.

Index Terms: Cryptography, Message, Security, Steganography

## 1. Introduction

### 1.1 Computer Networks

Fast growing field in Computer Science and Engineering is Networks. If we are accessing more information from different websites it is because of Computer Networks. Computer Networks are playing a key role in our daily life like Email, Chatting, Whatsapp, Instagram etc. Computer Network technology is now spread to mobiles also. Now a million dollar question is whether we are safe or unsafe in using this type of technology. Figure 1 gives a view of safe or unsafe ambiguity network. Suppose we want to shop online by using computer or mobile, then compulsory last point is payment. When we provide credit card or debit card information it may get notified by the hacker. He/she may misuse the card details for his/her personal work or any other work.



Figure 1: Safe or Unsafe Network



# Super Resolution Image Reconstruction Using Iterative Regularization Method and Feed –Forward Neural Networks

<sup>1</sup>M Ganesh Babu, <sup>2\*</sup>Dr Sudam Sekhar Panda, <sup>3</sup>Homer Benny Bandela

<sup>1</sup>Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup>Associate Professor, Department of MATHS, Vignan Foundation for Science Technology & Research, Guntur.

<sup>3</sup>Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

E-Mail: sudamshekhara@gmail.com

**Abstract.** Super resolution is one of the best existing procedures to acquire high resolution image due to its effortlessness and extensive variety of use in numerous fields of science and engineering. There are various methods exist for super resolution but, this work made an effort by combining the iterative regularization method with neural network and obtained a good result comparatively from the previous method because of its high compatible nature with less and user friendly approach. It takes care of the noise in the initial stage and gets a concrete result when neural network is introduced. In addition to the noise it controls the vulnerable parameters and gets a highly super resolution image as compare to the literature.

Index Terms:: PSNR: Peak Signal to Noise Ratio, regularization, Neural networks.

## 1. Introduction

Regularization is often used to solve the problem of image restoration as an anti-existence of morbid or ill-posedness (ill-posed). The main purpose of regularization methods in super-resolution techniques is to get better recovery results by taking the image as a primary input. Regularization method to solve two important issues first is the regularization functional items to determine if Chiang Kai-shek, select regular item should be able to measure the signal of some kind of singularity, while at the same time be able to rebuild a better signal to maintain signal details. Followed by regularization coefficient of determination, choice of regularization factor should be able to ensure that the data fit according to the image information items and regular items of reasonable energy balance.

Regularization methods the main purpose is to introduce reasonable constraints to get better image restoration results. There are many improvements in regularization methods, like adaptive regularization parameter method, iterative regularization method, spatially adaptive wavelet method and regularization methods are seen in the literature but still the regularization image restoration process has its own significance in order to image smoothing and recovery. In 1960s Harris and Goodman proposed the single-image recovery concepts and methods [1], many of them subsequently conducted a study, and have proposed a variety of recovery methods. After this, taking into account the degraded image is a process of estimating the ill-posed problem, Schultz and Stevenson [2] made

# Dynamic design and implementation of security intelligence for industry

Sri Krishna Chaitanya Rudraraju<sup>1\*</sup> and Samparathi V S Kumar<sup>2</sup>

<sup>1</sup> Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup> Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

E-Mail: skc.rudraraju@gmail.com

**Abstract:** As The development of Internet of Things (IOT) technology became one of the proponents in the industrial revolution 4.0. Digital transformation began to be applied to the entire manufacturing industry, services, transportation and education which have slowly shifted utilizing IOT technology. The industrial revolution 4.0 has an impact on digital transformation and becomes a necessity that can change business patterns such as the ease of data interaction services between industries to customers that are also supported by ease of access and speed of decision making. However, in its development, stakeholders tend to focus on infrastructure and information systems, while the security of information systems is still a comfort zone for industries in the transformation to industry 4.0. The issue of information system security will be a challenge for the industry with open access to information systems; otherwise focus will hamper the business process of the industry. In this research will be discussed about the modeling and implementation of information system security with a combination of web-based security methods with port knocking firewall model and short message service gateway as a security medium with the concept of ease of access with safe and comfortable. The result of this research has been testing penetration testing using network tools.

**Index Terms:** Industry 4.0, cyber security, port knocking, short message service gateway

## 1. Introduction

The current industrial revolution has grown to 4.0 which replaces industry 3.0. According to [1] and [2] that the basic principle in industry 4.0 is the incorporation of machines, workflows, and systems, by applying intelligent networks along chains and production processes to control each other independently. There are four aspects of the challenges of implementing the industry revolution 4.0 according to Wolter namely information technology security issues, reliability issues and stability of production machinery, lack of adequate skills, lack of motivation of stakeholders to change; and the loss of a lot of work as it turns into automation [3] and [4]. Support of the Internet of Things (IOT) became the most important in the industry revolution 4.0 with open access to information systems and automation changed the way business as its own competitiveness for each industry [5] and [6] According to [7] and [8] security issues will be a challenge for each industry, sometimes for mature industries with adequate resources often overlooking security issues. For medium and small industries some have difficulty and lack of understanding of the security of information systems, stakeholders tend to focus on infrastructure and information systems as digital transformation in the speed of decision making. According to [8] the risks of information system security have an impact, among others, operational risks of Denial-of Service (DDOS) attacks, data theft, website hijacking and reputation risk of lack of trust of business colleagues followed by exposure through media about security vulnerabilities system. In addition, investment risk becomes the most perceived big losses that are large investments but the system is not integrated and the security system used is not in accordance with business needs.

IOT will lead to new problems related to information systems security management, namely the opening of connection lines. This is often used by hackers / hackers to steal data through the network. One of the most important components in an information security management system design is the use of firewalls [9]. The main role and task





# Acceptability analysis method for evaluate data on twitter using support vector machine

<sup>1</sup>K Swathi and <sup>2</sup>P Naga deepthi

<sup>1</sup> Assistant professor, department of CSE, sir.c.r.reddy college of engineering, India

<sup>2</sup> Assistant professor, department of CSE, sir.c.r.reddy college of engineering, India

E-mail:kommanaswathi@gmail.com

**Abstract.** The first model centres around believability at the client level, tackling different elements of information stream into a registered validity rating. The next model specifies a methodology to find believability score for singular tweets. We built up the system for validity on Face book by evaluating the validity of: (i) the reliability of the web sources discussing a case, (ii) the dialect style of the articles revealing the case and, (iii) their position. We at that point gathered the preparation information for making a model utilizing Support Vector Machine (SVM). Furthermore the standardization technique is essential advance for purifying information before utilizing the machine learning strategy to order information. The outcome demonstrate that Naïve Bayes to identify the Fake news has precision 96.08%. We distinguish basic examples of transiently agent discussion subgraphs and speak to their subjects utilizing Latent Dirichlet Allocation (LDA) demonstrating. We break down how the information had proliferated, and the moves were made in light of the source. The component retweet was considered as a proportion of examination to upgrade the reliability of the spread information. The performance of our positioning calculation essentially upgraded when we connected re-positioning system.

## 1. Introduction

Increased popularity of microblogs as of late realizes a requirement for better systems to extricate dependable or generally valuable information from loud and vast information. While there are an incredible number of concentrates that acquaint strategies with find dependable information, there is no acknowledged validity benchmark. Accordingly, it is difficult to think about various examinations and sum up from their discoveries [1]. The essential concentration and commitment of the paper is on assessment and examination of methodologies of foreseeing tenable information for particular themes on Twitter is imperative test given the bounty of pointless information in the forum [2]. The social believability model, at that point centres around content-based validity, and finally on a half and half of highlights from the two methodologies [3]. There is variety in how reviews are directed, yet the general desire is that the study results are fair aside from the inclination acquainted by the prompts gave the raters, for example, the quantity of retweets for the message, and the manner in which validity is surrounded in the study [4]. Face book clients can refresh status that can be an individual message or pages connect [5]. The upper left tweet gives right about the occasion while The upper right tweet contains no information about the occasion [6]. The base tweet contains related words; it incorporates a URL to a commercial to offer an item, so it is treated as a spam tweet of that occasion [7]. The client can take after another client to get refreshed data about the specific theme spread

# Various Ciphers in Classical Cryptography

**D Venkata Vidya Deepthi<sup>1</sup>, B Homer Benny<sup>2</sup> and K Sreenu<sup>3</sup>**

<sup>1</sup> Asst. Prof., CSE Dept., CRRE, Eluru, W.G.Dist., A.P., India.

<sup>2</sup> Asst. Prof., CSE Dept., CRRE, Eluru, W.G.Dist., A.P., India.

<sup>3</sup> Asst. Prof., CSE Dept., CRRE, Eluru, W.G.Dist., A.P., India.

Email Id vvidyadd@gmail.com

**Abstract.** Data Encryption is often widely used tool to provide security features. It translates the clear text into code such that it can only be accessed with the person who has the appropriate key. The recovery of clear text from such an unscrambled data is deciphering. Enciphering can be implemented by using some substitution technique, shifting technique or even mathematical logics. Application of such types of techniques is difficult to retrieve clear text. In the bygone times, several symmetric key base algorithms have been developed. This paper enlightens and analyzes the substitution ciphers and transposition ciphers. With the comparison of different parameters used in the algorithms give significance of the algorithm.

**Keywords—** Enciphering, Deciphering, Cipher text and Clear text.

## 1. Introduction

Cryptography is the dissertation of securely sending raw information to concerned recipient only. The necessity to secure the data has been increased due to the emerging technologies across the networks. Data comprehended to all without any restrictions is nothing but clear text. Cryptanalysis has coevolved together with cryptography and the contest can be traced through the evolution of cryptography. The new ciphers get into limelight from the cons of previous ones and simultaneously new techniques will exist to decipher them. Classical code-breaking integrates analytical reasoning and mathematics. Cryptology underpins cryptography and cryptanalysis. At the Source enciphering has been performed with aid of shared secret key. The recipient performs the deciphering. The algorithms regarding cryptography are analyzed as secret-key cryptography and public key cryptography. This section expound about cryptographic techniques to encipher and decipher the clear text and cipher text respectively.

## 2. Types of encryption techniques

In cryptography, substitution cipher is a way of enciphering where the clear text is substituted with encrypted text, depending on a constant system. The recipient decipheres the text by performing the inverse substitution whereas in the transposition cipher, clear text is rearranged in a different and complex order, but the alphabets remain unaltered.

### 2.1. Number of keys includes

There are two types of keys in cryptography referred as public and private keys. The public key is shared between both the sender and receiver. As it is not secret. Private Key is used in situations to decipher where public key is used for enciphering.

Block Cipher and Stream Cipher are the approaches to process clear text. In Stream Ciphers, both enciphering and deciphering happens single bit at a time. In this case, the stream ciphers split the raw information into bits and randomized after that enciphering occurs. In Block Ciphers, block of clear text is enciphered at a time and vice versa. This happens as the unprocessed information is splattered into





## Crypto-Stego Technique for Secure Data Transmission

Homer Benny Bandela<sup>1\*</sup>, M.Ganesh Babu<sup>2</sup> and Donavalli Venkata Vidya Deepthi<sup>3</sup>

<sup>1</sup> Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup> Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>3</sup> Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

E-Mail: homer.benny@gmail.com

**Abstract:** As days are passing, technology is taking its force towards its smartness. But there are some devices which are to be modified for better security results. Cryptography is a technique used for sending secret messages and Steganography is a process related to image. In this paper, we consider Cryptography and Steganography for secure transmission of secret message. The technique used in this paper is to place an image within another image. Encrypted data or Secret data is placed on an image based on pixels and that image is placed as background for other image. When the receiver receives that image he/she thinks it as a normal image but it contains a hidden message and decrypted for original image.

Index Terms: Cryptography, Message, Security, Steganography

### 1. Introduction

#### 1.1 Computer Networks

Fast growing field in Computer Science and Engineering is Networks. If we are accessing more information from different websites it is because of Computer Networks. Computer Networks are playing a key role in our daily life like Email, Chatting, Whatsapp, Instagram etc. Computer Network technology is now spread to mobiles also. Now a million dollar question is whether we are safe or unsafe in using this type of technology. Figure 1 gives a view of safe or unsafe ambiguity network. Suppose we want to shop online by using computer or mobile, then compulsory last point is payment. When we provide credit card or debit card information it may get notified by the hacker. He/she may misuse the card details for his/her personal work or any other work.



Figure 1: Safe or Unsafe Network

# Performance study of cloud computing for scientific applications

V Pranav<sup>1</sup>, P Satish Kumar<sup>2</sup> and Dr M Krishna<sup>3</sup>

<sup>1</sup>Assistant professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup>Assistant Professor, Department of CSE, Chirala Engineering College, Chirala, India.

<sup>3</sup>Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

Email: vallabhaneni.pranav@gmail.com

**ABSTRACT.** I propose the primary visualization of the cost estimate to evaluate the costs of the cloud database in simple and codified cases from the point of view of an occupant in an intermediate term period. Consider the variability of cloud costs and the chances that the database workload will vary in the evaluation time frame. The proposed model is instantiated in relation to some offers of cloud service providers and related authentic costs. Obviously, adaptable encryption affects the costs recognized with the capacity size and system usage of a database advantage.

## 1. Introduction

Distributed computing was chosen as a consideration of researchers as a strong advantage for running HPC applications at a potentially low cost. However, as a replacement framework, it is vague whether the mists are ready to run logical applications with a practical tool for every dollar. This work gives a complete assessment of the EC2 cloud around the corner. Initially I divide the possibilities of the cloud by measuring the general implementation of the different AWS administrations [1-3], such as register, memory, system and E / S. In view of the results in rudimentary realizations, and subsequently, I measure the implementation of logical applications in the cloud lastly, unlike the implementation of AWS and a private cloud, with a final goal defined, discover the main driver of its limitations when running logical applications. This project involves studying the ability of the cloud to function properly and, in addition, measuring the cost of the cloud to the extent that both the basic and logical applications are implemented. In addition, I evaluate several administrations, including S3, EBS and Dynamo DB, among the many advantages of AWS, taking into account the final goal of assessing the capabilities of what will be used by applications and logical systems. This also evaluates a true logical logging application through Swift's parallel script framework to resize. Equipped with point-by-point reference points to evaluate the expected tool and a definitive examination of the costs related to money, I hope this document is a recipe book for researchers that allow them to choose where to send and execute their logical applications between the open fogs, private mists, or half-mist of race.

## 2. Literature review

The study of writing is the most authoritative step in the management of programming progress. It has to consider the time element, the economy and the quality of the organization previous to building the device. Once these things are happy, then successive phases determine which structure and dialect can be used to build the device. Once software engineers start collecting the device, developers need





# Acceptability analysis method for evaluate data on twitter using support vector machine

<sup>1</sup>K Swathi and <sup>2</sup>P Naga deepthi

<sup>1</sup> Assistant professor, department of CSE, sir.c.r.reddy college of engineering, India

<sup>2</sup> Assistant professor, department of CSE, sir.c.r.reddy college of engineering, India

E-mail:kommanaswathi@gmail.com

**Abstract.** The first model centres around believability at the client level, tackling different elements of information stream into a registered validity rating. The next model specifies a methodology to find believability score for singular tweets. We built up the system for validity on Face book by evaluating the validity of: (i) the reliability of the web sources discussing a case, (ii) the dialect style of the articles revealing the case and, (iii) their position. We at that point gathered the preparation information for making a model utilizing Support Vector Machine (SVM). Furthermore the standardization technique is essential advance for purifying information before utilizing the machine learning strategy to order information. The outcome demonstrate that Naïve Bayes to identify the Fake news has precision 96.08%. We distinguish basic examples of transiently agent discussion subgraphs and speak to their subjects utilizing Latent Dirichlet Allocation (LDA) demonstrating. We break down how the information had proliferated, and the moves were made in light of the source. The component retweet was considered as a proportion of examination to upgrade the reliability of the spread information. The performance of our positioning calculation essentially upgraded when we connected re-positioning system.

## 1. Introduction

Increased popularity of microblogs as of late realizes a requirement for better systems to extricate dependable or generally valuable information from loud and vast information. While there are an incredible number of concentrates that acquaint strategies with find dependable information, there is no acknowledged validity benchmark. Accordingly, it is difficult to think about various examinations and sum up from their discoveries [1]. The essential concentration and commitment of the paper is on assessment and examination of methodologies of foreseeing tenable information for particular themes on Twitter is imperative test given the bounty of pointless information in the forum [2]. The social believability model, at that point centres around content-based validity, and finally on a half and half of highlights from the two methodologies [3]. There is variety in how reviews are directed, yet the general desire is that the study results are fair aside from the inclination acquainted by the prompts gave the raters, for example, the quantity of retweets for the message, and the manner in which validity is surrounded in the study [4]. Face book clients can refresh status that can be an individual message or pages connect [5]. The upper left tweet gives right about the occasion while The upper right tweet contains no information about the occasion [6]. The base tweet contains related words; it incorporates a URL to a commercial to offer an item, so it is treated as a spam tweet of that occasion [7]. The client can take after another client to get refreshed data about the specific theme spread

## Dynamic security for multi-user access control in distributed environment

S Jaya Prakash<sup>1</sup>, K Varada Raj Kumar<sup>2</sup> and Dr Deepak Nedunuri<sup>3</sup>

<sup>1</sup>Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup>Assistant Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

<sup>3</sup>Associate Professor, Department of CSE, Sir C R Reddy College of Engineering, Eluru, India.

E-Mail: prakashsunkavalli@gmail.com

**Abstract:** Cloud computing is an on-demand facilities that allows customers to access processing sources and services from anywhere and at any time. Information protection means defending the information from illegal individuals or online hackers. We propose Integrated Group Sharing Approach (IGSA) schema for multiple customer accessibility control in customer operations like information insertion, deletion and in customer cancellation immediately reasoning database integration. We look at the security of IGSA plan and assess with the current IGSA techniques which are used for information access immediately reasoning computing for achieving real-time applications in reasoning. Our experimental results show efficient information removal from multiple customer accessibility in search of information from reasoning server. In future, some protection systems are to be developed to provide protection to cloud.

Index Terms: Cloud Computing, IGSA, Secure Multi key Word Search.

### 1. Introduction

Distributed computing is an on-request framework that empowers clients to get to processing assets and administrations from anyplace and whenever. There are three sorts of administrations in cloud. They are

1. SaaS ( Software-as-a-benefit ) : The Cloud supplier offers programming on-request.
2. PaaS ( Platform-as-a-benefit ) : The Cloud supplier offers a stage to client for their undertakings.
3. IaaS ( Infrastructure - as-a-benefit ) : The Cloud suppliers offer equipment assets or on the other hand foundation to client. At the point then the client get to the information from cloud specialist organization, there is a probability of assaulting the information.




Figure 1: Advanced key distribution in cloud server environment.



Eastern  
Economy  
Edition

# Computer Aided Design and Manufacturing



**K. Lalit Narayan**  
**K. Mallikarjuna Rao**  
**M.M.M. Sarcar**

**Rs. 425.00**

**COMPUTER AIDED DESIGN AND MANUFACTURING**

**K. Lalit Narayan, K. Mallikarjuna Rao and M.M.M. Sarcar**

© 2008 by Prentice-Hall of India Private Limited, New Delhi. All rights reserved. No part of this book may be reproduced in any form, by mimeograph or any other means, without permission in writing from the publisher.

**ISBN-978-81-203-3342-0**

The export rights of this book are vested solely with the publisher.

Published by Asoke K. Ghosh, Prentice-Hall of India Private Limited, M-97, Connaught Circus, New Delhi-110001 and Printed by Rekha Printers Private Limited, New Delhi-110020.

# CONTENTS

---

<i>Foreword</i>	<i>xxiii</i>
<i>Preface</i>	<i>xxv</i>
<i>Acknowledgements</i>	<i>xxix</i>

## **Part I CAD—Fundamentals of Design, Computers and Controllers**

<b>1. FUNDAMENTALS OF CAD</b>	<b>3-19</b>
1.1 Introduction	3
1.2 The CAD System—Definition	3
1.3 Reasons for Implementing CAD	4
1.4 Design Process	4
1.4.1 Shigley Model	5
1.4.2 Pahl and Beitz Model	6
1.4.3 Ohsuga Model	8
1.4.4 Earle Model	9
1.5 Application of Computers in Design	14
1.5.1 Geometric Modelling	14
1.5.2 Engineering Analysis	15
1.5.3 Design Review and Evaluation	16
1.5.4 Automated Drafting	16
1.6 Benefits of Computer Aided Design	17
1.7 Creating the Manufacturing Database	18
<i>Review Questions</i>	19
<b>2. COMPUTER SYSTEMS</b>	<b>20-39</b>
2.1 Introduction	20
2.2 Hardware Components	20
2.2.1 Central Processing Unit	20
2.2.2 Memory	22
2.2.3 Memory—ROM and RAM	24

2.3	Mass Storage Devices	26
2.4	Input/Output Devices	29
2.5	Programming Languages	33
2.6	Operating System	35
2.7	System Configuration	36
	<i>Review Questions</i>	39

## Part II CAD—Hardware and Software Components

<b>3.</b>	<b>USE OF COMPUTERS IN CAD/CAM SYSTEM</b>	<b>43-72</b>
3.1	Introduction	43
3.2	Microcomputer Based Systems	44
3.2.1	Overview of Microcomputer Systems	45
3.2.2	Microcomputer Instructions	48
3.3	Minicomputer Based Systems	49
3.3.1	Minicomputer Instructions	50
3.4	Mainframe-based Systems	51
3.5	Supercomputers	53
3.5.1	Defining a Supercomputer	53
3.5.2	Why do We Need Supercomputers?	55
3.5.3	How do Supercomputers Achieve Their Speed?	58
3.5.4	Applications of Supercomputers	59
3.6	Programmable Logic Controller	61
3.6.1	Components of a PLC	62
3.6.2	Open PLC Systems	63
3.6.3	The IEC 1131-3 Programming Standard	64
3.7	Manufacturing and Assembly Processes	69
3.8	Advantages and Disadvantages of PLC	69
	<i>Review Questions</i>	72
<b>4.</b>	<b>CAD SYSTEM HARDWARE</b>	<b>73-91</b>
4.1	Introduction	73
4.2	The Design Workstation	74
4.3	Graphics Terminal	74
4.3.1	Image Generation in Computer Graphics	74
4.4	Graphics Terminals for CAD	76
4.4.1	Directed Beam Refresh Tube (DBRT)	76
4.4.2	Direct View Storage Tube (DVST)	77
4.4.3	Raster Scan Terminals (Digital TV)	77
4.5	Graphics Input Devices	78
4.5.1	Cursor Control Devices	79
4.5.2	Digitizers	82
4.5.3	Keyboard Terminals	82



## An ensemble integrated mailing system for detecting spam mails

G Pavan<sup>1</sup>, K Lakshmaji<sup>2</sup> and Dr S Krishna Rao<sup>3</sup>

<sup>1,2</sup>Assistant professor, Department of Information Technology, Sir C R Reddy College of Engineering, Eluru, West Godavari, India.

<sup>3</sup>HOD, Professor, Department of Information Technology, Sir C R Reddy College of Engineering, Eluru, West Godavari, India.

E-mail: gsraghupavan9@gmail.com

**Abstract.** In Internet, today most widely issues occur with security. Security plays the vital role in Internet. Many software and hardware systems are affecting with the security issues. This may cause major problem for the companies to maintain the network securely. Attackers mainly concentrate on attacking the servers and systems with any type of malware and virus to hack the system or mail account. Today the most popular attacking by the attackers are spam mails. This brings lot of security issues if it is implemented in gmail, yahoo and other mail service providers. Spam zombies are the spam activities done by the spam developers to attack the system. In this paper, an ensemble spam mail detection system named ESMDS by observing outgoing and incoming messages of a network. ESMDS is developed based on a powerful analysis tool called Sequential Probability Ratio Test (SPRT). Results show the performance of the ESMDS.

### 1. Introduction

Recent years a mail plays the major role for sending and receiving the messages and also attached with the files. Spam is rehearsing in inutility, storage and similarity knowledge transfer capability. The problem of spam email has been increasing for a substantial length of your time. In in progress insights, four-hundredth of all messages square measure spam that around fifteen.4 billion email for every day which price internet purchasers regarding \$355 million per annum. Programmed email separating is evidently the slightest complex framework for countering spam straight away and a decent group action among spammers and spam-sifting methods goes on. Simply quite a whereas back the bulk of the spam may well be faithfully managed by interference messages originating from specific locations or separation through messages with sure titles. Spammers began to use a couple of precarious methods to overcome the separation methods like using sporadic sender tends to even now as attach incautious characters to the start or the finish of the message title [1].

Data coming up with and machine learning square measure the 2 general methodologies used in email separating. In data coming up with methodology a meeting of tenets should be determined by that messages square measure sorted. Implementing this strategy, no encouraging outcomes demonstrate in lightweight of the actual fact that the principles should be perpetually invigorated and preserved or, in alternative words of your time and it's not advantageous for usual, purchasers. ML method is improved than associate data building method; it does not need decisive any tenets [4]. Rather, a meeting of making ready tests, these examples are a meeting of pre-grouped email messages. A specific algorithm is then wont to absorb the arrangement rules from these email messages. Machine learning approach has been usually thought of and there square measure various calculations will be used in email separating. They



## Ensemble path finding in wireless sensor networks

*N Prasad<sup>1</sup>, A M K Kanna babu<sup>2</sup> and Dr S Krishna rao<sup>3</sup>*

<sup>1,2</sup> Assistant Professor, Information Technology, Sir C R Reddy College of Engineering, Eluru, Andhra Pradesh, India.

<sup>3</sup> Professor, Information Technology, Sir C R Reddy College of Engineering, Eluru, Andhra Pradesh, India.

Email: nprasad9999@gmail.com

**Abstract:** A wireless sensor network (WSN) plays the major role in providing the network for the various scenarios. It consists of various nodes and base stations that are used to communicate the nodes and transfer the data from source to destination and in between the nodes. The important parameters of the WSN are accuracy, computation time and shortest path between the nodes. Various existing approaches are available to get the results. But the existing approaches are not performed well. In this paper, the ensemble path finding is implemented to solve issues identified in the existing system. The proposed system shows the performance based on accuracy, computation time and shortest dynamic path.

### 1. Introduction

The utilization of WSNs for info correspondence and handling is developing quickly. A framework of WSNs relies on an intensive range of free sensor hubs and a base station, with the bottom station going concerning as a portal to a different system. A sink node often serves the duty of the base station; this might be a digital computer or a computer framework that gathers information and examinations it to decide on fitting selections [1]. Various types of sensor nodes will frame a WSN, as well as low examining rate enticing, warm, visual, infrared and acoustic [1]. The sensor on each node will acknowledge wonders, as an example, light, weight, warm, so forth [2]. The sensor is outfitted with a bit battery as an influence provides, which suggests that the system execution is extremely dependent on the speed of energy utilization.

With the continuing accomplishment within the field of sensors, the constant application has inflated clear thought among technocrats and scientists. With the top goal to kill the difficulties of the sensors, technologists and scientists found a solution by conveyance the continuing utilizations of Wireless sensor network (WSN). The constant sensors can momentarily notice, record, and send criticism to the top shopper for more making ready of the got information. Above all, the continual application is disturbed concerning the execution of basic applications that require restricted defer dormancy. Current remote correspondence could be a rising application field of WSNs that includes a potential noteworthy analysis course. Current applications able to screen, react promptly to shopper info, or management Associate in Nursinging outer scenario. The outer condition is related to the computer framework through sensors, actuators, and knowledge yield gadgets. Remote device organizes that empower the system restricted defer guarantee, or, in alternative words the conclusion to finish bundle conveyance, the square measure named as constant WSN [1]



## Enhanced path recreation in remote sensor networks

A M K Kanna Babu<sup>1</sup>, G Pavan<sup>2</sup> and K satyanarayana<sup>3</sup>

<sup>1,2</sup> Assistant Professor, Information Technology, Sir C.R.Reddy College of Engineering, Eluru, Andhra Pradesh, India.

<sup>3</sup> Associate Professor, Information Technology, Sir C.R.Reddy College of Engineering, Eluru, Andhra Pradesh, India.

E-mail:kumarkanna@sirerregg.ac.in

**Abstract:** The remote specially appointed systems comprise of a gathering of remote hubs that impart over a typical remote medium. The hubs impart without a framework, for example, base station, wired passage, and so forth. The foundation of the systems must be in an appropriated and decentralized way. In this manner, the many-sided quality of the systems is in the hubs self. The hubs must have the capacity to take care of system's concern, for example, directing and security. Regardless of the specialized difficulties, the interests of the impromptu systems increment quickly as of late, in light of the fact that they bolster portability and are exceptionally appropriate for some troublesome circumstances, such protect mission, military, vehicular interchanges, and so forth. In this review article, I present the idea of remote impromptu systems and uncommonly portable specially appointed system (MANET), their engineering, purposes, applications, preferences, burdens, and correlation with framework systems.

### 1. Introduction

Remote specially appointed systems are accumulations of remote hubs that convey straightforwardly over a typical remote channel. The hubs are outfitted with remote handset. They needn't bother with any extra foundation, for example, base station or wired passage, and so on. Consequently, every hub doesn't just assume the job of an end framework, yet in addition goes about as a switch, that sends parcels to wanted hubs.

The impromptu are relied upon to do assignments, which the framework can't do. Impromptu systems are for the most part utilized by military, save mission group, cab driver. Their works can't depend on a framework's system. As an illustrative precedent, envision fire-fighters put out dangerous fire in major woodland. They need to impart one another; however building up a foundation or cabling in such region is unthinkable or excessively costly.

The primary issues in specially appointed systems are steering and normal for remote correspondence. In foundation's systems a hub can speak with all hubs in a similar cell. In impromptu a hub can discuss just with hubs in its territory, this hub can speak with different hubs, yet a directing calculation is fundamental. Not at all like wired correspondence, have remote systems had transmission issue with information trans-mission, for example, probability of hilter kilter associations and higher obstructions. The point of this review article is to give information's on impromptu systems and uncommonly MANET, their structure, their applications on the present time, and also their solid and shortcoming in examination with framework systems. Area 2 presents specially appointee's engineering and its



## Implementation of data mining techniques in web of things

*G.Vihari<sup>1</sup>, N.Prasad<sup>2</sup>, K.Satyanarayana<sup>3</sup>*

<sup>1,2</sup>Assistant Professor, Information Technology, Sir C.R.Reddy College of Engineering, Eluru, Andhra Pradesh, India.

<sup>3</sup> Associate Professor, Information Technology, Sir C.R.Reddy College of Engineering, Eluru, Andhra Pradesh, India.

E-mail: viharicrit@gmail.com

**Abstract** Web of Things has been becoming quickly because of late progressions in interchanges and sensor advances. Interfacing an each question together through web looks extremely trouble some, however inside a casing of time Internet of Things will definitely change our life. The tremendous information caught by the web of Things are considered of high business and also social qualities and removing concealed data from crude information, different information mining calculation can be connected to web of things information. In this paper, We study efficient audit of different information mining models and also its application in web of Thing field alongside its benefits and negative marks.

### 1. Introduction

The net of Things suggests the type of the system which relate something i. e. Physical articles gizmos, frameworks, autos and different issues implanted with development, sensors and structure arranged up circumstance to agreed customs that permits these matters to unite and operate measurements. In our every day lives, we have ended up being much more relying after net of elements with our wearable tech, mechanical assemblies, our vehicles, how we get restorative administrations. Due to Seamless turning into someone from of regular set ups with web of components, it permits a massive vision that things might be effectively found and overseen which prompts to voluminous data. Consequently, with the stop objective to make web of things more noteworthy short witted, loads of insights assessment is required for which a champion among the greatest opportunity is measurements exploration. Much examinations as of past due has targeted on records mining in web of Things which relates materially protests, persona to character, character to framework or gizmo to gizmo by means of web and manages measurements.

Data mining system signifies the method for semi by mechanical means looking at huge directories as a case exploration that are creative, genuine, important and reasonable that is in some other case alluded to as Knowledge Discovery in Data source. Data mining contains trouble plan, insights aggregation, data cleaning i. e. Preprocessing, change, choosing mining errand/system and final product assessment/idea. Data disclosure is an iterative technique.





## A new dynamic and enhanced resource allocation algorithm in cloud computing

T Satya Nagamani<sup>1,2</sup>, K N V S K Vijaya Lakshmi<sup>1</sup> and B Lalitha Bhavani<sup>1,2</sup>

<sup>1</sup>Assistant Professor, Department of IT, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup>Research scholar, Department of CSE, K L E F, Vijayawada, Andhra Pradesh, India.

E-mail: happysatyasai@gmail.com

**Abstract.** One of the testing issues in Cloud data centers is to take the segment and relocation of reconfigurable virtual machines into thought and moreover the joined features of facilitating physical machines. We present a dynamic resource assignment framework (DRAM) for Cloud data centers. Dissimilar to customary stack balance arranging calculations which consider only a solitary factor, for instance, the CPU stack in physical servers, this strategy treats CPU, memory and framework information transmission composed for both physical machines and virtual machines. We create joined estimation for the all out irregularity dimension of a Cloud data center and furthermore the ordinary disproportion dimension of each server. Reproduction results show that DRAM has great execution as of indicate abnormality level, normal ponderousness dimension of each server, too as in general running time.

### 1. Introduction

Cloud computing creates as each other figuring perspective which hopes to give reliable, changed and QoS (Quality of Service) guaranteed registering dynamic conditions for end-customers [22]. Distributed making prepared, parallel adapting to and grid processing altogether ascended as distributed computing. The vital boundless of cloud computing is that customer measurements isn't put away provincially yet is secured inside the server homestead of net. The associations which give cloud computing organization could manage and keep up the assignment of these server ranches. The customers can get to the set away data at whatever point by using Application Programming Interface given by cloud providers entirely through any terminal apparatus related with web. Not solely are limit organizations gave yet what's more gear and programming organizations are open to the general populace and business markets.

The organizations given by utilizing authority associations can be the aggregate, since the system, stage or programming sources. Each such administration is in my view called Infrastructure as a Service, Platform as a Service. There are different conceivable outcomes of distributed computing, the great many people fundamental ones being lesser costs, re-provisioning of assets and way away receptiveness. Distributed computing cuts down cost by means of avoiding the essential utilization with the association in renting the material establishment from an untouchable provider.



## Survey: Image forgery and its detection techniques

J. Malathi<sup>1,2</sup>, T. Satya Nagamani<sup>1,3</sup>, K. N. V. S. K. Vijaya Lakshmi<sup>1</sup> and P. Rama devi<sup>4</sup>

<sup>1</sup>Assistant Professor, department of IT, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup>Research scholar, department of IT, G I T A M S, Visakhapatnam, Andhra Pradesh, India.

<sup>3</sup>Research scholar, department of CSE, K L E F, Vijayawada, Andhra Pradesh, India.


<sup>4</sup>Assistant Professor, department of IT, V R S E C, Vijayawada, Andhra Pradesh, India.

E-mail: malathi.komma@gmail.com

**Abstract.** Image forgery is the most widely used technique in various applications and used in the various investigations to find the duplicate images in social media, social networking etc. Many forgery techniques are done to get the better results on finding the duplicate images. This paper, mainly focused on discussing the different strategies connected with making the fraud picture.

### 1. Introduction

Image manipulating and change of state will affect the images or photos. Various software's are available to change the image parameters such as pixels, size and resolution. Thanks to this, there is also a fast boom of the image forgery in newspapers, TV and social media. Associate instance for photograph forgery is shown in Fig.1. This trend leads to severe vulnerabilities and loss of believability within the digital snap shots. Thus detection of image forgery is significant, as a result of the pictures are provided as proof in an exceedingly court docket. During this feel, photograph forgery detection is that the valuable enchantment of image forensics. In recent times, an outsized form of researchers have all began to specialize in the matter of virtual photograph forgery. Copy-paste image forgery could be a common class of image forgery, that is to say one or various derived region of associate image graph into different a part of the identical photo. throughout the duplicate and flow into forgery, photograph process techniques comprehensive of rotation, scaling, blurring, compression, and noise addition are meted out to create convincing forgeries. Associate instance for this sort of forgery is also seen in Fig.2, during which a bunch of individuals are derived and glued to hide President George W. Bush. this technique is also finished with none changes on the duplicated elements. Because of the convenience of use copy flow exposure forgery is incredibly common. Currently, several authors studied the difficulty of sleuthing those forgeries, considering the character of region duplication; there are a minimum of 2 comparable areas during a solid exposure.



**Figure 1.** Copy-move forgery:(a) the Duplicated image with four missiles & (b) the original image with three missiles.





## Ensemble path finding in wireless sensor networks

*N Prasad<sup>1</sup>, A M K Kanna babu<sup>2</sup> and Dr S Krishna rao<sup>3</sup>*

<sup>1,2</sup> Assistant Professor, Information Technology, Sir C R Reddy College of Engineering, Eluru, Andhra Pradesh, India.

<sup>3</sup> Professor, Information Technology, Sir C R Reddy College of Engineering, Eluru, Andhra Pradesh, India.

Email: nprasad9999@gmail.com

**Abstract:** A wireless sensor network (WSN) plays the major role in providing the network for the various scenarios. It consists of various nodes and base stations that are used to communicate the nodes and transfer the data from source to destination and in between the nodes. The important parameters of the WSN are accuracy, computation time and shortest path between the nodes. Various existing approaches are available to get the results. But the existing approaches are not performed well. In this paper, the ensemble path finding is implemented to solve issues identified in the existing system. The proposed system shows the performance based on accuracy, computation time and shortest dynamic path.

### 1. Introduction

The utilization of WSNs for info correspondence and handling is developing quickly. A framework of WSNs relies on an intensive range of free sensor hubs and a base station, with the bottom station going concerning as a portal to a different system. A sink node often serves the duty of the base station; this might be a digital computer or a computer framework that gathers information and examinations it to decide on fitting selections [1]. Various types of sensor nodes will frame a WSN, as well as low examining rate enticing, warm, visual, infrared and acoustic [1]. The sensor on each node will acknowledge wonders, as an example, light, weight, warm, so forth [2]. The sensor is outfitted with a bit battery as an influence provides, which suggests that the system execution is extremely dependent on the speed of energy utilization.

With the continuing accomplishment within the field of sensors, the constant application has inflated clear thought among technocrats and scientists. With the top goal to kill the difficulties of the sensors, technologists and scientists found a solution by conveyance the continuing utilizations of Wireless sensor network (WSN). The constant sensors can momentarily notice, record, and send criticism to the top shopper for more making ready of the got information. Above all, the continual application is disturbed concerning the execution of basic applications that require restricted defer dormancy. Current remote correspondence could be a rising application field of WSNs that includes a potential noteworthy analysis course. Current applications able to screen, react promptly to shopper info, or management Associate in Nursinging outer scenario. The outer condition is related to the computer framework through sensors, actuators, and knowledge yield gadgets. Remote device organizes that empower the system restricted defer guarantee, or, in alternative words the conclusion to finish bundle conveyance, the square measure named as constant WSN [1]



## Implementation of data mining techniques in web of things

*G.Vihari<sup>1</sup>, N.Prasad<sup>2</sup>, K.Satyanarayana<sup>3</sup>*

<sup>1,2</sup>Assistant Professor, Information Technology, Sir C.R.Reddy College of Engineering, Eluru, Andhra Pradesh, India.

<sup>3</sup> Associate Professor, Information Technology, Sir C.R.Reddy College of Engineering, Eluru, Andhra Pradesh, India.

E-mail: vjharicrit@gmail.com

**Abstract** Web of Things has been becoming quickly because of late progressions in interchanges and sensor advances. Interfacing an each question together through web looks extremely trouble some, however inside a casing of time Internet of Things will definitely change our life. The tremendous information caught by the web of Things are considered of high business and also social qualities and removing concealed data from crude information, different information mining calculation can be connected to web of things information. In this paper, We study efficient audit of different information mining models and also its application in web of Thing field alongside its benefits and negative marks.

### 1. Introduction

The net of Things suggests the type of the system which relate something i. e. Physical articles gizmos, frameworks, autos and different issues implanted with development, sensors and structure arranged up circumstance to agreed customs that permits these matters to unite and operate measurements. In our every day lives, we have ended up being much more relying after net of elements with our wearable tech, mechanical assemblies, our vehicles, how we get restorative administrations. Due to Seamless turning into someone from of regular set ups with web of components, it permits a massive vision that things might be effectively found and overseen which prompts to voluminous data. Consequently, with the stop objective to make web of things more noteworthy short witted, loads of insights assessment is required for which a champion among the greatest opportunity is measurements exploration. Much examinations as of past due has targeted on records mining in web of Things which relates materially protests, persona to character, character to framework or gizmo to gizmo by means of web and manages measurements.

Data mining system signifies the method for semi by mechanical means looking at huge directories as a case exploration that are creative, genuine, important and reasonable that is in some other case alluded to as Knowledge Discovery in Data source. Data mining contains trouble plan, insights aggregation, data cleaning i. e. Preprocessing, change, choosing mining errand/system and final product assessment/idea. Data disclosure is an iterative technique.





## Enhanced path recreation in remote sensor networks

A M K Kanna Babu<sup>1</sup>, G Pavan<sup>2</sup> and K satyanarayana<sup>3</sup>

<sup>1,2</sup> Assistant Professor, Information Technology, Sir C.R.Reddy College of Engineering, Eluru, Andhra Pradesh, India.

<sup>3</sup> Associate Professor, Information Technology, Sir C.R.Reddy College of Engineering, Eluru, Andhra Pradesh, India.

E-mail:kumarkanna@sircrrengg.ac.in

**Abstract:** The remote specially appointed systems comprise of a gathering of remote hubs that impart over a typical remote medium. The hubs impart without a framework, for example, base station, wired passage, and so forth. The foundation of the systems must be in an appropriated and decentralized way. In this manner, the many-sided quality of the systems is in the hubs self. The hubs must have the capacity to take care of system's concern, for example, directing and security. Regardless of the specialized difficulties, the interests of the impromptu systems increment quickly as of late, in light of the fact that they bolster portability and are exceptionally appropriate for some troublesome circumstances, such protect mission, military, vehicular interchanges, and so forth. In this review article, I present the idea of remote impromptu systems and uncommonly portable specially appointed system (MANET), their engineering, purposes, applications, preferences, burdens, and correlation with framework systems.

### 1. Introduction

Remote specially appointed systems are accumulations of remote hubs that convey straightforwardly over a typical remote channel. The hubs are outfitted with remote handset. They needn't bother with any extra foundation, for example, base station or wired passage, and so on. Consequently, every hub doesn't just assume the job of an end framework, yet in addition goes about as a switch, that sends parcels to wanted hubs.

The impromptu are relied upon to do assignments, which the framework can't do. Impromptu systems are for the most part utilized by military, save mission group, cab driver. Their works can't depend on a framework's system. As an illustrative precedent, envision fire-fighters put out dangerous fire in major woodland. They need to impart one another; however building up a foundation or cabling in such region is unthinkable or excessively costly.

The primary issues in specially appointed systems are steering and normal for remote correspondence. In foundation's systems a hub can speak with all hubs in a similar cell. In impromptu a hub can discuss just with hubs in its territory. this hub can speak with different hubs, yet a directing calculation is fundamental. Not at all like wired correspondence, have remote systems had transmission issue with information trans-mission, for example, probability of hilter kilter associations and higher obstructions. The point of this review article is to give information's on impromptu systems and uncommonly MANET, their structure, their applications on the present time, and also their solid and shortcoming in examination with framework systems. Area 2 presents specially appointee's engineering and its



## A comparative performance analysis of different machine learning techniques

**B Lalithabhavani<sup>1,2</sup>, G krishnaveni<sup>1,2</sup> and J Malathi<sup>1,3</sup>**

<sup>1</sup>Assistant professor, Department of Information Technology, Sir C R Reddy College of Engineering, Eluru, West Godavari, India.

<sup>2</sup>Research scholar, Department of CSE, K L E F, Vijayawada, India.

<sup>3</sup>Research scholar, Department of IT, GITAM, Visakhapatnam, India.

E-mail: karuturi.lalithaese@gmail.com

**Abstract.** Over the past many decades, Machine Learning (ML) has advanced from the undertaking of few PC fans misusing the likelihood of PCs figuring out how to play diversions, and a piece of Mathematics (Statistics) that only here and there measured computational methodologies, to an autonomous research obedience that has not just given the essential base to measurable computational standards of learning systems, yet in addition has created different calculations that are routinely utilized for content translation, design acknowledgment, and a numerous other business purposes and has prompted a different research enthusiasm for information mining to recognize shrouded regularities or abnormalities in social information that developing by second. This paper centers around clarifying the idea and development of Machine Learning, a portion of the well known Machine Learning calculations and endeavor to think about three most prevalent calculations dependent on some essential thoughts. Sentiment140dataset was utilized and execution of every calculation as far as preparing time, forecast time and precision of expectation have been reported and analyzed.

### 1. Introduction

Because of innovative enhancements and development, a monstrous measure of information is produced in an extensive variety of fields like bioinformatics, human services, web based life, training, back et cetera. Consequently an expanding volume of information, accessibility of various classes of information and improving computational preparing have made machine learning (ML) – an essential angle in the field of artificial intelligence (AI). ML is the most vital information examination techniques which iteratively gain from the accessible information by utilizing calculations. ML takes after iterative attributes, since the models are permitted to acknowledge the new information. ML strategies build up a model from the given data-sources. From the models, a huge forecasts and choices might be gotten. Hence, ML systems allow the PCs to gain from the given information and develop a model to anticipate the future information. The point of ML methods is to improve the learning capability of PCs. ML procedures assume a crucial job in numerous applications in the fields of internet based life, training, back, bioinformatics, medicinal services, vitality holds, and climate forecast et cetera. The four ML calculations like irregular woods, neural networks (NNs), found the middle value of NNs and bolster vector machine (SVM) for precipitation territory recognition and precipitation rate task[4]. The NNs and arrived at the midpoint of NNs were distinguished as the most reasonable calculations in light of





## A frame work for mining huge data by non-expert users with the assistance of knowledge base

**K N V S K Vijayalakshmi<sup>1</sup>, J Malathi<sup>1,2</sup> and G Krishnaveni<sup>1,2</sup>**

<sup>1</sup>Assistant professor, Department of Information Technology, Sir C R Reddy College of Engineering, Eluru, West Godavari, India.

<sup>2</sup>Research scholar, Department of IT, GITAM University, Visakhapatnam, Andhra Pradesh, India.

<sup>3</sup>Research scholar, Department of CSE, K L E F, Vijayawada, Andhra Pradesh, India.

E-mail: vijayakathari@gmail.com

**Abstract.** Data mining is the examination of (regularly huge) observational enlightening files to find unsuspected associations and to plot the data in novel ways that are both legitimate and valuable to the information proprietor. At the end of the day information mining is a procedure of finding beforehand obscure, beneficial and utilizes designs covered up in information, with no earlier theory. Robotized Data Mining and demonstrating programming gives supervisors a device to perform examinations that generally would should be dealt with by an exceptionally prepared specialist. Robotized information mining systems isn't to give more exact outcomes yet endeavors to enable non expert clients to accomplish sensible outcomes with least exertion. Data mining is a troublesome and arduous action that requires a lot of mastery for acquiring quality outcomes. We require new techniques for wise information investigation to separate important data with less exertion. For that in this paper we propose an edge work with the assistance of learning base. That will be tried on e-realizing which creates better outcomes.

### 1. Introduction

The expanding accessibility of information is an incredible open door for everybody to exploit their examination. The "huge information guarantee" expresses that the more information you have, the more examination you can perform, and afterward, the more educated choices you can make. Tragically, this could be valid for experts in information examination (the alleged, information researchers) or for those organizations that may contract them; at the same time, shouldn't something be said about non-specialists information miners? Physicians in clinics, educators in secondary schools or colleges, et cetera; would be occupied with applying propelled information investigation methods to settle on educated choices in their everyday life. Vitally, information mining is a standout amongst the most conspicuous system to find understood learning designs, in this way increasing more extravagant bits of knowledge into information. In any case, non-expert clients may discover complex to apply information mining methods to get helpful outcomes, because of the way that it is an inherently complex process [7] in which (i) an awesome number of calculations can be connected to take care of a similar issue with various results, and (ii) accurately applying information mining strategies dependably requires a considerable measure of manual exertion for setting up the datasets as indicated by their highlights. Therefore, effectively applying information mining requires the skill of an expert with a specific end goal to get dependable and valuable learning in the subsequent examples. Democratization of information mining hence requires depending on learning about reasonable information mining systems and settings as indicated by their information highlights. Simple to utilize data mining [6] is a phase forward to this democratization, since it energizes



## Data productive collaborative filtering using deep learning based recommender model

K Purna Prakash<sup>1</sup>, Dr M Krishna<sup>2</sup> and M Satya Vijaya<sup>3</sup>

<sup>1</sup> Assistant Professor, Department of IT, Sir C.R.Reddy College of Engineering, Eluru, Andhra Pradesh, India.

<sup>2</sup> Professor, Department of CSE, Sir C.R.Reddy College of Engineering, Eluru, Andhra Pradesh, India.

<sup>3</sup> Assistant Professor, Department of IT, Chirala Engineering College, Chirala, Andhra Pradesh, India.

Email: prakash.nani@gmail.com

**Abstract:** The term Synergistic Filtering is utilized as a spine in all Commercial Recommendation Systems today. Conventional synergistic separating (CF) strategy does not take in thought successions of client's appraising, which reflects changes of client's inclination over some stretch of time. The suggestion undertaking is affected by the profound learning pattern which demonstrates its critical effectiveness. The profound learning based recommender models give a superior detainment of client inclinations, thing highlights and clients things connections history. The proposed structure incorporates three segments: a network factorization demonstrates for the watched rating remaking, a bi-grouping model for the client thing subgroup examination. We recognize uninteresting things that have not been assessed yet rather are presumably going to get low evaluations from customers, and particularly attribute them as low regards. One imperative undertaking in our rating induction structure is the assurance of nostalgic introductions (SO) and qualities of sentiment words. It is on the grounds that deducing a rating from a survey is fundamentally done by removing conclusion words in the audit, and afterward amassing the SO of such words to decide the predominant or normal assumption suggested by the client. The proposed structure and recommend that the system does not depend on a substantial preparing corpus to work. Advance improvement of our rating derivation structure is progressing. Trial results demonstrate that the proposed system indicate changes over the conventional community oriented sifting strategy.

**Index Terms:** Idea float, Trust, Cold-begin, Hybrid model, float, consecutive example mining, recommender system, profound learning, neural network, YouTube suggestion, Matrix factorization, client thing subgroup.

### 1. Introduction

A significant part of the information on the Internet today comprises of archives made accessible to numerous beneficiaries through mailing records, dissemination records, notice sheets, non-concurrent PC gatherings, newsgroups, and the World Wide Web [1-6]. Our fundamental commitment is that a novel recommender system for film area in view of continuous consecutive example mining with time interim. The proposed recommender system creates examples of classes of things as disconnected continuous successive process which will be utilized in online procedure to change the review things delivered by convention collaborative filtering. In the ongoing decades, the profound learning has seen





## A new dynamic and enhanced resource allocation algorithm in cloud computing

T Satya Nagamani<sup>1,2</sup>, K N V S K Vijaya Lakshmi<sup>1</sup> and B Lalitha Bhavani<sup>1,2</sup>

<sup>1</sup>Assistant Professor, Department of IT, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup>Research scholar, Department of CSE, K L E F, Vijayawada, Andhra Pradesh, India.

E-mail: happysatyasai@gmail.com

**Abstract.** One of the testing issues in Cloud data centers is to take the segment and relocation of reconfigurable virtual machines into thought and moreover the joined features of facilitating physical machines. We present a dynamic resource assignment framework (DRAM) for Cloud data centers. Dissimilar to customary stack balance arranging calculations which consider only a solitary factor, for instance, the CPU stack in physical servers, this strategy treats CPU, memory and framework information transmission composed for both physical machines and virtual machines. We create joined estimation for the all out irregularity dimension of a Cloud data center and furthermore the ordinary disproportion dimension of each server. Reproduction results show that DRAM has great execution as of indicate abnormality level, normal ponderousness dimension of each server, too as in general running time.

### 1. Introduction

Cloud computing creates as each other figuring perspective which hopes to give reliable, changed and QoS (Quality of Service) guaranteed registering dynamic conditions for end-customers [22]. Distributed making prepared, parallel adapting to and grid processing altogether ascended as distributed computing. The vital boundless of cloud computing is that customer measurements isn't put away provincially yet is secured inside the server homestead of net. The associations which give cloud computing organization could manage and keep up the assignment of these server ranches. The customers can get to the set away data at whatever point by using Application Programming Interface given by cloud providers entirely through any terminal apparatus related with web. Not solely are limit organizations gave yet what's more gear and programming organizations are open to the general populace and business markets.

The organizations given by utilizing authority associations can be the aggregate, since the system, stage or programming sources. Each such administration is in my view called Infrastructure as a Service, Platform as a Service. There are different conceivable outcomes of distributed computing, the great many people fundamental ones being lesser costs, re-provisioning of assets and way away receptiveness. Distributed computing cuts down cost by means of avoiding the essential utilization with the association in renting the material establishment from an untouchable provider.



## Survey: Image forgery and its detection techniques

J.Malathi<sup>1,2</sup>, T Satya Nagamani<sup>1,3</sup>, K N V S K Vijaya Lakshmi<sup>1</sup> and P Rama devi<sup>4</sup>

<sup>1</sup>Assistant Professor, department of IT, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup>Research scholar, department of IT, G I T A M S, Visakhapatnam, Andhra Pradesh, India.

<sup>3</sup>Research scholar, department of CSE, K L E F, Vijayawada, Andhra Pradesh, India.


<sup>4</sup>Assistant Professor, department of IT, V R S E C, Vijayawada, Andhra Pradesh, India.

E-mail: malathi.komma@gmail.com

**Abstract.** Image forgery is the most widely used technique in various applications and used in the various investigations to find the duplicate images in social media, social networking etc. Many forgery techniques are done to get the better results on finding the duplicate images. This paper, mainly focused on discussing the different strategies connected with making the fraud picture.

### 1. Introduction

Image manipulating and change of state will affect the images or photos. Various software's are available to change the image parameters such as pixels, size and resolution. Thanks to this, there is also a fast boom of the image forgery in newspapers, TV and social media. Associate instance for photograph forgery is shown in Fig.1. This trend leads to severe vulnerabilities and loss of believability within the digital snap shots. Thus detection of image forgery is significant, as a result of the pictures are provided as proof in an exceedingly court docket. During this feel, photograph forgery detection is that the valuable enchantment of image forensics. In recent times, an outsized form of researchers have all began to specialize in the matter of virtual photograph forgery. copy-pass image forgery could be a common class of image forgery, that is to stay one or various derived region of associate image graph into different a part of the identical photo. throughout the duplicate and flow into forgery, photograph process techniques comprehensive of rotation, scaling, blurring, compression, and noise addition are meted out to create convincing forgeries. Associate instance for this sort of forgery is also seen in Fig.2, during which a bunch of individuals are derived and glued to hide President George W. Bush. this technique is also finished with none changes on the duplicated elements. Because of the convenience of use copy flow exposure forgery is incredibly common. Currently, several authors studied the difficulty of sleuthing those forgeries, considering the character of region duplication; there are a minimum of 2 comparable areas during a solid exposure.



**Figure 1.** Copy-move forgery:(a) the Duplicated image with four missiles & (b) the original image with three missiles.



## A frame work for mining huge data by non-expert users with the assistance of knowledge base

**K N V S K Vijayalakshmi<sup>1</sup>, J Malathi<sup>1,2</sup> and G Krishnaveni<sup>1,3</sup>**

<sup>1</sup>Assistant professor, Department of Information Technology, Sir C R Reddy College of Engineering, Eluru, West Godavari, India.

<sup>2</sup>Research scholar, Department of IT, GITAM University, Visakhapatnam, Andhra Pradesh, India.

<sup>3</sup>Research scholar, Department of CSE, K L E F, Vijayawada, Andhra Pradesh, India.

E-mail: vijayakathari@gmail.com

**Abstract.** Data mining is the examination of (regularly huge) observational enlightening files to find unsuspected associations and to plot the data in novel ways that are both legitimate and valuable to the information proprietor. At the end of the day information mining is a procedure of finding beforehand obscure, beneficial and utilizes designs covered up in information, with no earlier theory. Robotized Data Mining and demonstrating programming gives supervisors a device to perform examinations that generally would should be dealt with by an exceptionally prepared specialist. Robotized information mining systems isn't to give more exact outcomes yet endeavors to enable non expert clients to accomplish sensible outcomes with least exertion. Data mining is a troublesome and arduous action that requires a lot of mastery for acquiring quality outcomes. We require new techniques for wise information investigation to separate important data with less exertion. For that in this paper we propose an edge work with the assistance of learning base. That will be tried on e-realizing which creates better outcomes.

### 1. Introduction

The expanding accessibility of information is an incredible open door for everybody to exploit their examination. The "huge information guarantee" expresses that the more information you have, the more examination you can perform, and afterward, the more educated choices you can make. Tragically, this could be valid for experts in information examination (the alleged, information researchers) or for those organizations that may contract them; at the same time, shouldn't something be said about non-specialists information miners? Physicians in clinics, educators in secondary schools or colleges, et cetera; would be occupied with applying propelled information investigation methods to settle on educated choices in their everyday life. Vitaly, information mining is a standout amongst the most conspicuous system to find understood learning designs, in this way increasing more extravagant bits of knowledge into information. In any case, non-expert clients may discover complex to apply information mining methods to get helpful outcomes, because of the way that it is an inherently complex process [7] in which (i) an awesome number of calculations can be connected to take care of a similar issue with various results, and (ii) accurately applying information mining strategies dependably requires a considerable measure of manual exertion for setting up the datasets as indicated by their highlights. Therefore, effectively applying information mining requires the skill of an expert with a specific end goal to get dependable and valuable learning in the subsequent examples. Democratization of information mining hence requires depending on learning about reasonable information mining systems and settings as indicated by their information highlights. Simple to utilize data mining [6] is a phase forward to this democratization, since it energizes



## An ensemble integrated mailing system for detecting spam mails

G Pavan<sup>1</sup>, K Lakshmaji<sup>2</sup> and Dr S Krishna Rao<sup>3</sup>

<sup>1,2</sup>Assistant professor, Department of Information Technology, Sir C R Reddy College of Engineering, Eluru, West Godavari, India.

<sup>3</sup>HOD, Professor, Department of Information Technology, Sir C R Reddy College of Engineering, Eluru, West Godavari, India.

E-mail: gsraghupavan9@gmail.com

**Abstract.** In Internet, today most widely issues occur with security. Security plays the vital role in Internet. Many software and hardware systems are affecting with the security issues. This may cause major problem for the companies to maintain the network securely. Attackers mainly concentrate on attacking the servers and systems with any type of malware and virus to hack the system or mail account. Today the most popular attacking by the attackers are spam mails. This brings lot of security issues if it is implemented in gmail, yahoo and other mail service providers. Spam zombies are the spam activities done by the spam developers to attack the system. In this paper, an ensemble spam mail detection system named ESMDS by observing outgoing and incoming messages of a network. ESMDS is developed based on a powerful analysis tool called Sequential Probability Ratio Test (SPRT). Results show the performance of the ESMDS.

### 1. Introduction

Recent years a mail plays the major role for sending and receiving the messages and also attached with the files. Spam is rehearsing in inutility, storage and similarity knowledge transfer capability. The problem of spam email has been increasing for a substantial length of your time. In progress insights, four-hundredth of all messages square measure spam that around fifteen.4 billion email for every day which price internet purchasers regarding \$355 million per annum. Programmed email separating is evidently the slightest complex framework for countering spam straight away and a decent group action among spammers and spam-sifting methods goes on. Simply quite a whereas back the bulk of the spam may well be faithfully managed by interference messages originating from specific locations or separation through messages with sure titles. Spammers began to use a couple of precarious methods to overcome the separation methods like using sporadic sender tends to even now as attach incautious characters to the start or the finish of the message title [1].

Data coming up with and machine learning square measure the 2 general methodologies used in email separating. In data coming up with methodology a meeting of tenets should be determined by that messages square measure sorted. Implementing this strategy, no encouraging outcomes demonstrate in lightweight of the actual fact that the principles should be perpetually invigorated and preserved or, in alternative words of your time and it's not advantageous for usual, purchasers. ML method is improved than associate data building method; it does not need decisive any tenets [4]. Rather, a meeting of making ready tests, these examples are a meeting of pre-grouped email messages. A specific algorithm is then wont to absorb the arrangement rules from these email messages. Machine learning approach has been usually thought of and there square measure various calculations will be used in email separating. They





## E-SRA: Ensemble selfish routing algorithm

K Lakshmaji<sup>1</sup> and G Vihari<sup>2</sup>

<sup>1</sup> Assistant Professor, Information Technology, Sir C.R.Reddy College of Engineering, Eluru, Andhra Pradesh, India.

<sup>2</sup> Assistant Professor, Information Technology, Sir C.R.Reddy College of Engineering, Eluru, Andhra Pradesh, India.

E-mail: kotlalakshmaji@sircrr.ac.in

**Abstract:** Remote coordinating is the rapidly creating zone in present world to make correspondence between the center points. It is to a great degree obvious in nature to evaluate the center point openness and data transmission of center points. It is basic to realize the cunning guiding in the present territory to trade the data from source to objective which keeps up the imperativeness and information exchange limit between the center points. In this paper, the proposed gathering extremist coordinating estimation executes the dynamic course and keeps up the steady essentialness and at the every center point and moreover the information transmission at the center points. The results exhibit the execution of the proposed system.

### 1. Introduction

The In multi-skip remote structures, the puerile coordinating has for an extended however been foreseen to unwind the issues of customary directing [1]– [5]. Standard recognizing mitigates the impact of poor remote relationship by abusing the present system for remote transmissions and as needs be the technique particular properties. All the piece of definitely, the leading planning decisions are made in a web-course by picking the spontaneous move in lightweight of the genuine transmission results and in like way a rank requesting of neighbouring focus centre interests. The designers in [4] gave a Markov decision theoretic definition for starting overseeing and a headed along structure for two or three changes of sharp coordinative [1]– [3], with the collections in sight of the creators' determinations of costs.

In particular, it's depicted that for any bundle, the best possible steering call, inside the slant of least cost or ricochet count, is to pick the accidental hand-off kilter in context in perspective of rundown. This report is proportional to fundamental cost or ricochet count of radiating the bundle on the most minor expensive or the first elliptic convenient course to the objective. Right once totally extraordinary floods of bundles are to cross the system, in any case, it'd beguile course a couple of groups on longer or only a great deal of extreme manners by which, if these manners by which ineluctably affect to affiliations that are less engaged. only a great deal of unambiguously, as noted in [6], [7], the leading prevailing plans in [1]– [5] will probably come through uncommon blockage and tremendous deferral (see the cases given in [6]). Obviously, it's appreciated that an adroit kind Of backpressure [8], contrasts backpressure dominating (DIVBAR) [7] guarantees certain predicted overall riches for all stabilizable segment charges. To certify yield optimality (restrained expected general abundance for all stabilizable touchdown charges), backpressure-primarily based estimations [7], [8] come via one element with the



## Survey: Image forgery and its detection techniques

J. Malathi<sup>1,2</sup>, T. Satya Nagamani<sup>1,3</sup>, K. N. V. S. K. Vijaya Lakshmi<sup>1</sup> and P. Rama devi<sup>4</sup>

<sup>1</sup>Assistant Professor, department of IT, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup>Research scholar, department of IT, GITAM S, Visakhapatnam, Andhra Pradesh, India.

<sup>3</sup>Research scholar, department of CSE, K L E F, Vijayawada, Andhra Pradesh, India.


<sup>4</sup>Assistant Professor, department of IT, V R S E C, Vijayawada, Andhra Pradesh, India.

E-mail: malathi.komma@gmail.com

**Abstract.** Image forgery is the most widely used technique in various applications and used in the various investigations to find the duplicate images in social media, social networking etc. Many forgery techniques are done to get the better results on finding the duplicate images. This paper, mainly focused on discussing the different strategies connected with making the fraud picture.

### 1. Introduction

Image manipulating and change of state will affect the images or photos. Various software's are available to change the image parameters, such as pixels, size and resolution. Thanks to this, there is also a fast boom of the image forgery in newspapers, TV and social media. Associate instance for photograph forgery is shown in Fig.1. This trend leads to severe vulnerabilities and loss of believability within the digital snap shots. Thus detection of image forgery is significant, as a result of the pictures are provided as proof in an exceedingly court docket. During this feel, photograph forgery detection is that the valuable enchantment of image forensics. in recent times, an outsized form of researchers have all began to specialize in the matter of virtual photograph forgery. copy-pass image forgery could be a common class of image forgery, that is to stay one or various derived region of associate image graph into different a part of the identical photo. throughout the duplicate and flow into forgery, photograph process techniques comprehensive of rotation, scaling, blurring, compression, and noise addition are meted out to create convincing forgeries. Associate instance for this sort of forgery is also seen in Fig.2, during which a bunch of individuals are derived and glued to hide President George W. Bush. this technique is also finished with none changes on the duplicated elements. Because of the convenience of use copy flow exposure forgery is incredibly common. Currently, several authors studied the difficulty of sleuthing those forgeries, considering the character of region duplication; there are a minimum of 2 comparable areas during a solid exposure.



**Figure 1.** Copy-move forgery:(a) the Duplicated image with four missiles & (b) the original image with three missiles.



## A frame work for mining huge data by non-expert users with the assistance of knowledge base

KNVSK Vijayalakshmi<sup>1</sup>, J Malathi<sup>1,2</sup> and G Krishnaveni<sup>1,3</sup>

<sup>1</sup>Assistant professor, Department of Information Technology, Sir C R Reddy College of Engineering, Eluru, West Godavari, India.

<sup>2</sup>Research scholar, Department of IT, GITAM University, Visakhapatnam, Andhra Pradesh, India.

<sup>3</sup>Research scholar, Department of CSE, K L E F, Vijayawada, Andhra Pradesh, India.

E-mail: vijayakathari@gmail.com

**Abstract.** Data mining is the examination of (regularly huge) observational enlightening files to find unsuspected associations and to plot the data in novel ways that are both legitimate and valuable to the information proprietor. At the end of the day information mining is a procedure of finding beforehand obscure, beneficial and utilizes designs covered up in information, with no earlier theory. Robotized Data Mining and demonstrating programming gives supervisors a device to perform examinations that generally would should be dealt with by an exceptionally prepared specialist. Robotized information mining systems isn't to give more exact outcomes yet endeavors to enable non expert clients to accomplish sensible outcomes with least exertion. Data mining is a troublesome and arduous action that requires a lot of mastery for acquiring quality outcomes. We require new techniques for wise information investigation to separate important data with less exertion. For that in this paper we propose an edge work with the assistance of learning base. That will be tried on e-realizing which creates heter outcomes.

### 1. Introduction

The expanding accessibility of information is an incredible open door for everybody to exploit their examination. The "huge information guarantee" expresses that the more information you have, the more examination you can perform, and afterward, the more educated choices you can make. Tragically, this could be valid for experts in information examination (the alleged, information researchers) or for those organizations that may contract them; at the same time, shouldn't something be said about non-specialists information miners? Physicians in clinics, educators in secondary schools or colleges, et cetera; would be occupied with applying propelled information investigation methods to settle on educated choices in their everyday life. Vitality, information mining is a standout amongst the most conspicuous system to find understood learning designs, in this way increasing more extravagant bits of knowledge into information. In any case, non-expert clients may discover complex to apply information mining methods to get helpful outcomes, because of the way that it is an inherently complex process [7] in which (i) an awesome number of calculations can be connected to take care of a similar issue with various results, and (ii) accurately applying information mining strategies dependably requires a considerable measure of manual exertion for setting up the datasets as indicated by their highlights. Therefore, effectively applying information mining requires the skill of an expert with a specific end goal to get dependable and valuable learning in the subsequent examples. Democratization of information mining hence requires depending on learning about reasonable information mining systems and settings as indicated by their information highlights. Simple to utilize data mining [6] is a phase forward to this democratization, since it energizes





## Implementation of data mining techniques in web of things

*G.Vihari<sup>1</sup>, N.Prasad<sup>2</sup>, K.Satyunarayana<sup>3</sup>*

<sup>1,2</sup>Assistant Professor, Information Technology, Sir C.R.Reddy College of Engineering, Eluru, Andhra Pradesh, India.

<sup>3</sup> Associate Professor, Information Technology, Sir C.R.Reddy College of Engineering, Eluru, Andhra Pradesh, India.

E-mail: viharicrit@gmail.com

**Abstract** Web of Things has been becoming quickly because of late progressions in interchanges and sensor advances. Interfacing an each question together through web looks extremely trouble some, however inside a casing of time Internet of Things will definitely change our life. The tremendous information caught by the web of Things are considered of high business and also social qualities and removing concealed data from crude information, different information mining calculation can be connected to web of things information. In this paper, We study efficient audit of different information mining models and also its application in web of Thing field alongside its benefits and negative marks.

### 1. Introduction

The net of Things suggests the type of the system which relate something i. e. Physical articles gizmos, frameworks, autos and different issues implanted with development, sensors and structure arranged up circumstance to agreed customs that permits these matters to unite and operate measurements. In our every day lives, we have ended up being much more relying after net of elements with our wearable tech, mechanical assemblies, our vehicles, how we get restorative administrations. Due to Seamless turning into someone from of regular set ups with web of components, it permits a massive vision that things might be effectively found and overseen which prompts to voluminous data. Consequently, with the stop objective to make web of things more noteworthy short witted, loads of insights assessment is required for which a champion among the greatest opportunity is measurements exploration. Much examinations as of past due has targeted on records mining in web of Things which relates materially protests, persona to character, character to framework or gizmo to gizmo by means of web and manages measurements.

Data mining system signifies the method for semi by mechanical means looking at huge directories as a case exploration that are creative, genuine, important and reasonable that is in some other case alluded to as Knowledge Discovery in Data source. Data mining contains trouble plan, insights aggregation, data cleaning i. e. Preprocessing, change, choosing mining errand/system and final product assessment/idea. Data disclosure is an iterative technique.





## E-SRA: Ensemble selfish routing algorithm

K Lakshmaji<sup>1</sup> and G Vihari<sup>2</sup>

<sup>1</sup> Assistant Professor, Information Technology, Sir C.R.Reddy College of Engineering, Eluru, Andhra Pradesh, India.

<sup>2</sup> Assistant Professor, Information Technology, Sir C.R.Reddy College of Engineering, Eluru, Andhra Pradesh, India.

E-mail: kotlalakshmaji@sircrr.ac.in

**Abstract:** Remote coordinating is the rapidly creating zone in present world to make correspondence between the center points. It is to a great degree obvious in nature to evaluate the center point openness and data transmission of center points. It is basic to realize the cunning guiding in the present territory to trade the data from source to objective which keeps up the imperativeness and information exchange limit between the center points. In this paper, the proposed gathering extremist coordinating estimation executes the dynamic course and keeps up the steady essentialness and at the every center point and moreover the information transmission at the center points. The results exhibit the execution of the proposed system.

### 1. Introduction

The In multi-skip remote structures, the puerile coordinating has for an extended however been foreseen to unwind the issues of customary directing [1]– [5]. Standard recognizing mitigates the impact of poor remote relationship by abusing the present system for remote transmissions and as needs be the technique particular properties. All the piece of definitely, the leading planning decisions are made in a web course by picking the spontaneous move in lightweight of the genuine transmission results and in like way a rank requesting of neighbouring focus centre interests. The designers in [4] gave a Markov decision theoretic definition for starting overseeing and a headed along structure for two or three changes of sharp coordinative [1]– [3], with the collections in sight of the creators' determinations of costs.

In particular, it's depicted that for any bundle, the best possible steering call, inside the slant of least cost or ricochet count, is to pick the accidental hand-off kilter in context in perspective of rundown. This report is proportional to fundamental cost or ricochet count of radiating the bundle on the most minor expensive or the first elliptic convenient course to the objective. Right once totally extraordinary floods of bundles are to cross the system, in any case, it'd beguile course a couple of groups on longer or only a great deal of extreme manners by which, if these manners by which ineluctably affect to affiliations that are less engorged. only a great deal of unambiguously, as noted in [6], [7], the leading prevailing plans in [1]– [5] will probably come through uncommon blockage and tremendous deferral (see the cases given in [6]). Obviously, it's appreciated that an adroit kind Of backpressure [8], contrasts backpressure dominating (DIVBAR) [7] guarantees certain predicted overall riches for all stabilizable segment charges. To certify yield optimality (restrained expected general abundance for all stabilizable touchdown charges), backpressure-primarily based estimations [7], [8] come via one element with the



## Computer business organization on cloud platform

C Yallamanda<sup>1</sup> and P Ramaiah Chowdary<sup>2</sup>

<sup>1,2</sup>Assistant professor, Department of Information Technology, Sir C. R Reddy College of Engineering, Eluru, West Godavari, India.

E-mail: challa.ynaidu@gmail.com

**Abstract.** In 20th century, the era of digital marketing in engineering evolved rapidly, among those social networks; mobile terminology. Analytics and cloud computing makes vital functioning think technology. As per the latest surveys suggests that one among three is using the social networking. As coming to mobile technology, 19th century innovative invention is mobile machine and their equipment that are making major work in the human life. Such that the evaluation of this type of equipment is really make more sense. The change in business marketing the use thinks is cloud computing. It's making more interaction with the peoples. To making these type of cloud business make more profit to the vendor as well as the more useful to the consumer.

### 1. Introduction

The period of PC innovation is characterized as pre digitization, digitization and post digitization. The principle empowering innovation for Cloud Computing is Virtualization. Virtualization is a dividing of single physical server into various coherent servers. When the physical server is isolated, each sensible server carries on like a physical server and can run a working framework and applications freely. Numerous famous organizations resemble VMware and Microsoft give virtualization administrations, where as opposed to utilizing your own PC for capacity and calculation, you utilize their virtual server. They are quick, financially savvy and less tedious.

For programming engineers and analyzers virtualization comes extremely convenient, as it enables designer to compose code that keeps running in a wide range of situations and all the more imperatively to test that code.

Virtualization is chiefly utilized for three fundamental purposes: System Virtualization, Server Virtualization and Capacity Virtualization.

#### 1.1 System virtualization

It is a technique for joining the accessible assets in a system by part up the accessible transfer speed into channels, every one of which is free from others and each channel is autonomous of others and can be appointed to a particular server or gadget progressively.

#### 1.2 Server virtualization

Server virtualization is the covering of server assets like processors, RAM, working framework and so on, from server clients. The aim of server virtualization is to build the asset sharing and lessen the weight and intricacy of calculation from clients.

#### 1.3 Capacity Virtualization





# Identification of MITM Attack by Utilizing Artificial Intelligence Mechanism in Cloud Environments

**P Ramiah Chowdary<sup>1</sup>, Yallamanda Challa<sup>2</sup>, M S N V Jitendra<sup>3</sup>**

<sup>1</sup>Assistant professor, Department of Information Technology, Sir C R Reddy College of Engineering, Eluru, West Godavari, India.

<sup>2</sup>Assistant professor, Department of Information Technology, Sir C R Reddy College of Engineering, Eluru, West Godavari, India.

<sup>3</sup>Assistant professor, Department of Computer Science and Engineering, GITAM University, Visakhapatnam, India.

**E-mail:** ram.tech11@gmail.com

**Abstract.** Cloud dealing with has changed into an essential bit of the reliably life. It basically made everyone life less troublesome with astounding highlights. To help broadening many of clients and more over keen gadgets, it is depended upon to keep the cloud condition continuously secure and time tested. Scattered handling security has changed into a fundamental testing field at now a day. Here we introduced Man-made consciousness based structure that might be useful for an exposure of man-in-the-middle assault (MITM) in passed on figuring condition. As MITM strike winds up being eminent with the development of time, on the off chance that it is recognized at first, by then the assault might be limited. So we concentrated on assault region fragment to remain the cloud condition utilizing Man-made consciousness technique for thinking. Watchwords—Cloud enrolling condition, Computerized reasoning method of reasoning, MITM strike.

## 1. Introduction

Present world is honored with registering innovation. Allotted computing innovation has lined each substitute size inside the net centered often framework with its versatile and responsible highlights. At the same time now not the ascent of disbursed computing, it'll impossible to clutch fast net for the growing style of customers. Right now a day's increasing security has changed into a stimulating discovering out element for skilled companies. The bizarre attack goes on that harms each of the coins and beneficial time. On the off hazard that it can be miles abilities to moderate the attacks at intervals the cloud framework, at that trouble, the highest shoppers can respect the category of cost cloud situation all the greater consummately.

There square measure several varieties of assault, which would also ruin the cloud state of affairs interior a second if there's no watching forward to contraction. The utmost widely speak me well-known assault in cloud situation is MITM assault. This assault makes a specialty of the laptop going for walks in an exceedingly buildings administration framework and creates big large resolution of congestion. This congestion attacks the server's framework within cloud condition. All the cloud type servers that together rapidly get pressurized by it desires to method large form of interest. On the off threat that there is no opposing motion problem at intervals the cloud framework, at the moment, the parcel landing-cost seems to be high with the growing of your time. Consequently, during one section, the clouds framework neglects to serve there shoppers.

We projected an AI covered, typically dilemma to apprehend the assault inside the cloud framework. We have a tendency to recognize AI framework is utilized to lessen the human ideas weight, since it's going to perform wise undertaking like human neural structure will do. Thus it is miles accomplishable to recognize the irregular behavior of parcels on the off probability that we tend to actualize the alternative intelligence reason inside the cloud framework. All of the approaching facts may also be sifted via the



## A new dynamic and enhanced resource allocation algorithm in cloud computing

T Satya Nagamani<sup>1,2</sup>, K N V S K Vijaya Lakshmi<sup>1</sup> and B Lalitha Bhavani<sup>1,2</sup>

<sup>1</sup>Assistant Professor, Department of IT, Sir C R Reddy College of Engineering, Eluru, India.

<sup>2</sup>Research scholar, Department of CSE, K L E F, Vijayawada, Andhra Pradesh, India.

E-mail: happysatyasai@gmail.com

**Abstract.** One of the testing issues in Cloud data centers is to take the segment and relocation of reconfigurable virtual machines into thought and moreover the joined features of facilitating physical machines. We present a dynamic resource assignment framework (DRAM) for Cloud data centers. Dissimilar to customary stack balance arranging calculations which consider only a solitary factor, for instance, the CPU stack in physical servers, this strategy treats CPU, memory and framework information transmission composed for both physical machines and virtual machines. We create joined estimation for the all out irregularity dimension of a Cloud data center and furthermore the ordinary disproportion dimension of each server. Reproduction results show that DRAM has great execution as of indicate abnormality level, normal ponderousness dimension of each server, too as in general running time.

### 1. Introduction

Cloud computing creates as each other figuring perspective which hopes to give reliable, changed and QoS (Quality of Service) guaranteed registering dynamic conditions for end-customers [22]. Distributed making prepared, parallel adapting to and grid processing altogether ascended as distributed computing. The vital boundless of cloud computing is that customer measurements isn't put away provincially yet is secured inside the server homestead of net. The associations which give cloud computing organization could manage and keep up the assignment of these server ranches. The customers can get to the set away data at whatever point by using Application Programming Interface given by cloud providers entirely through any terminal apparatus related with web. Not solely are limit organizations gave yet what's more gear and programming organizations are open to the general populace and business markets.

The organizations given by utilizing authority associations can be the aggregate, since the system, stage or programming sources. Each such administration is in my view called Infrastructure as a Service, Platform as a Service. There are different conceivable outcomes of distributed computing, the great many people fundamental ones being lesser costs, re-provisioning of assets and way away receptiveness. Distributed computing cuts down cost by means of avoiding the essential utilization with the association in renting the material establishment from an untouchable provider.





## A comparative performance analysis of different machine learning techniques

**B Lalithabhavani<sup>1,2</sup>, G Krishnaveni<sup>1,2</sup> and J Malathi<sup>1,2</sup>**

<sup>1</sup>Assistant professor, Department of Information Technology, Sir C R Reddy College of Engineering, Eluru, West Godavari, India.

<sup>2</sup>Research scholar, Department of CSE, K L E F, Vijayawada, India.

<sup>3</sup>Research scholar, Department of IT, GITAM, Visakhapatnam, India.

E-mail: karuturi.lalithaese@gmail.com

**Abstract.** Over the past many decades, Machine Learning (ML) has advanced from the undertaking of few PC fans misusing the likelihood of PCs figuring out how to play diversions, and a piece of Mathematics (Statistics) that only here and there measured computational methodologies, to an autonomous research obedience that has not just given the essential base to measurable computational standards of learning systems, yet in addition has created different calculations that are routinely utilized for content translation, design acknowledgment, and a numerous other business purposes and has prompted a different research enthusiasm for information mining to recognize shrouded regularities or abnormalities in social information that developing by second. This paper centers around clarifying the idea and development of Machine Learning, a portion of the well known Machine Learning calculations and endeavor to think about three most prevalent calculations dependent on some essential thoughts. Sentiment140dataset was utilized and execution of every calculation as far as preparing time, forecast time and precision of expectation have been reported and analyzed.

### 1. Introduction

Because of innovative enhancements and development, a monstrous measure of information is produced in an extensive variety of fields like bioinformatics, human services, web based life, training, back et cetera. Consequently an expanding volume of information, accessibility of various classes of information and improving computational preparing have made machine learning (ML) – an essential angle in the field of artificial intelligence (AI). ML is the most vital information examination techniques which iteratively gain from the accessible information by utilizing calculations. ML takes after iterative attributes, since the models are permitted to acknowledge the new information. ML strategies build up a model from the given data sources. From the models, a huge forecasts and choices might be gotten. Hence, ML systems allow the PCs to gain from the given information and develop a model to anticipate the future information. The point of ML methods is to improve the learning capability of PCs. ML procedures assume a crucial job in numerous applications in the fields of internet based life, training, back, bioinformatics, medicinal services, vitality holds, and climate forecast et cetera. The four ML calculations like irregular woods, neural networks (NNs), found the middle value of NNs and bolster vector machine (SVM) for precipitation territory recognition and precipitation rate task[4]. The NNs and arrived at the midpoint of NNs were distinguished as the most reasonable calculations in light of



## Enhanced path recreation in remote sensor networks

A M K Kanna Babu<sup>1</sup>, G Pavan<sup>2</sup> and K satyanarayana<sup>3</sup>

<sup>1,2</sup> Assistant Professor, Information Technology, Sir C.R.Reddy College of Engineering, Eluru, Andhra Pradesh, India.

<sup>3</sup> Associate Professor, Information Technology, Sir C.R.Reddy College of Engineering, Eluru, Andhra Pradesh, India.

E-mail:kumarkanna@sirerengg.ac.in

**Abstract:** The remote specially appointed systems comprise of a gathering of remote hubs that impart over a typical remote medium. The hubs impart without a framework, for example, base station, wired passage, and so forth. The foundation of the systems must be in an appropriated and decentralized way. In this manner, the many-sided quality of the systems is in the hubs self. The hubs must have the capacity to take care of system's concern, for example, directing and security. Regardless of the specialized difficulties, the interests of the impromptu systems increment quickly as of late, in light of the fact that they bolster portability and are exceptionally appropriate for some troublesome circumstances, such: protect mission, military, vehicular interchanges, and so forth. In this review article, I present the idea of remote impromptu systems and uncommonly portable specially appointed system (MANET), their engineering, purposes, applications, preferences, burdens, and correlation with framework systems.

### 1. Introduction

Remote specially appointed systems are accumulations of remote hubs that convey straightforwardly over a typical remote channel. The hubs are outfitted with remote handset. They needn't bother with any extra foundation, for example, base station or wired passage, and so on. Consequently, every hub doesn't just assume the job of an end framework, yet in addition goes about as a switch, that sends parcels to wanted hubs.

The impromptu are relied upon to do assignments, which the framework can't do. Impromptu systems are for the most part utilized by military, save mission group, cab driver. Their works can't depend on a framework's system. As an illustrative precedent, envision fire-fighters put out dangerous fire in major woodland. They need to impart one another; however building up a foundation or cabling in such region is unthinkable or excessively costly.

The primary issues in specially appointed systems are steering and normal for remote correspondence. In foundation's systems a hub can speak with all hubs in a similar cell. In impromptu a hub can discuss just with hubs in its territory. this hub can speak with different hubs, yet a directing calculation is fundamental. Not at all like wired correspondence, have remote systems had transmission issue with information trans-mission, for example, probability of hilter kilter associations and higher obstructions. The point of this review article is to give information's on impromptu systems and uncommonly MANET, their structure, their applications on the present time, and also their solid and shortcoming in examination with framework systems. Area 2 presents specially appointee's engineering and its



## An ensemble integrated mailing system for detecting spam mails

G Pavan<sup>1</sup>, K Lakshmaji<sup>2</sup> and Dr S Krishna Rao<sup>3</sup>

<sup>1,2</sup>Assistant professor, Department of Information Technology, Sir C R Reddy College of Engineering, Eluru, West Godavari, India.

<sup>3</sup>HOD, Professor, Department of Information Technology, Sir C R Reddy College of Engineering, Eluru, West Godavari, India.

E-mail: gsraghupavan9@gmail.com

**Abstract.** In Internet, today most widely issues occur with security. Security plays the vital role in Internet. Many software and hardware systems are affecting with the security issues. This may cause major problem for the companies to maintain the network securely. Attackers mainly concentrate on attacking the servers and systems with any type of malware and virus to hack the system or mail account. Today the most popular attacking by the attackers are spam mails. This brings lot of security issues if it is implemented in gmail, yahoo and other mail service providers. Spam zombies are the spam activities done by the spam developers to attack the system. In this paper, an ensemble spam mail detection system named ESMDS by observing outgoing and incoming messages of a network. ESMDS is developed based on a powerful analysis tool called Sequential Probability Ratio Test (SPRT). Results show the performance of the ESMDS.

### 1. Introduction

Recent years a mail plays the major role for sending and receiving the messages and also attached with the files. Spam is rehearsing in inutility, storage and similarity knowledge transfer capability. The problem of spam email has been increasing for a substantial length of your time. In in progress insights, four-hundredth of all messages square measure spam that around fifteen.4 billion email for every day which price internet purchasers regarding \$355 million per annum. Programmed email separating is evidently the slightest complex framework for countering spam straight away and a decent group action among spammers and spam-sifting methods goes on. Simply quite a whereas back the bulk of the spam may well be faithfully managed by interference messages originating from specific locations or separation through messages with sure titles. Spammers began to use a couple of precarious methods to overcome the separation methods like using sporadic sender tends to even now as attach incautious characters to the start or the finish of the message title [1].

Data coming up with and machine learning square measure the 2 general methodologies used in email separating. In data coming up with methodology a meeting of tenets should be determined by that messages square measure sorted. Implementing this strategy, no encouraging outcomes demonstrate in lightweight of the actual fact that the principles should be perpetually invigorated and preserved or, in alternative words of your time and it's not advantageous for usual, purchasers. ML method is improved than associate data building method; it does not need decisive any tenets [4]. Rather, a meeting of making ready tests, these examples are a meeting of pre-grouped email messages. A specific algorithm is then wont to absorb the arrangement rules from these email messages. Machine learning approach has been usually thought of and there square measure various calculations will be used in email separating. They



# Deep learning: a branch of machine learning

P Rajendra Kumar<sup>1</sup> and E B K Manash<sup>2</sup>

<sup>1,2</sup>Assistant Professor, Department of Information Technology, Sir C R Reddy College of Engineering, Eluru, Andhra Pradesh, India.

Email: p.rajendrakumar08@gmail.com, krishnamanash@gmail.com

**Abstract.** Deep learning is a rising territory of machine learning (ML) inquire about. It includes different shrouded layers of artificial neural systems. Deep learning (DL) is a part of machine learning dependent on an arrangement of algorithm that aim to show abnormal state reflections in information. It is utilized by Google in its voice and picture recognition algorithm, by Netflix and Amazon to choose what you need to watch or purchase straightaway, and by specialists at MIT to anticipate what's to come. Deep Learning is utilized in different fields for accomplishing various levels of deliberation like sound, content, pictures highlight extraction and so forth. The Deep learning philosophy applies nonlinear changes and model reflections of abnormal state in extensive databases. With Deep learning capacity to make forecasts and groupings taking the upside of huge information, it can be a creative answer for issues and issues that have been never thought to be understood in such a simple way. Then again, it makes numerous difficulties on the researchers who are trying to convey such another methodology. The accompanying survey sequentially shows how and in what real applications deep learning algorithms have been used. We have completed a broad writing survey and reviewed the utilization of deep learning in different fields.

## 1. Introduction

The execution of machine learning techniques is vigorously reliant on the selection of information portrayal on which they are connected [1]. Therefore, a great part of the genuine exertion in sending machine learning algorithms [2] goes into the structure of preprocessing pipelines and information changes that outcome in a portrayal of the information that can bolster powerful machine learning. Such component designing is imperative yet work concentrated and features the shortcoming of deep learning algorithm: their failure to separate and sort out the discriminative data from the information. Highlight designing [4] is an approach to exploit human resourcefulness and earlier information to make up for that shortcoming. The most exemplary subdivision inside NLP is machine interpretation, or, in other words the interpretation between dialects. Machine interpretation algorithm have brought about different applications that consider syntax structure and spelling botches. Also, an arrangement of words and vocabulary identified with the primary theme is consequently utilized as the principle source when the system is proposing changes to essayist or manager [3]. With the end goal to grow the extension and simplicity of materialness of machine learning, it would be very attractive to make learning algorithm less subject to highlight designing, so novel applications could be developed quicker, and all the more essentially, to gain ground towards Artificial Intelligence (AI). Measurable bends can depict past, and present with the end goal to foresee future practices. In any case, amid the most recent decades just great methods and algorithm have been utilized to process this information, while an enhancement of those algorithms could lead on a viable self-learning. A superior basic leadership can be actualized dependent on existing qualities, numerous criteria and insights propelled techniques.





## Deep learning: a branch of machine learning

P Rajendra Kumar<sup>1</sup> and E B K Manash<sup>2</sup>

<sup>1,2</sup>Assistant Professor, Department of Information Technology, Sir C R Reddy College of Engineering, Eluru, Andhra Pradesh, India.

Email: p.rajendrakumar08@gmail.com, krishnamanash@gmail.com

**Abstract.** Deep learning is a rising territory of machine learning (ML) inquire about. It includes different shrouded layers of artificial neural systems. Deep learning (DL) is a part of machine learning dependent on an arrangement of algorithm that aim to show abnormal state reflections in information. It is utilized by Google in its voice and picture recognition algorithm, by Netflix and Amazon to choose what you need to watch or purchase straightaway, and by specialists at MIT to anticipate what's to come. Deep Learning is utilized in different fields for accomplishing various levels of deliberation like sound, content, pictures highlight extraction and so forth. The Deep learning philosophy applies nonlinear changes and model reflections of abnormal state in extensive databases. With Deep learning capacity to make forecasts and groupings taking the upside of huge information, it can be a creative answer for issues and issues that have been never thought to be understood in such a simple way. Then again, it makes numerous difficulties on the researchers who are trying to convey such another methodology. The accompanying survey sequentially shows how and in what real applications deep learning algorithms have been used. We have completed a broad writing survey and reviewed the utilization of deep learning in different fields.

### 1. Introduction

The execution of machine learning techniques is vigorously reliant on the selection of information portrayal on which they are connected [1]. Therefore, a great part of the genuine exertion in sending machine learning algorithms [2] goes into the structure of preprocessing pipelines and information changes that outcome in a portrayal of the information that can bolster powerful machine learning. Such component designing is imperative yet work concentrated and features the shortcoming of deep learning algorithm: their failure to separate and sort out the discriminative data from the information. Highlight designing [4] is an approach to exploit human resourcefulness and earlier information to make up for that shortcoming. The most exemplary subdivision inside NLP is machine interpretation, or, in other words the interpretation between dialects. Machine interpretation algorithm have brought about different applications that consider syntax structure and spelling botches. Also, an arrangement of words and vocabulary identified with the primary theme is consequently utilized as the principle source when the system is proposing changes to essayist or manager [3]. With the end goal to grow the extension and simplicity of materialness of machine learning, it would be very attractive to make learning algorithm less subject to highlight designing, so novel applications could be developed quicker, and all the more essentially, to gain ground towards Artificial Intelligence (AI). Measurable bends can depict past, and present with the end goal to foresee future practices. In any case, amid the most recent decades just great methods and algorithm have been utilized to process this information, while an enhancement of those algorithms could lead on a viable self-learning. A superior basic leadership can be actualized dependent on existing qualities, numerous criteria and insights propelled techniques.



## Ensemble path finding in wireless sensor networks

*N Prasad<sup>1</sup>, A M K Kanna babu<sup>2</sup> and Dr S Krishna rao<sup>3</sup>*

<sup>1,2</sup> Assistant Professor, Information Technology, Sir C R Reddy College of Engineering, Eluru, Andhra Pradesh, India.

<sup>3</sup> Professor, Information Technology, Sir C R Reddy College of Engineering, Eluru, Andhra Pradesh, India.

Email: rprasad999@gmail.com

**Abstract:** A wireless sensor network (WSN) plays the major role in providing the network for the various scenarios. It consists of various nodes and base stations that are used to communicate the nodes and transfer the data from source to destination and in between the nodes. The important parameters of the WSN are accuracy, computation time and shortest path between the nodes. Various existing approaches are available to get the results. But the existing approaches are not performed well. In this paper, the ensemble path finding is implemented to solve issues identified in the existing system. The proposed system shows the performance based on accuracy, computation time and shortest dynamic path.

### 1. Introduction

The utilization of WSNs for info correspondence and handling is developing quickly. A framework of WSNs relies on an intensive range of free sensor hubs and a base station, with the bottom station going concerning as a portal to a different system. A sink node often serves the duty of the base station; this might be a digital computer or a computer framework that gathers information and examinations it to decide on fitting selections [1]. Various types of sensor nodes will frame a WSN, as well as low examining rate enticing, warm, visual, infrared and acoustic [1]. The sensor on each node will acknowledge wonders, as an example, light, weight, warm, so forth [2]. The sensor is outfitted with a bit battery as an influence provides, which suggests that the system execution is extremely dependent on the speed of energy utilization.

With the continuing accomplishment within the field of sensors, the constant application has inflated clear thought among technoerats and scientists. With the top goal to kill the difficulties of the sensors, technologists and scientists found a solution by conveyance the continuing utilizations of Wireless sensor network (WSN). The constant sensors can momentarily notice, record, and send criticism to the top shopper for more making ready of the got information. Above all, the continual application is disturbed concerning the execution of basic applications that require restricted defer dormancy. Current remote correspondence could be a rising application field of WSNs that includes a potential noteworthy analysis course. Current applications able to screen, react promptly to shopper info, or management Associate in Nursinging outer scenario. The outer condition is related to the computer framework through sensors, actuators, and knowledge yield gadgets. Remote device organizes that empower the system restricted defer guarantee, or, in alternative words the conclusion to finish bundle conveyance, the square measure named as constant WSN [1].





## Re-design of smart homes with digital twins

V Gopinath<sup>1</sup>, A Srija<sup>1</sup> and C Neethu Sravanthi<sup>1</sup>

<sup>1</sup>Department of IT, Sir C R Reddy College of Engineering, Eluru, India.

E-mail: velivelagopi@gmail.com

**Abstract.** One of the key transformations in the epoch of the Internet of Things (IoT) and industry innovation is Digital twin. The top trending technologies like Machine learning, artificial intelligence, Cloud Computing platforms, Big data architectures, Software analytics and the Internet of things (IoT) are integrated and used by a digital twin concept in an immense way which changes the IT business productivity and reduces the cost of investment. Digital Twin is a flourishing tool which integrates the both physical and virtual scenarios/worlds. This paper presents the re-designing solution for Smart homes using the digital twin paradigm. The introduction and the concept of this technology are introduced first, and then presented a sophisticated smart home architecture with digital twin. At last we performed experiments on this digital twin architecture and compared with normal IoT implementations. In this Whitepaper, we reviewed the concepts of Digital twin technology, IoT and re-designing idea for building Smart Homes.

### 1. Introduction

With the mounting deployments of the Internet of Things (IoT) systems, the significance of the concept of a digital illustration of physical things has gathered trivial interest in the recent years [2]. Digital Twin is basically a living model of the physical skill or system, which will repeatedly adapt to changes in the milieu or operations and bring the best business outcome. It can also be rapidly, quickly and easily scaled for quick deployment for the other, similar applications. Building a smart building is often an essence for deploying all the sensors, software, network, and physical assets [5]. The data collected and analysis results are shared to the digital twin and can be monitored by an individual. The most outstanding example of this trend can be found in the Gartner's report titled "Top 10 Strategic Trends for 2017" published in October 2016, Digital Twins was Number 5 strategic trend for 2017 in this report [6][7]. These digital proxies are expected to be built from the domain knowledge of subject matter experts as well as the real-time data collected from the devices [1].

"Digital twin is the skill to craft a virtual depiction of the physical elements and the dynamics of how an Internet of Things device operates works and device act in response right through its lifecycle." The source of the term "Digital Twin" was used by Dr. Michael Grieves at the University of Michigan, USA around 2001-2002. He initially defined this in the milieu Lifecycle Management of product. He initiates the idea of a "Digital Twin" as a virtual representation of manufactured object. He widens the design of comparing and contracting a Digital Twin to its engineering design to better realize what was produced versus what was designed. Likewise tightening the gap between design and execution [3][4]. Gartner predicts that by 2021, "55 % of huge industrial organizations will use digital twins, ensuing in those companies gaining 15 percent perfection in effectiveness." So, while digital twin technology isn't



## Computer business organization on cloud platform

**C Yallamanda<sup>1</sup> and P Ramaiah Chowdary<sup>2</sup>**

<sup>1,2</sup>Assistant professor, Department of Information Technology, Sir C R Reddy College of Engineering, Eluru, West Godavari, India.

E-mail: challa.ynaidu@gmail.com

**Abstract.** In 20th century, the era of digital marketing in engineering evolved rapidly, among those social networks, mobile terminology. Analytics and cloud computing makes vital functioning think technology. As per the latest surveys suggests that one among three is using the social networking. As coming to mobile technology, 19th century innovative invention is mobile machine and their equipment that are making major work in the human life. Such that the evaluation of this type of equipment is really make more sense. The change in business marketing the use thinks is cloud computing. It's making more interaction with the peoples. To making these type of cloud business make more profit to the vendor as well as the more useful to the consumer.

### 1. Introduction

The period of PC innovation is characterized as pre digitization, digitization and post digitization. The principle empowering innovation for Cloud Computing is Virtualization. Virtualization is a dividing of single physical server into various coherent servers. When the physical server is isolated, each sensible server carries on like a physical server and can run a working framework and applications freely. Numerous famous organizations resemble VMware and Microsoft give virtualization administrations, where as opposed to utilizing your own PC for capacity and calculation, you utilize their virtual server. They are quick, financially savvy and less tedious.

For programming engineers and analyzers virtualization comes extremely convenient, as it enables designer to compose code that keeps running in a wide range of situations and all the more imperatively to test that code.

Virtualization is chiefly utilized for three fundamental purposes: System Virtualization, Server Virtualization and Capacity Virtualization.

#### 1.1 System virtualization

It is a technique for joining the accessible assets in a system by part up the accessible transfer speed into channels, every one of which is free from others and each channel is autonomous of others and can be appointed to a particular server or gadget progressively.

#### 1.2 Server virtualization

Server virtualization is the covering of server assets like processors, RAM, working framework and so on, from server clients. The aim of server virtualization is to build the asset sharing and lessen the weight and intricacy of calculation from clients.

#### 1.3 Capacity Virtualization





## Identification of MITM Attack by Utilizing Artificial Intelligence Mechanism in Cloud Environments

P Ramiah Chowdary<sup>1</sup>, Yallamanda Challa<sup>2</sup>, M S N V Jitendra<sup>3</sup>

<sup>1</sup>Assistant professor, Department of Information Technology, Sir C R Reddy College of Engineering, Eluru, West Godavari, India.

<sup>2</sup>Assistant professor, Department of Information Technology, Sir C R Reddy College of Engineering, Eluru, West Godavari, India.

<sup>3</sup>Assistant professor, Department of Computer Science and Engineering, GITAM University, Visakhapatnam, India.

E-mail: ram.tech111@gmail.com

**Abstract.** Cloud dealing with has changed into an essential bit of the reliably life. It basically made everyone life less troublesome with astounding highlights. To help broadening many of clients and more over keen gadgets, it is depended upon to keep the cloud condition continuously secure and time tested. Scattered handling security has changed into a fundamental testing field at now a day. Here we introduced Man-made consciousness based structure that might be useful for an exposure of man-in-the-middle assault (MITM) in passed on figuring condition. As MITM strike winds up being eminent with the development of time, on the off chance that it is recognized at first, by then the assault might be limited. So we concentrated on assault region fragment to remain the cloud condition utilizing Man-made consciousness technique for thinking. Watchwords—Cloud enrolling condition, Computerized reasoning method of reasoning, MITM strike.

### 1. Introduction

Present world is honored with registering innovation. Allotted computing innovation has lined each substitute size inside the net centered often framework with its versatile and responsible highlights. At the same time now not the ascent of disbursed computing, it'll impossible to clutch fast net for the growing style of customers. Right now a day's increasing security has changed into a stimulating discovering out element for skilled companies. The bizarre attack goes on that harms each of the coins and beneficial time .On the off hazard that it can be miles abilities to moderate the attacks at intervals the cloud framework, at that trouble, the highest shoppers can respect the category of cost cloud situation all the greater consummately.


There square measure several varieties of assault, which would also ruin the cloud state of affairs interior a second if there's no watching forward to contraption. The utmost widely speak me well-known assault in cloud situation is MITM assault. This assault makes a specialty of the laptop going for walks in an exceedingly buildings administration framework and creates big large resolution of congestion. This congestion attacks the server's framework within cloud condition. All the cloud type servers that together rapidly get pressurized by it desires to method large form of interest. On the off threat that there is no opposing motion problem at intervals the cloud framework, at the moment, the parcel landing cost seems to be high with the growing of your time. Consequently, during one section, the clouds framework neglects to serve there shoppers.

We projected an AI covered, typically dilemma to apprehend the assault inside the cloud framework. We have a tendency to recognize AI framework is utilized to lessen the human ideas weight, since it's going to perform wise undertaking like human neural structure will do. Thus it is miles accomplishable to recognize the irregular behavior of parcels on the off probability that we tend to actualize the alternative intelligence reason inside the cloud framework. All of the approaching facts may also be sifted via the



**Scheduled Maintenance:** On Thursday, April 4, IEEE Xplore will undergo scheduled maintenance from 1:00-3:00 PM ET (5:00-7:00 PM UTC). During this time, there may be intermittent impact on performance. We apologize for any inconvenience. ✕

[IEEE.org](#) [IEEE Xplore](#) [IEEE SA](#) [IEEE Spectrum](#) [More Sites](#) [Subscribe](#) [Donate](#) [Cart](#) [Create Account](#) [Personal Sign In](#)

 [Browse](#) [My Settings](#) [Help](#) [Institutional Sign In](#)

[Institutional Sign In](#)

All



ADVANCED SEARCH

Conferences > 2018 IEEE Indian Conference on...

## Design of Gregorian Reflector for Imaging

Publisher: IEEE

[Cite This](#)

[PDF](#)

[Venkata Reddy Kandregula](#) ; [Venkateswara Rao Tumati](#) ; [Padali Susmitha](#) [All Authors](#)

123  
Full  
Text Views



Alerts

[Manage Content Alerts](#)  
[Add to Citation Alerts](#)

### Abstract

Document Sections

I. Introduction

II. Design

» Conclusion

[Authors](#)

[Figures](#)

[References](#)

[Keywords](#)

[Metrics](#)

[More Like This](#)



**Abstract:** A Gregorian Dual Reflector configuration is proposed to scan an area ranging from  $-1.2^\circ$  to  $1.2^\circ$ . The proposed configuration consists of a paraboloidal main reflector, ell... [View more](#)

### Metadata

#### Abstract:

A Gregorian Dual Reflector configuration is proposed to scan an area ranging from  $-1.2^\circ$  to  $1.2^\circ$ . The proposed configuration consists of a paraboloidal main reflector, elliptical sub-reflector operating at Ku-Band and sharing common feed point. Imaging arrangement is obtained by translation, rotation and focal length adjustment of the feed. An attractive feature of the imaging arrangement is that they are capable to scan one beam electronically and generate multi beam coverage in a limited field of view. As an application, a 0.6m diameter main reflector with a cluster of WR-51 waveguides is utilized to get an H.P.B.W of  $1.6^\circ$ .

**Published in:** 2018 IEEE Indian Conference on Antennas and Propagation (INCAP)

**Date of Conference:** 16-19 December 2018

**DOI:** 10.1109/INCAP.2018.8770747

**Date Added to IEEE Xplore:** 25 July 2019

**Publisher:** IEEE

#### ISBN Information:

**Conference Location:** Hyderabad, India.

### Contents

#### I. Introduction

Reflector antennas with limited electronic scanning are of interest in communication and satellite applications. The imaging system, also known as magnified array consists of a feeding phased array properly magnified by usually two reflectors. The most typical imaging reflector systems are constituted by a phased array and two conformat parabolic reflectors in a Gregorian configuration.